

established in 1966

Information about the activities of the Cesa free irregular internet Issues

Announcements- General News - Expeditions-Publications - Visitors - Workshops - Seminars -

Nr.79 **20 February 2012** 

# Preliminary list of the *Lepidoptera* of Sri Lanka

Ahmet Ömer Koçak<sup>1</sup> Muhabbet Kemal<sup>2</sup>

Abstract: Preliminary list of the Lepidoptera of Sri Lanka. Cesa News 79: 1-57. Present paper deals with the explanations of the present situation and the future of the planned project on the Lepidoptera of Sri Lanka. Totally 1903 species of 58 families are listed with scientific names and synonyms. More than 300 publications are given as author index. Key words: Lepidoptera, Sri Lanka, fauna.

Within the frame of the Entomofauna Project of the Cesa<sup>3</sup>, an updated specific list of the Lepidoptera of Sri Lanka is planned. For this purpose, more than 300 faunistical publications, as well as taxonomical revisional studies concerning the Lepidoptera of this island have been compiled and evaluated as much as possible (see references, p.47).

Number of the species of the Lepidoptera of Sri Lanka is mentioned as "2158", but no related specific list published (Wijesekara & Wijesinghe, 2003), whereas the present incomplete preliminary list comprises 1903 species of 58 families, 88.18% of the 2158 known taxa (Wijesekara & Wijesinghe, 2003). Further, it is mostly controlled and updated from taxonomical and nomenclatural standpoints. We estimate that the published faunistic information should comprise more than 2500 species.

The publication, "Lepidoptera of Sri Lanka" has been planned as a long-termed study with illustrated faunistical and ecological results of the planned expeditions to this island, in collaboration with the native academic partners. The present temporary list will be a basis for the planned survey.

<sup>&</sup>lt;sup>1</sup> http://zoobank.org/?lsid=urn:lsid:zoobank.org:author:4755104C-24B4-4E00-8831-5F5E08B9E831

http://zoobank.org/?lsid=urn:lsid:zoobank.org;author:671DD110-BDF1-49C8-964D-2A9251BE7824

<sup>3</sup> Cesa: http://www.cesa-tr.org/urn:lsid:biocol.org:col:35261

20 February 2012

# List of the Species of the Lepidoptera

In this part, 1903 species belonging to 58 families (butterflies and moths) are listed alphabetically. Authors and dates of publication of the species are generally updated. Latest nomenclatural and taxonomical changes are principally used. Synonyms are arranged in chronological order. Nomenclaturally unavailable names are marked with #.

# **Butterflies**

# **Papilionidae**

- Atrophaneura (s.str. (Pachliopta)) hector (Linnaeus,1758) (Papilionidae) Synonym(s): hector Linnaeus,1758
- 2. Atrophaneura (s.str. (Pachliopta)) jophon (Gray,[1853]) (Papilionidae) Synonym(s): jophon Gray,[1853]
- 3. Chilasa (s.str. (s.str.)) clytia (Linnaeus,1758) (Papilionidae) Synonym(s): clytia Linnaeus,1758; dissimilis Linnaeus,1758.
- 4. Graphium (Pathysa (s.str.)) antiphates (Cramer,[1775]) (Papilionidae) Synonym(s): antiphates Cramer,[1775]
- 5. Graphium (Pathysa (s.str.)) nomius (Esper,1798) (Papilionidae) Synonym(s): nomius Esper,1798
- 6. Graphium (s.str. (Eurypyleana)) doson (C.Felder & R.Felder,1864) (Papilionidae) Synonym(s): doson C.Felder & R.Felder,1864
- 7. **Graphium (s.str. (Macfarlaneana)) agamemnon (Linnaeus,1758)** (Papilionidae) Synonym(s): agamemnon Linnaeus,1758; aegisthus Linnaeus,1763; dorylas Sulzer,1776 nec [Denis & Schiffermüller],1775.
- 8. **Graphium (s.str. (Zetides)) sarpedon (Linnaeus,1758)** (Papilionidae) Synonym(s): sarpedon Linnaeus,1758; #helena Swainson,1851; parsedon Westwood,1872.
- 9. **Princeps (Menelaides (Iliades)) polymnestor (Cramer,1775)** (Papilionidae) Synonym(s): polymnestor Cramer,1775
- 10. Princeps (Menelaides (Sainia)) liomedon (Moore,1874) (Papilionidae) Synonym(s): liomedon Moore,1874
- 11. Princeps (Menelaides (s.str.)) polytes (Linnaeus,1758) (Papilionidae) Synonym(s): polytes Linnaeus,1758; pammon Linnaeus,1758; gronovii Scopoli,1772; astyanax Fabricius,1793 (homonym); stichius Hübner,1806; hector De Haan,1840 (homonym); borealis C.Felder & R.Felder,1861; horsfieldii Reakirt,[1865]; walkeri Janson,1879; thibetanus Oberthür,1886; depicta Fruhstorfer,1908; ocha Fruhstorfer,1908; #chrysos Boullet & Le Cerf,1912; chalcas [Fabricius],1938 (homonym); abdulasizia Tung,1982; flavolineatus Chou, Yuan & Wang,2000; obscuras Chou, Yuan & Wang,2000
- 12. Princeps (s.str. (palinurus-gr)) crino (Fabricius,1793) (Papilionidae) Synonym(s): crino Fabricius,1793
- 13. Princeps (s.str. (s.str.)) demoleus (Linnaeus,1758) (Papilionidae) Synonym(s): demoleus Linnaeus,1758; erithonius Cramer,[1782]; epius Fabricius,1793; sthenelus Macleay,1826; demoleinus Oberthür,1879; pictus Fruhstorfer,1898; #chryseis Boullet & Le Cerf,1912; flavosignatus Heydemann,1954
- 14. Troides (s.str. (s.str.)) darsius (Gray,[1853]) (Papilionidae) Synonym(s): darsius Gray,[1853]

#### Pieridae

- 15. Appias (Catophaga) albina (Boisduval, 1836) (Pieridae) Synonym(s): albina Boisduval, 1836
- 16. Appias (Catophaga) lyncida (Cramer,1777) (Pieridae) Synonym(s): lyncida Cramer,1777
- 17. Appias (Lade) indra (Moore, 1857) (Pieridae) Synonym(s): indra Moore, 1857
- 18. Appias (s.str.) libythea (Fabricius,1775) (Pieridae) Synonym(s): libythea Fabricius,1775; zelmira Stoll,[1780]
- 19. Belenois aurota (Fabricius,1793) (Pieridae) Synonym(s): mesentina Cramer,[1780] nec Cr.,[1777]; aurota Fabricius,1793; augusta Olivier,1804; syrinx Wallengren,1860; lordaca Walker,1870; auriginea Butler,1886; turanica Sheljuzko,1908; #iris Gauckler,1912; #sulphurea Gauckler,1912; #pusillima Strand,1915; #punctifera Hulstaert,1924.
- 20. Catopsilia florella (Fabricius,1775) (Pieridae) Synonym(s): florella Fabricius,1775; pyrene Swainson,1821; hyblaea & rhadia Boisduval,1836; marchellina Bertolini,1850; aleurona Butler,1876; rufosparsa Butler,1880; swainsoni Westwood,1881.
- 21. Catopsilia pomona (Fabricius,1775) (Pieridae) Synonym(s): pomona Fabricius,1775; crocale Cramer,[1775]; jugurtha Cramer,[1777]; catilla Cramer,1779; hilaria Stoll,1781; lalage Herbst,1792; alcmeone Fabricius,1793; titania Fabricius,1798; jugurthina Godart,1819; endeer Boisduval,1832; phlegeus Wallace,1867; flava Butler,1869; heera Swinhoe,1885; flavescens Fruhstorfer,1910; latilimbata Fruhstorfer,1910; celebica Fruhstorfer,1910; ostentata Fruhstorfer,1910; micromalayana Fruhstorfer,1910; rivalis Fruhstorfer,1910; crocalina

Fruhstorfer,1910; citronella Fruhstorfer,1910; nivescens Fruhstorfer,1910; perspicua Fruhstorfer,1910; serrata Fruhstorfer,1910; bidotata Fruhstorfer,1910; siscia Fruhstorfer,1910; dionysiades Fruhstorfer,1910; pura Lindner,1924; formosana Sonan,1930

- 22. Catopsilia pyranthe (Linnaeus, 1758) (Pieridae) Synonym(s): pyranthe Linnaeus, 1758
- 23. Cepora nadina Lucas, 1852 (Pieridae) Synonym(s): nadina Lucas, 1852
- 24. Cepora nerissa (Fabricius, 1775) (Pieridae) Synonym(s): nerissa Fabricius, 1775
- 25. Colotis (s.str.) amatus (Fabricius, 1775) (Pieridae) Synonym(s): amatus Fabricius, 1775
- 26. Colotis (s.str.) eborea (Stoll,[1781]) (Pieridae) Synonym(s): danae Fabricius,1775 nec Hufn.,1766; eborea Stoll,[1781].
- 27. Colotis (s.str.) etrida (Boisduval,1836) (Pieridae) Synonym(s): etrida Boisduval,1836; bimbura Butler,1876; casimirus Butler,1876; farrinus Butler,1876; pernotatus Butler; purus Butler,1876.
- 28. Colotis (s.str.) fausta (Olivier,[1804]) (Pieridae) Synonym(s): fausta Olivier,[1804]
- 29. Delias eucharis (Drury,[1773]) (Pieridae) Synonym(s): eucharis Drury,[1773]; hyparete Fabricius,1775 nec Linnaeus,1758; epicharis Godart,[1819]; septentrionalis Röber,1938 nec Rothschild,1924.
- 30. Eurema (Terias) blanda (Boisduval, 1836) (Pieridae) Synonym(s): blanda Boisduval, 1836
- 31. Eurema (Terias) hecabe (Linnaeus,1758) (Pieridae) Synonym(s): hecabe Linnaeus,1758; luzonensis Linnaeus,1764
- 32. Eurema (s.str.) brigitta (Stoll,[1780]) (Pieridae) Synonym(s): brigitta Stoll,[1780]; libythea Fabricius,1798
- 33. Eurema (s.str.) laeta (Boisduval,1836) (Pieridae) Synonym(s): laeta Boisduval,1836; sana Butler,1877; lineata Miskin,1889
- 34. Eurema andersoni (Moore, 1886) (Pieridae) Synonym(s): andersoni Moore, 1886
- 35. Hebomoia glaucippe (Linnaeus, 1758) (Pieridae) Synonym(s): glaucippe Linnaeus, 1758
- 36. Ixias marianne (Cramer,[1779]) (Pieridae) Synonym(s): marianne Cramer,[1779]; bebryce Hübner,[1819]; agniverna Moore,1877; depalpura Butler,1883; meridionalis Swinhoe,1885; cumballa Swinhoe,1885
- 37. Ixias pyrene (Linnaeus, 1764) (Pieridae) Synonym(s): pyrene Linnaeus, 1764; aenippe Cramer, [1779]
- 38. Leptosia nina (Fabricius, 1793) (Pieridae) Synonym(s): nina Fabricius, 1793; comma Frubstorfer, 1902
- 39. Pareronia ceylanica C.Felder & R.Felder,1865 (Pieridae) Synonym(s): ceylanica C.Felder & R.Felder,1865
- 40. Prioneris sita (C.Felder, 1865) (Pieridae) Synonym(s): sita C.Felder, 1865

#### Acraeidae

41. Acraea (s.str.) terpsicore (Linnaeus,1758) (Acraeidae) Synonym(s): terpsicore Linnaeus,1758; violae Fabricius,1775

### Argynnidae

- **42. Argynnis (Argyreus) hyperbius (Linnaeus,1763)** (Argynnidae) Synonym(s): hyperbius Linnaeus,1763; niphe Linnaeus,1767.
- 43. Ariadne merione (Cramer,[1779]) (Argynnidae) Synonym(s): merione Cramer,[1779]
- 44. Byblia ilithyia (Drury,[1773]) (Argynnidae) Synonym(s): ilithyia Drury,[1773]; polinice Stoll,[1782]; gotzius Herbst,1798; cora Feisthamel,1850; badiata Grünberg,1910; #aestivalis Ungemach,1932; #alithyia D'Abrera,1981
- 45. Cethosia nietneri C.Felder & R.Felder, 1867 (Argynnidae) Synonym(s): nietneri C.Felder & R.Felder, 1867
- 46. Cirrochroa thais (Fabricius, 1787) (Argynnidae) Synonym(s): thais Fabricius, 1787
- 47. Cupha erymanthis (Drury,[1773]) (Argynnidae) Synonym(s): erymanthis Drury,[1773]; palawana Fruhstorfer,1899
- Cyrestis (s.str.) thyodamas Boisduval, 1836 (Argynnidae) Synonym(s): thyodamas Boisduval, 1836; nobilior Martin, 1903.
- 49. **Doleschallia bisaltide (Cramer,[1777])** (Argynnidae) Synonym(s): bisaltide Cramer,[1777]
- 50. Euthalia (Aconthea) aconthea (Cramer,[1777]) (Argynnidae) Synonym(s): aconthea Cramer,[1777]
- 51. Euthalia (Aconthea) garuda (Moore, 1857) (Argynnidae) Synonym(s): garuda Moore, 1857
- **52. Hypolimnas misippus (Linnaeus,1764)** (Argynnidae) Synonym(s): *misippus Linnaeus,1764 inaria Cramer,[1779]; alcippoides Butler,1883.*
- 53. Kallima horsfieldi (Kollar,[1844]) (Argynnidae) Synonym(s): horsfieldi Kollar,[1844]
- 54. Kallima philarchus Westwood, 1848 (Argynnidae) Synonym(s): philarchus Westwood, 1848
- 55. Kaniska canace (Linnaeus, 1763) (Argynnidae) Synonym(s): canace Linnaeus, 1763
- 56. Moduza procris (Cramer, [1777]) (Argynnidae) Synonym(s): procris Cramer, [1777]
- 57. Neptis (s.str.) hylas (Linnaeus,1758) (Argynnidae) Synonym(s): hylas Linnaeus,1758
- 58. Phalanta alcippe (Stoll,1782) (Argynnidae) Synonym(s): alcippe Stoll,1782
- **59. Phalanta phalantha (Drury,[1773])** (Argynnidae) Synonym(s): phalantha Drury,[1773]
- 60. Polyura athamas (Drury,[1773]) (Argynnidae) Synonym(s): athamas Drury,[1773]
- 61. Precis (Junonia) almana (Linnaeus, 1758) (Argynnidae) Synonym(s): almana Linnaeus, 1758
- 62. Precis (Junonia) atlites (Linnaeus, 1763) (Argynnidae) Synonym(s): atlites Linnaeus, 1763
- 63. Precis (Junonia) hierta (Fabricius,1798) (Argynnidae) Synonym(s): lintingensis Osbeck,1765 [rejected name, Op.842, 1968]; hierta Fabricius,1798

- 64. Precis (Junonia) iphita (Cramer, [1779]) (Argynnidae) Synonym(s): iphita Cramer, [1779]
- 65. Precis (Junonia) lemonias (Linnaeus, 1758) (Argynnidae) Synonym(s): lemonias Linnaeus, 1758
- 66. Precis (Junonia) orithya (Linnaeus,1758) (Argynnidae) Synonym(s): orithya Linnaeus,1758
- 67. Symbrenthia lilaea (Hewitson, 1864) (Argynnidae) Synonym(s): lilaea Hewitson, 1864
- 68. Vanessa (s.str.) indica (Herbst,1794) (Argynnidae) Synonym(s): indica Herbst,1794; calliroe Hübner,1806
- 69. Vindula erota (Fabricius, 1793) (Argynnidae) Synonym(s): erota Fabricius, 1793

#### **Danaidae**

- 70. Danaus (Anosia) chrysippus (Linnaeus,1758) (Danaidae) Synonym(s): chrysippus Linnaeus,1758; aegyptius Schreber,1759
- 71. Danaus (Salatura) genutius (Cramer, [1779]) (Danaidae) Synonym(s): genutius Cramer, [1779]
- 72. Euploea (Crastia) core (Cramer,[1780]) (Danaidae) Synonym(s): core Cramer,[1780]; corinna Macleay,1826; angasii C.Felder & R.Felder,1865; euclus Miskin,1890
- 73. Euploea (Salpinx) klugii Moore,[1858] (Danaidae) Synonym(s): klugii Moore,[1858]
- 74. Euploea phaenareta (Schaller,1785) (Danaidae) Synonym(s): phaenareta Schaller,1785; affinis Gmelin,1790; #phaenarete D'Abrera,1982
- 75. Euploea sylvester (Fabricius, 1793) (Danaidae) Synonym(s): sylvester Fabricius, 1793
- 76. Idea jasonia (Westwood,1848) (Danaidae) Synonym(s): jasonia Westwood,1848; diabolica Fruhstorfer,1910
- 77. Ideopsis similis (Linnaeus, 1758) (Danaidae) Synonym(s): similis Linnaeus, 1758
- 78. Parantica aglea (Stoll,[1782]) (Danaidae) Synonym(s): aglea Stoll,[1782]; grammica Boisduval,1858; ceylanica C.Felder,1862
- 79. Parantica taprobana (C.Felder & R.Felder, 1865) (Danaidae) Synonym(s): taprobana C.Felder & R.Felder, 1865; fumata Butler, 1866
- 80. Tirumala limniace (Cramer,[1775]) (Danaidae) Synonym(s): limniace Cramer,[1775]
- 81. Tirumala septentrionis (Butler, 1874) (Danaidae) Synonym(s): septentrionis Butler, 1874

# Libytheidae

- 82. Libythea (s.str.) lepita Moore, 1857 (Libytheidae) Synonym(s): lepita Moore, 1857
- 83. Libythea (s.str.) myrrha Godart, [1819] (Libytheidae) Synonym(s): myrrha Godart, [1819]

# Satyridae

- 84. Elymnias hypermnestra (Linnaeus, 1763) (Satyridae) Synonym(s): hypermnestra Linnaeus, 1763
- 85. Lethe drypetis (Hewitson, 1863) (Satyridae) Synonym(s): drypetis Hewitson, 1863
- 86. Melanitis phedima (Stoll, [1782]) (Satyridae) Synonym(s): phedima Stoll, [1782]
- 87. Mycalesis perseus (Fabricius, 1775) (Satyridae) Synonym(s): perseus Fabricius, 1775
- 88. Mycalesis rama Moore, 1892 (Satyridae) Synonym(s): rama Moore, 1892
- 89. Mycalesis visala Moore, 1857 (Satyridae) Synonym(s): visala Moore, 1857
- 90. Orsotriaena medus (Fabricius, 1775) (Satyridae) Synonym(s): medus Fabricius, 1775
- 91. Ypthima ceylonica Hewitson, 1865 (Satyridae) Synonym(s): ceylonica Hewitson, 1865
- 92. Ypthima singala C.Felder, 1868 (Satyridae) Synonym(s): singala C.Felder, 1868

# Lycaenidae

- 93. Acytolepis lilacea (Hampson,1889) (Lycaenidae) Synonym(s): lilacea Hampson,1889; crissa De Nicéville,1894.
- 94. Acytolepis puspa (Horsfield,[1828]) (Lycaenidae) Synonym(s): puspa Horsfield,[1828]; sania Fruhstorfer,1910; contilia Fruhstorfer,1910.
- 95. Amblypodia anita Hewitson, 1862 (Lycaenidae) Synonym(s): anita Hewitson, 1862
- 96. Anthene lycaenina (C.Felder & R.Felder,[1867]) (Lycaenidae) Synonym(s): lycaenina C.Felder & R.Felder,[1867]
- 97. Arhopala abseus (Hewitson, 1862) (Lycaenidae) Synonym(s): abseus Hewitson, 1862
- 98. Arhopala amantes (Hewitson, 1862) (Lycaenidae) Synonym(s): amantes Hewitson, 1862
- 99. Arhopala bazaloides (Hewitson, 1878) (Lycaenidae) Synonym(s): bazaloides (Hewitson, 1878)
- 100. Arhopala ormistoni Riley, 1920 (Lycaenidae) Synonym(s): ormistoni Riley, 1920
- 101. Azanus (s.str.) jesous (Guérin-Méneville,1849) (Lycaenidae) Synonym(s): jesous Guérin-Méneville,1849; agave Walker,1870; sigillata Butler,1876.

- 102. Azanus (s.str.) ubaldus (Stoll,[1782]) (Lycaenidae) Synonym(s): ubaldus Stoll,[1782]; zena Moore,1865; ethoda Walker,1870; itea Walker,1870; macalenga Trimen,1870; thebana Standinger,1894.
- 103. Bindahara phocides (Fabricius, 1793) (Lycaenidae) Synonym(s): phocides Fabricius, 1793
- 104. Castalius rosimon (Fabricius, 1775) (Lycaenidae) Synonym(s): rosimon Fabricius, 1775
- 105. Catapaecilma major Druce, 1895 (Lycaenidae) Synonym(s): major Druce, 1895
- 106. Euchrysops cnejus (Fabricius,1798) (Lycaenidae) Synonym(s): cnejus Fabricius,1798; pandia Kollar,[1844]; patala Kollar,[1844]; hypoleuca Prittwitz,1867; samoa Herrich-Schäffer,1869; amazara Kirby,1871; hapalina Butler,1883; vitiensis Butler,1883; trifracta Butler,1884; theseus Swinhoe,1885; luzonicus Röber,1886; cnidus Waterhouse & Lyell,1914; suffusus Rothschild,1915
- 107. Catochrysops panormus (C.Felder, 1860) (Lycaenidae) Synonym(s): panormus C.Felder, 1860
- 108. Catochrysops strabo (Fabricius, 1793) (Lycaenidae) Synonym(s): strabo Fabricius, 1793; riama Corbet, 1938
- 109. Cheritra freja (Fabricius, 1793) (Lycaenidae) Synonym(s): freja Fabricius, 1793
- 110. Chilades (Freyeria) putli (Kollar,[1844]) (Lycaenidae) Synonym(s): putli Kollar,[1844]; orientalis Forster,1980
- 111. Chilades (Freyeria) trochylus (Freyer,[1843]) (Lycaenidae) Synonym(s): trochylus Freyer,[1843]; #trochilus Herrich-Schäffer,[1845]; parva Murray,1874; persa Bytinski-Salz & Brandt,1937; #supraradiata Wagner,1931
- 112. Chilades (Luthrodes) pandava (Horsfield,[1829]) (Lycaenidae) Synonym(s): pandava Horsfield,[1829]; bengalia De Nicéville; nicola Swinhoe.
- 113. Chilades (s.str.) lajus (Stoll,[1780]) (Lycaenidae) Synonym(s): lajus Stoll,[1780] nec laia Cr.,[1779]; cajus Fabricius,1793; brahmina C.Felder & R.Felder,1865; varunana Moore,[1866]; kandura Moore,[1866]
- 114. Chilades (s.str.) parrhasius (Fabricius,1793) (Lycaenidae) Synonym(s): parrhasius Fabricius,1793; contracta Butler,1880; ella Butler,1881; lempkei Blom,1979.
- 115. Cigaritis elima (Moore, 1877) (Lycaenidae) Synonym(s): elima Moore, 1877
- 116. Cigaritis ictis (Hewitson,[1865]) (Lycaenidae) Synonym(s): ictis Hewitson,[1865]
- 117. Cigaritis lohita (Horsfield,[1829]) (Lycaenidae) Synonym(s): lohita Horsfield,[1829]
- 118. Cigaritis schistacea (Moore, 1881) (Lycaenidae) Synonym(s): schistacea Moore, 1881
- 119. Cigaritis lunulifera (Moore, 1879) (Lycaenidae) Synonym(s): lunulifera Moore, 1879
- 120. Cigaritis vulcanus (Fabricius, 1775) (Lycaenidae) Synonym(s): vulcanus Fabricius, 1775
- 121. Cupido (Everes) lacturnus (Godart,[1824]) (Lycaenidae) Synonym(s): lacturnus Godart,[1824]
- 122. Curetis thetis (Drury, 1773) (Lycaenidae) Synonym(s): thetis Drury, 1773
- 123. Deudorix (Virachola) isocrates (Fabricius,1793) (Lycaenidae) Synonym(s): isocrates Fabricius,1793; pann Fabricius,1793
- 124. Deudorix (Virachola) perse Hewitson, [1863] (Lycaenidae) Synonym(s): perse Hewitson, [1863]
- 125. Deudorix (s.str.) epijarbas (Moore, [1858]) (Lycaenidae) Synonym(s): epijarbas Moore, [1858]
- 126. Discolampa ethion (Westwood, [1851]) (Lycaenidae) Synonym(s): ethion Westwood, [1851])
- 127. Horaga albimacula (Wood-Mason & De Nicéville,1881) (Lycaenidae) Synonym(s): albimacula Wood-Mason & De Nicéville,1881
- 128. Horaga onyx (Moore,[1858]) (Lycaenidae) Synonym(s): onyx Moore,[1858]
- 129. Rathinda amor (Fabricius, 1775) (Lycaenidae) Synonym(s): amor Fabricius, 1775
- 130. Hypolycaena (s.str.) nilgirica Moore, 1883 (Lycaenidae) Synonym(s): nilgirica Moore, 1883
- 131. Ionolyce helicon (C.Felder, 1860) (Lycaenidae) Synonym(s): helicon C.Felder, 1860
- 132. Iraota timoleon (Stoll, [1790]) (Lycaenidae) Synonym(s): timoleon Stoll, [1790]
- 133. Jamides alecto (C.Felder, 1860) (Lycaenidae) Synonym(s): alecto C.Felder, 1860
- 134. Jamides bochus (Stoll, [1782]) (Lycaenidae) Synonym(s): bochus Stoll, [1782]
- 135. Jamides celeno (Cramer, [1775]) (Lycaenidae) Synonym(s): celeno Cramer, [1775]; alexis Stoll, 1790 nec Poda, 1761; aelianus Fabricius, 1793; zethus Hübner, [1819].
- 136. Jamides coruscans (Moore, 1877) (Lycaenidae) Synonym(s): coruscans Moore, 1877
- 137. Jamides lacteata (De Nicéville, 1895) (Lycaenidae) Synonym(s): lacteata De Nicéville, 1895
- 138. Loxura athymnus (Stoll, [1780]) (Lycaenidae) Synonym(s): athymnus Stoll, [1780]
- 139. Megisba malaya (Horsfield, 1828) (Lycaenidae) Synonym(s): malaya Horsfield, 1828
- 140. Nacaduba berenice (Herrich-Schäffer, 1869) (Lycaenidae) Synonym(s): berenice Herrich-Schäffer, 1869
- 141. Nacaduba beroe (C.Felder & R.Felder,[1865]) (Lycaenidae) Synonym(s): beroe C.Felder & R.Felder,[1865]
- 142. Nacaduba ollyetti Corbet, 1947 (Lycaenidae) Synonym(s): ollyetti Corbet, 1947
- 143. Nacaduba sinhala Ormiston,1924 (Lycaenidae) Synonym(s): sinhala Ormiston,1924
- 144. Nacaduba hermus (C.Felder, 1860) (Lycaenidae) Synonym(s): hermus C.Felder, 1860
- 145. Nacaduba kurava (Moore, [1858]) (Lycaenidae) Synonym(s): kurava Moore, [1858]
- 146. Nacaduba pactolus (C.Felder, 1860) (Lycaenidae) Synonym(s): pactolus C.Felder, 1860
- **147. Neopithecops zalmora (Butler, 1870)** (Lycaenidae) Synonym(s): zalmora Butler, 1870; nihana Moore, 1878; horsfieldi Distant, 1884; dolona Fruhstorfer, 1919; fedora Fruhstorfer, 1919; colutha Fruhstorfer, 1919; batuanus Riley, 1944.
- 148. Pratapa deva (Moore,[1858]) (Lycaenidae) Synonym(s): deva Moore,[1858]
- 149. Prosotas dubiosa (Semper,[1879]) (Lycaenidae) Synonym(s): dubiosa Semper,[1879]
- 150. Prosotas nora (C.Felder, 1860) (Lycaenidae) Synonym(s): nora C.Felder, 1860
- 151. Prosotas noreia (R.Felder, 1868) (Lycaenidae) Synonym(s): noreia R.Felder, 1868
- 152. Rapala lankana (Moore,[1879]) (Lycaenidae) Synonym(s): lankana Moore,[1879]
- 153. Rapala manea (Hewitson,[1863]) (Lycaenidae) Synonym(s): manea Hewitson,[1863]

- 154. Rapala varuna (Horsfield, [1829]) (Lycaenidae) Synonym(s): varuna Horsfield, [1829]
- 155. Spalgis epius (Westwood,[1851]) (Lycaenidae) Synonym(s): epius Westwood,[1851]; strigatus Semper, 1889; georgi Fruhstorfer, 1919; semperi Fruhstorfer, 1923
- 156. Surendra vivarna (Horsfield, [1829]) (Lycaenidae) Synonym(s): vivarna Horsfield, [1829]
- 157. Tajuria cippus (Fabricius, 1798) (Lycaenidae) Synonym(s): cippus Fabricius, 1798
- 158. Tajuria jehana Moore, 1883 (Lycaenidae) Synonym(s): jehana Moore, 1883
- 159. Talicada nyseus (Guérin-Méneville, 1843) (Lycaenidae) Synonym(s): nyseus Guérin-Méneville, 1843
- 160. Tarucus (s.str.) nara (Kollar,[1844]) (Lycaenidae) Synonym(s): nara Kollar,[1844]
- 161. Udara (s.str.) singalensis (Felder, 1868) (Lycaenidae) Synonym(s): singalensis Felder, 1868
- 162. Zesius chrysomallus Hübner, [1819] (Lycaenidae) Synonym(s): chrysomallus Hübner, [1819]
- 163. Zizula hylax (Fabricius, 1775) (Lycaenidae) Synonym(s): hylax Fabricius, 1775; gaika Trimen, 1862; mylica Guenée, 1863; cleodora Walker, 1870; perparva Saalmüller, 1884.

# Hesperiidae

- **164.Aeromachus pygmaeus (Fabricius,1775)** (Hesperiidae) Synonym(s): pygmaeus Fabricius,1775; indistincta Moore,1878
- **165.Ampittia dioscorides (Fabricius,1793)** (Hesperiidae) Synonym(s): dioscorides Fabricius,1793; maro Fabricius,1798; ephesus Hübner,1823
- 166. Arnetta mercara Evans, 1932 (Hesperiidae) Synonym(s): mercara Evans, 1932
- 167. Arnetta vindhiana (Moore, 1883) (Hesperiidae) Synonym(s): vindhiana Moore, 1883
- **168. Badamia exclamationis (Fabricius, 1775)** (Hesperiidae) Synonym(s): exclamationis Fabricius, 1775; ladon Cramer, [1780]; ericus Fabricius, 1798 nec Fabricius, 1793; forulus Hübner, [1819]; thymbron Felder, 1860.
- 169. Bibasis oedipodea (Swainson, 1820) (Hesperiidae) Synonym(s): oedipodea Swainson, 1820
- 170. Bibasis sena (Moore, [1866]) (Hesperiidae) Synonym(s): sena Moore, [1866]
- 171. Caltoris kumara (Moore, 1878) (Hesperiidae) Synonym(s): kumara Moore, 1878
- 172. Caltoris philippina (Herrich-Schäffer,1869) (Hesperiidae) Synonym(s): philippina Herrich-Schäffer,1869; seriata Moore, 1878; belli Evans, 1932
- 173. Caprona alida De Nicéville,1891 (Hesperiidae) Synonym(s): alida De Nicéville,1891; elwesii Watson,1897; parripunctata Mabille & Boullet,1917.
- 174. Caprona ransonnetti Felder, 1868 (Hesperiidae) Synonym(s): ransonnetti Felder, 1868
- 175. Celaenorrhinus spilothyrus Felder, 1868 (Hesperiidae) Synonym(s): spilothyrus Felder, 1868
- 176. Coladenia indrani (Moore, [1866]) (Hesperiidae) Synonym(s): indrani Moore, [1866])
- 177. Gangara thyrsis (Fabricius, 1775) (Hesperiidae) Synonym(s): thyrsis Fabricius, 1775; pandia Moore, 1857; yasodara Frubstorfer, 1910; bainana Sonan, 1920
- 178. Gomalia elma (Trimen, 1862) (Hesperiidae) Synonym(s): elma Trimen, 1862; jeanneli Picard, 1949.
- 179. Halpe homolea (Hewitson, 1868) (Hesperiidae) Synonym(s): homolea Hewitson, 1868
- 180. Halpe porus (Mabille, 1876) (Hesperiidae) Synonym(s): porus Mabille, 1876; moorei E.Y. Watson, 1893; teliga Swinhoe, 1893; beturina Fruhstorfer, 1911
- 181. Hasora (Mixta-gr.) badra (Moore,1858) (Hesperiidae) Synonym(s): badra Moore,1858; certhia Plötz,1884; godana Fruhstorfer,1911; sankarya Fruhstrofer,1911.
- 182. Hasora (s.str.) chromus (Cramer,[1782]) (Hesperiidae) Synonym(s): alexis Fabricius, 1775 nec Poda, 1761; chromus Cramer, [1782]; contempta Plötz, [1883]; lucescens Lucas, 1900; attenuata Mabille, [1904] nec Standinger, 1889; ganapata Fruhstorfer, 1911.
- 183. Hasora (s.str.) taminatus (Hübner, [1818]) (Hesperiidae) Synonym(s): taminatus Hübner, [1818]
- 184. Hyarotis adrastus (Stoll, [1780]) (Hesperiidae) Synonym(s): adrastus Stoll, [1780]
- **185. Hyarotis microstictum Wood-Mason & De Nicéville,1887** (Hesperiidae) Synonym(s): microstictum Wood-Mason & De Nicéville,1887; biseriata Elwes & Edwards,1897; binghami Swinhoe,1907
- 186. Iambrix salsala (Moore, 1865) (Hesperiidae) Synonym(s): salsala Moore, 1865; vasuba Fruhstorfer, 1910
- 187. Matapa aria (Moore, [1866]) (Hesperiidae) Synonym(s): aria Moore, [1866]; neglecta Mabille, 1876; pulla Plötz, 1882.
- 188. Notocrypta curvifascia (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): curvifascia C.Felder & R.Felder,1862; restricta Moore,1881
- **189. Notocrypta paralysos (Wood Mason & De Nicéville,1881)** (Hesperiidae) Synonym(s): paralysos Wood Mason & De Nicéville,1881; infrapicta Strand,1920
- 190. Odontoptilum angulatum (C.Felder, 1862) (Hesperiidae) Synonym(s): angulatum C.Felder, 1862; sura Moore, 1865; sumatrana Fruhstorfer, 1909; mahabini Fruhstorfer, 1909.
- 191. Oriens goloides (Moore, 1881) (Hesperiidae) Synonym(s): goloides Moore, 1881
- 192. Parnara naso (Fabricius, 1798) (Hesperiidae) Synonym(s): naso Fabricius, 1798; marchalli Boisduval, 1833
- 193. Pelopidas agna (Moore, [1866]) (Hesperiidae) Synonym(s): agna Moore, [1866]; dingo Evans, 1949.
- 194. Pelopidas mathias (Fabricius, 1798) (Hesperiidae) Synonym(s): mathias Fabricius, 1798; elegans Mabille, 1877; umbrata Butler, 1879; octofenestrata Saalmüller, 1884; albirostris Mabille, [1887].
- 195. Potanthus confucius (C.Felder & R.Felder,1862) (Hesperiidae) Synonym(s): confucius C.Felder & R.Felder,1862; freda Evans,1934
- 196. Potanthus pallida (Evans, 1932) (Hesperiidae) Synonym(s): pallida Evans, 1932

- 197. Potanthus pseudomaesa (Moore, 1881) (Hesperiidae) Synonym(s): pseudomaesa Moore, 1881; cato Evans, 1932.
- 198. Sarangesa dasahara (Moore,[1866]) (Hesperiidae) Synonym(s): dasahara Moore,[1866]; philippus Mabille,1883
- 199. Sovia hyrtacus (De Nicéville, 1897) (Hesperiidae) Synonym(s): hyrtacus De Nicéville, 1897; miesa Kirby, 1879
- 200.Suastus gremius (Fabricius,1798) (Hesperiidae) Synonym(s): gremius Fabricius,1798; disu Kollar,1844; divodasa Moore,1865; robsonii De Nicéville,1895; centripuncta Seitz,1927
- 201. Suastus minutus (Moore, 1877) (Hesperiidae) Synonym(s): minutus Moore, 1877; sinhalus Plötz, 1885
- **202. Tagiades (Nestus-gr) litigiosus Möschler,1878** (Hesperiidae) Synonym(s): *litigiosus Möschler,1878*; vajuna Fruhstorfer,1910; eson Evans,1926; kotoshona Sonan,1936.
- **203. Tagiades (s. str.) japetus (Stoll, [1781])** (Hesperiidae) Synonym(s): japetus Stoll, [1781]; buruanus Fruhstorfer, 1910; eprius Fruhstorfer, 1910; deinolochus Fruhstorfer, 1910.
- **204.Taractrocera maevius (Fabricius,1793)** (Hesperiidae) Synonym(s): maevius Fabricius,1793; flaccus Fabricius,1793
- 205. Thoressa astigmata (Swinhoe, 1890) (Hesperiidae) Synonym(s): astigmata Swinhoe, 1890
- 206. Thoressa decorata (Moore, 1881) (Hesperiidae) Synonym(s): decorata Moore, 1881
- 207. Thoressa sitala (De Nicéville, 1885) (Hesperiidae) Synonym(s): sitala De Nicéville, 1885
- 208. Udaspes folus (Cramer, [1775]) (Hesperiidae) Synonym(s): folus Cramer, [1775]; cicero Fabricius, 1793

# Moths

# **Aganaidae**

- **209.Asota caricae (Fabricius,1775) (Aganaidae) Synonym(s):** caricae Fabricius,1775; alciphron Cramer,1777; euroa Rothschild,1897; #purimargo Seitz,1914; #alerphron Huttacharern & Tubtim,1995
- 210. Aganais ficus (Fabricius, 1775) (Aganaidae) Synonym(s): ficus Fabricius, 1775
- 211. Asota plaginota (Butler, 1875) (Aganaidae) Synonym(s): plaginota Butler, 1875
- 212. Asota plana (Walker, 1854) (Aganaidae) Synonym(s): plana Walker, 1854; complana Walker, 1864
- 213. Asota producta (Butler, 1875) (Aganaidae) Synonym(s): producta Butler, 1875; strigivenata Butler, 1875; stigmatic Rothschild, 1897; kuluensis Rothschild, 1897
- 214. Digama insulana R.Felder, 1868 (Aganaidae) Synonym(s): insulana R.Felder, 1868
- 215. Digama fasciata Butler, 1877 (Aganaidae) Synonym(s): fasciata Butler, 1877
- 216. Digama hearseyana Moore, [1860] (Aganaidae) Synonym(s): bearseyana Moore, [1860]; similis Moore, 1878

#### **Arctiidae**

- 217. Aloa lactinea (Cramer,[1777]) (Arctiidae) Synonym(s): lactinea Cramer,[1777]; sanguinolenta Fabricius,1793; marginata Moore,1883 nec Don.,1805; frederici Kirby,1892; negritus Hampson,1894
- 218. Micraloa lineola (Fabricius, 1793) (Arctiidae) Synonym(s): lineola Fabricius, 1793; punctistriga Walker, 1855; candidula Walker, 1855; diminuta Walker, 1855; strigata Walker, 1869; rubricosta Moore, 1872; insolata Swinhoe, 1889; felderi Rothschild, 1910; octomaculata Rothschild, 1933
- 219. Micraloa emittens (Walker, 1855) (Arctiidae) Synonym(s): emittens Walker, 1855; flora Swinhoe, 1885
- 220.Migoplastis correcta (Walker,[1865]) (Arctiidae) Synonym(s): correcta Walker,[1865]; ceylonica R.Felder,1868
- 221. Migoplastis alba (Moore, 1877) (Arctiidae) Synonym(s): alba Moore, 1877
- 222.Curoba sangarida (Stoll,[1782]) (Arctiidae) Synonym(s): sangarida Stoll,[1782]; mopsa Drury,1782; fasciata Walker,[1865]
- **223.Argina argus (Kollar,[1844])** (Arctiidae) Synonym(s): argus Kollar,[1844]
- 224.Argina astrea (Drury,[1773]) (Arctiidae) Synonym(s): cribraria Clerck,1764 nec Linn.,1758; astrea Drury,[1773]; pylotis Fabricius,1775; dulcis Walker,1854; guttata Rambur,1866; notata Butler,1877; pylotes Butler,1877; multiguttatus Swinhoe,1892; #perforata Seitz,1914; #detersa Hulstaert,1923.
- 225. Argina syringa (Cramer, 1775) (Arctiidae) Synonym(s): syringa Cramer, 1775; crotolariae Fabricius, 1793
- 226. Asura unifascia Rothschild, 1913 (Arctiidae) Synonym(s): unifascia Rothschild, 1913
- 227. Barsine cuneonotatas (Walker, 1855) (Arctiidae) Synonym(s): cuneonotatas Walker, 1855
- **228.Barsine gratiosa Guérin-Méneville,1843 (**Arctiidae) Synonym(s): gratiosa Guérin-Méneville,1843; striata Bremer & Grey,1852; mactans Butler,1877; pulchra Butler,1877; flammealis Moore,1878; pretiosa Moore,1879
- **229. Creatonotos gangis (Linnaeus,1763)** (Arctiidae) Synonym(s): gangis Linnaeus,1763; interrupta Linnaeus,1767; francisca Fabricius,1787; continuatus Moore,1877; #pallida Rothschild,1914; #nigrescens Rothschild,1914; #feminatus Strand,1919.
- 230. Cyana peregrina (Walker, 1854) (Arctiidae) Synonym(s): peregrina Walker, 1854
- 231. Cyana puella (Drury,1773) (Arctiidae) Synonym(s): puella Drury,1773
- 232. Cyana subornata (Walker, 1854) (Arctiidae) Synonym(s): subornata Walker, 1854; linatula Swinhoe, 1891
- 233. Diduga albicosta Hampson, 1893 (Arctiidae) Synonym(s): albicosta Hampson, 1893

- 234.Diduga flavicostata (Snellen,1878) (Arctiidae) Synonym(s): flavicostata Snellen,1878; costata Moore,[1887]; fulvicosta Hampson,1891.
- 235.Pseudoblabes oophora Zeller, 1853 (Arctiidae) Synonym(s): oophora Zeller, 1853; flavicostana Walker, 1863
- 236. Eilema fuscipes (Hampson, 1893) (Arctiidae) Synonym(s): fuscipes Hampson, 1893
- 237. Eilema fasciata (Moore, 1878) (Arctiidae) Synonym(s): fasciata Moore, 1878
- 238. Dolgoma angulifera (Felder, 1868) (Arctiidae) Synonym(s): angulifera Felder, 1868
- 239. Dolgoma oblitterans (R.Felder, 1868) (Arctiidae) Synonym(s): oblitterans R.Felder, 1868
- 240. Eugoa bipunctata (Walker, 1862) (Arctiidae) Synonym(s): bipunctata Walker, 1862; trifasciata Moore, 1887
- 241. Eugoa bipuncta (Heylaerts,1891) (Arctiidae) Synonym(s): bipuncta Heylaerts,1891; #bipunctata Seitz,1914; beylaertsi Seitz,1914
- 242. Utriculofera fuscapex Hampson, 1893 (Arctiidae) Synonym(s): fuscapex Hampson, 1893
- 243. Stictane fractilinea (Snellen, 1880) (Arctiidae) Synonym(s): fractilinea Snellen, 1880; ?multipuncta Hampson, 1893
- 244. Stictane obliquilinea Hampson, 1900 (Arctiidae) Synonym(s): obliquilinea Hampson, 1900
- 245. Stictane fusca (Hampson, 1901) (Arctiidae) Synonym(s): fusca Hampson, 1901
- 246.Eurosia grisea (Hampson, 1893) (Arctiidae) Synonym(s): grisea Hampson, 1893
- 247. Eurosia trimaculata (Hampson, 1893) (Arctiidae) Synonym(s): trimaculata Hampson, 1893
- **248.Aemene taprobanis Walker,1854** (Arctiidae) Synonym(s): taprobanis Walker,1854; cingalesa Walker,1865; grammophora R.Felder,1874; sinuata Moore,1878
- 249. Siccia guttulosana (Walker, 1863) (Arctiidae) Synonym(s): guttulosana Walker, 1863
- 250. Siccia tau (Heylaerts, 1891) (Arctiidae) Synonym(s): tau Heylaerts, 1891
- 251. Siccia minima Hampson, 1900 (Arctiidae) Synonym(s): minima Hampson, 1900
- 252. Siccia nilgirica (Hampson, 1891) (Arctiidae) Synonym(s): nilgirica Hampson, 1891; cinereicolor Hampson, 1891
- 253.Siccia sordida (Butler,1877) (Arctiidae) Synonym(s): sordida Butler,1877; subcinerea Moore,1878; modesta Moore,1878; quinquefascia Hampson,1891
- 254. Narosodes punctana (Walker, 1863) (Arctiidae) Synonym(s): punctana Walker, 1863
- 255. Hemonia orbiferana (Walker, 1863) (Arctiidae) Synonym(s): orbiferana Walker, 1863; ciliata Hampson, 1914
- 256. Katha brevipennis Moore, [1883] (Arctiidae) Synonym(s): brevipennis Moore, [1883]
- 257. Katha punctifera Hampson, 1893 (Arctiidae) Synonym(s): punctifera Hampson, 1893
- 258. Katha intermixta (Walker, [1865]) (Arctiidae) Synonym(s): intermixta Walker, [1865]
- 259.Lemyra subfascia (Walker, 1855) (Arctiidae) Synonym(s): subfascia Walker, 1855
- 260. Garudinia latana (Walker, 1863) (Arctiidae) Synonym(s): latana Walker, 1863
- 261. Padenia transversa (Walker, 1854) (Arctiidae) Synonym(s): transversa Walker, 1854; bifasciata Felder, 1874; latifasciata Draudt, 1914
- 262. Nyctemera coleta (Stoll,[1781]) (Arctiidae) Synonym(s): coleta Stoll,[1781]
- 263. Nyctemera lacticinia (Cramer, [1779]) (Arctiidae) Synonym(s): lacticinia Cramer, [1779]
- **264.Nyctemera latistriga Walker,1854** (Arctiidae) Synonym(s): latistriga Walker,1854; arcuatum Swinhoe,1892; inconstans Snellen,1863; negritorum Seitz,1915; consobrina Rothschild,1920.
- 265.Oeonistis entella (Cramer,[1779]) (Arctiidae) Synonym(s): entella Cramer,[1779]; convoluta Fabricius,1781; entelliola Hübner,[1819]
- 266.Olepa anomi Orhant,1986 (Arctiidae) Synonym(s): anomi Orhant,1986
- 267. Olepa duboisi Orhant, 1986 (Arctiidae) Synonym(s): duboisi Orhant, 1986
- 268. Olepa koslandana Orhant, 1986 (Arctiidae) Synonym(s): koslandana Orhant, 1986
- 269. Olepa ocellifera (Walker, 1855) (Arctiidae) Synonym(s): ocellifera Walker, 1855
- 270.Olepa ricini (Fabricius, 1775) (Arctiidae) Synonym(s): ricini Fabricius, 1775; zerah Stoll, [1782]; clavatus Swinhoe, 1885
- **271.Ovenna vicaria (Walker,1854)** (Arctiidae) Synonym(s): vicaria Walker,1854; imitans Mabille,1879; simulans Mabille,1879; desiccata Kiriakoff,1954
- 272. Poliosia binotata (Hampson, 1893) (Arctiidae) Synonym(s): binotata Hampson, 1893
- 273.Rajendra biguttata (Walker,1855) (Arctiidae) Synonym(s): biguttata Walker,1855; nigricans Moore,1872; vittata Moore,1879; #flava Rothschild,1914; #confluens Rothschild,1914.
- 274. Pangora erosa (Walker, 1855) (Arctiidae) Synonym(s): erosa Walker, 1855
- 275. Spilarctia castanea (Hampson, 1893) (Arctiidae) Synonym(s): castanea Hampson, 1893
- **276.Tatargina** (Hindargina) ceylonensis (Hampson,1901) (Arctiidae) Synonym(s): ceylonensis Hampson,1901
- 277.Rhodareas melanopsis (Walker,[1865]) (Arctiidae) Synonym(s): melanopsis Walker,[1865]; callisoma R.Felder,1874
- 278. Spilosoma castaneum Hampson, 1893 (Arctiidae) Synonym(s): castaneum Hampson, 1893
- 279.Teulisna tumida (Walker,1862) (Arctiidae) Synonym(s): tumida Walker,1862; basistriga Moore,1878; baibarensis Matsumura.1927
- 280. Nishada flabrifera Moore, 1878 (Arctiidae) Synonym(s): flabrifera Moore, 1878
- 281. Gampola fasciata Moore, 1878 (Arctiidae) Synonym(s): fasciata Moore, 1878
- 282. Cyclosiella dulcicula (Swinhoe, 1890) (Arctiidae) Synonym(s): dulcicula Swinhoe, 1890
- 283.Trischalis absconditana (Walker,1863) (Arctiidae) Synonym(s): absconditana Walker,1863; flava Hampson,1893; abbreviata Seitz,1914

- 284. Utetheisa (s.str.) lotrix (Cramer, [1777]) (Arctiidae) Synonym(s): lotrix Cramer, [1777]; indica Roepke, 1941
- 285.Utetheisa (s.str.) pulchella (Linnaeus,1758) (Arctiidae) Synonym(s): pulchella Linnaeus,1758; pulchra [Denis & Schiffermüller],1775; thyter Butler,1877; shyama Bhattacherjee & Gupta,1969; menoni Bhattacherjee & Gupta,1969.
- 286. Utetheisa (s.str.) pulchelloides Hampson, 1907 (Arctiidae) Synonym(s): pulchelloides Hampson, 1907

#### Autostichidae

287. Oegoconia praeramis Meyrick, 1918 (Autostichidae) Synonym(s): praeramis Meyrick, 1918

#### Blastobasidae

- 288.Blastobasis spermologa Meyrick,1916 (Blastobasidae) Synonym(s): spermologa Meyrick,1916
- 289. Neoblastobasis decolor (Meyrick, 1907) (Blastobasidae) Synonym(s): decolor Meyrick, 1907

## **Bombycidae**

- 290.Gunda apicalis Hampson, 1892 (Bombycidae) Synonym(s): apicalis Hampson, 1892
- 291. Gunda thwaitesii (Moore, [1883]) (Bombycidae) Synonym(s): thwaitesii Moore, [1883]
- 292.Gunda sikkima Moore, 1879 (Bombycidae) Synonym(s): sikkima Moore, 1879; variegata Hampson, 1893
- 293. Norasuma javanica Moore, 1872 (Bombycidae) Synonym(s): javanica Moore, 1872
- 294. Trilocha varians (Walker, 1855) (Bombycidae) Synonym(s): varians Walker, 1855

#### **Brachodidae**

- 295.Nigilgia adjectella Walker, 1863 (Brachodidae) Synonym(s): adjectella Walker, 1863
- 296. Nigilgia anactis Diakonoff, 1982 (Brachodidae) Synonym(s): anactis Diakonoff, 1982
- 297. Phycodes chionardis Meyrick, 1909 (Brachodidae) Synonym(s): chionardis Meyrick, 1909
- **298.Phycodes minor Moore,1881** (Brachodidae) Synonym(s): minor Moore,1881; lucasseni Snellen,1901; cymineuta Meyrick,1909; omnimicans Diakonoff,1978
- 299.Phycodes radiata (Ochsenheimer, 1808) (Brachodidae) Synonym(s): radiata Ochsenheimer, 1808; hirudinicornis Guenée, 1852; hyblaeella Walker, 1866; #superbella Rebel, 1910; tertiana Diakonoff, 1978
- 300. Phycodes taonopa Meyrick, 1909 (Brachodidae) Synonym(s): taonopa Meyrick, 1909

# Carposinidae

301. Metacosmesis laxeuta (Meyrick, 1906) (Carposinidae) Synonym(s): laxeuta Meyrick, 1906

#### Choreutidae

- **302.Choreutis achyrodes (Meyrick,1912)** (Choreutidae) Synonym(s): achyrodes Meyrick,1912; albifascialis Marumo,1923; kochiensis Matsumura,1931
- 303. Choreutis euclista (Meyrick, 1918) (Choreutidae) Synonym(s): euclista Meyrick, 1918
- 304. Choreutis ialeura (Meyrick, 1912) (Choreutidae) Synonym(s): ialeura Meyrick, 1912
- 305.Choreutis sexfasciella (Sauber,1902) (Choreutidae) Synonym(s): sexfasciella Sauber,1902; fulminea Meyrick,1912
- 306. Choreutis philonyma Meyrick,1912 (Choreutidae) Synonym(s): philonyma Meyrick,1912
- **307.Prochoreutis sehestediana (Fabricius,1777)** (Choreutidae) Synonym(s): sehestediana Fabricius,1777; punctosa Haworth,1811; philonyma Meyrick,1912; phalaraspis Meyrick,1923
- **308.Saptha smaragditis Meyrick,1905** (Choreutidae) Synonym(s): smaragditis Meyrick,1905

# Cosmopterigidae

- 309. Allotalanta globulosa Meyrick, 1914 (Cosmopterigidae) Synonym(s): globulosa Meyrick, 1914
- 310. Archisopha foliosa Meyrick, 1918 (Cosmopterigidae) Synonym(s): foliosa Meyrick, 1918
- 311. Cyphothyris ophryodes Meyrick,1914 (Cosmopterigidae) Synonym(s): ophryodes Meyrick,1914
- 312. Ascalenia thoracista (Meyrick, 1915) (Cosmopterigidae) Synonym(s): thoracista Meyrick, 1915

- 313. Cosmopterix aculeata Meyrick, 1909 (Cosmopterigidae) Synonym(s): aculeata Meyrick, 1909
- 314. Cosmopterix artifica Meyrick,1909 (Cosmopterigidae) Synonym(s): artifica Meyrick,1909
- 315. Cosmopterix basilisca Meyrick, 1909 (Cosmopterigidae) Synonym(s): basilisca Meyrick, 1909
- 316. Cosmopterix hamifera Meyrick, 1909 (Cosmopterigidae) Synonym(s): hamifera Meyrick, 1909
- 317. Cosmopterix panopla Meyrick, 1909 (Cosmopterigidae) Synonym(s): panopla Meyrick, 1909
- 318. Cosmopterix spiculata Meyrick, 1909 (Cosmopterigidae) Synonym(s): spiculata Meyrick, 1909
- 319. Cosmopterix catharacma Meyrick, 1909 (Cosmopterigidae) Synonym(s): catharacma Meyrick, 1909
- 320. Labdia oxychlora Meyrick, 1932 (Cosmopterigidae) Synonym(s): oxychlora Meyrick, 1932
- 321. Labdia semicoccinea (Stainton, 1859) (Cosmopterigidae) Synonym(s): semicoccinea Stainton, 1859
- 322. Limnaecia chromaturga (Meyrick, 1915) (Cosmopterigidae) Synonym(s): chromaturga Meyrick, 1915
- 323. Anatrachyntis amphisaris (Meyrick, 1922) (Cosmopterigidae) Synonym(s): amphisaris Meyrick, 1922
- 324.Pyroderces anthinopa Meyrick,1917 (Cosmopterigidae) Synonym(s): anthinopa Meyrick,1917
- 325. Anatrachyntis centrophanes Meyrick, 1915 (Cosmopterigidae) Synonym(s): centrophanes Meyrick, 1915
- 326. Pyroderces diplecta Meyrick, 1935 (Cosmopterigidae) Synonym(s): diplecta Meyrick, 1935
- **327.Pyroderces falcatella (Stainton,1859)** (Cosmopterigidae) Synonym(s): falcatella Stainton,1859; spodoctha Meyrick,1905; dendrophaga Meyrick,1920
- 328. Anatrachyntis mythologica (Meyrick, 1917) (Cosmopterigidae) Synonym(s): mythologica Meyrick, 1917
- 329.Stagmatophora faceta Meyrick,1912 (Cosmopterigidae) Synonym(s): faceta Meyrick,1912
- 330.Syntomaula tephrota Meyrick,1914 (Cosmopterigidae) Synonym(s): tephrota Meyrick,1914

#### Cossidae

- 331. Isocossus vandeldeni Roepke, 1957 (Cossidae) Synonym(s): vandeldeni Roepke, 1957
- 332. Phragmataecia impura Hampson, 1891 (Cossidae) Synonym(s): impura Hampson, 1891
- 333. Rugigerat nigra (Moore, 1877) (Cossidae) Synonym(s): nigra Moore, 1877
- 334.Xyleutes personus Le Guillou,1841 (Cossidae) Synonym(s): personus Le Guillou,1841; leuconotus Walker,1856
- 335.Zeuzera coffeae Nietner, 1861 (Cossidae) Synonym(s): coffeae Nietner, 1861; oblita Swinhoe, 1890; reticulata Joicey & Talbot, 1916; buergersi Gaede, 1933
- 336.Zeuzera postexcisa Hampson,1893 (Cossidae) Synonym(s): postexcisa Hampson,1893
- 337.Zeuzera roricyanea Walker,1862 (Cossidae) Synonym(s): roricyanea Walker,1862

#### Ctenuchidae

- 338.Amata albapex (Hampson, 1893) (Ctenuchidae) Synonym(s): albapex Hampson, 1893
- **339.Amata collaris (Fabricius,1793) (Ctenuchidae) Synonym(s):** cyssea Cramer,1782; collaris Fabricius,1793; schoenerrhi Boisdural,1829; cuprea Prittwitz,1867 nec Wlk.,1856; georgina Butler,1876; cysseoides Butler,1876
- 340.Amata huebneri (Boisduval,[1828]) (Ctenuchidae) Synonym(s): huebneri Boisduval,[1828]; marsdeni Moore,1859; xanthomela Walker,1860; cingulata Wallengren,1860 nec Wb.,1801; sangaris Wallengren,1863; contermina Walker,1864; pyrrhodera Meyrick,1886; frustulenta Swinhoe,1892; sala Swinhoe,1902
- 341. Amata passalis (Fabricius,1781) (Ctenuchidae) Synonym(s): cerbera Sulzer,1776 nec Linn.; passalis Fabricius,1781; creusa Cramer,1782; latreillei Boisduval,1829; montana Butler,1876
- 342. Amata thoracica (Moore, 1877) (Ctenuchidae) Synonym(s): thoracica Moore, 1877
- 343.Ceryx diptera (Fabricius,1775) (Ctenuchidae) Synonym(s): diptera Fabricius,1775; atereus Cramer,1782; incipiens Walker,1864; brachypecten Hampson,1893
- 344. Eressa aperiens (Walker, 1864) (Ctenuchidae) Synonym(s): aperiens Walker, 1864; moorei Butler, 1876; lydia Swinhoe, 1891; khasiana Rothschild, 1910
- 345.Eressa confinis (Walker,1854) (Ctenuchidae) Synonym(s): confinis Walker,1854; musa Swinhoe,1885; catoria Swinhoe,1900; malaccensis Rothschild,1910
- 346.Eressa subaurata (Walker, 1854) (Ctenuchidae) Synonym(s): subaurata Walker, 1854
- 347. Euchromia magna (Swinhoe, 1891) (Ctenuchidae) Synonym(s): magna Swinhoe, 1891
- 348. Euchromia polymena (Linnaeus, 1758) (Ctenuchidae) Synonym(s): polymena Linnaeus, 1758; celebensis Butler, 1876; siamensis Butler, 1876; butleri Röber, 1887; diffusihelvola Schultze, 1908; #hainana Seitz, 1913; #egestosa Seitz, 1913.
- 349.Syntomoides imaon (Cramer,1780) (Ctenuchidae) Synonym(s): imaon Cramer,1780; godarti Boisduval,1829; fusiformis Walker,1856; approximata Walker,1864; libera Walker,1864; fytchei Moore,1871; cupreipennis Butler,1876; artina Butler,1876; sargania Butler,1879; mota Swinhoe,1891

# Drepanidae

- 350.Canucha specularis (Moore, 1879) (Drepanidae) Synonym(s): specularis Moore, 1879; obtruncata W. Warren, 1900
- 351. Drapetodes fratercula Moore, 1887 (Drepanidae) Synonym(s): fratercula Moore, 1887; albidior W. Warren, 1922

352.Tridrepana albonotata (Moore,1879) (Drepanidae) Synonym(s): albonotata Moore,1879; ochrea Butler,1886; perversata W.Warren,1922; glaciata W.Warren,1922

### Dudgeonidae

353. Dudgeonea leucosticta Hampson, 1900 (Dudgeonidae) Synonym(s): leucosticta Hampson, 1900

#### Elachistidae

354. Elachista brachyplectra Meyrick, 1921 (Elachistidae) Synonym(s): brachyplectra Meyrick, 1921

# **Epipyropidae**

- **355.Fulgoraecia poliographa Hampson,1910** (Epipyropidae) Synonym(s): poliographa Hampson,1910
- 356. Microlimax pallidipuncta Hampson, 1896 (Epipyropidae) Synonym(s): pallidipuncta Hampson, 1896

# **Eupterotidae**

- 357. Apona shevaroyensis Moore, 1884 (Eupterotidae) Synonym(s): shevaroyensis Moore, 1884
- 358. Drepanojana citheronia (Bryk,1944) (Eupterotidae) Synonym(s): citheronia Bryk,1944
- 359. Eupterote vialis (Moore, [1883]) (Eupterotidae) Synonym(s): vialis Moore, [1883]
- 360. Eupterote diffusa Walker, 1865 (Eupterotidae) Synonym(s): diffusa Walker, 1865
- 361. Eupterote mollifera Walker, 1865 (Eupterotidae) Synonym(s): mollifera Walker, 1865; anthereata Walker, 1865; ornata C. Felder & R. Felder, 1874; canaraica Moore, 1879; nilgirica Moore, 1879; flava Moore, 1884; discrepans Moore, 1884; mollis Moore, 1884; todara Moore, 1884; lativittata Moore, 1884; rufodisca Hampson, 1891; flavia Hampson, 1891; rectifascia Hampson, 1891
- 362. Eupterote citheronia Bryk,1944 (Eupterotidae) Synonym(s): citheronia Bryk,1944
- **363.Eupterote fabia (Cramer,[1779])** (Eupterotidae) Synonym(s): fabia Cramer,[1779]; ochripicta Moore,1879; fasciata Moore,1883]; auriflua Moore,1884; immutata Moore,1884; permutata Moore,1884; alterata Moore,1884; lucia Butler,1885; gyra Swinhoe,1885
- 364. Eupterote plumipes (Walker, 1855) (Eupterotidae) Synonym(s): plumipes Walker, 1855; rubiginosa Walker, 1855
- 365. Eupterote subcurvifera (Walker, 1865) (Eupterotidae) Synonym(s): subcurvifera Walker, 1865
- **366. Eupterote murina (Moore, 1877)** (Eupterotidae) Synonym(s): *murina Moore, 1877*
- 367. Eupterote nigriceps (Hampson, 1893) (Eupterotidae) Synonym(s): nigriceps Hampson, 1893
- 368. Eupterote placida (Moore, [1883]) (Eupterotidae) Synonym(s): placida Moore, [1883]
- **369.Eupterote geminata (Walker,1855)** (Eupterotidae) Synonym(s): geminata Walker,1855; lineata Walker,1855; phalaenaria C.Felder & R.Felder,1874
- 370. Eupterote cinnamomea Moore, 1884 (Eupterotidae) Synonym(s): cinnamomea Moore, 1884
- 371. Ganisa postica Walker, 1855 (Eupterotidae) Synonym(s): postica Walker, 1855
- 372. Pandala dolosa Walker, 1855 (Eupterotidae) Synonym(s): dolosa Walker, 1855

#### Gelechiidae

- 373. Anarsia (Ananarsia) patulella (Walker, 1864) (Gelechiidae) Synonym(s): patulella Walker, 1864
- 374. Anarsia (Ananarsia) pensilis Meyrick, 1913 (Gelechiidae) Synonym(s): pensilis Meyrick, 1913
- 375. Anarsia (Ananarsia) stylota Meyrick, 1913 (Gelechiidae) Synonym(s): stylota Meyrick, 1913
- 376. Anarsia (Ananarsia) tricornis Meyrick, 1913 (Gelechiidae) Synonym(s): tricornis Meyrick, 1913
- 377. Anarsia (s.str.) tortuosa (Meyrick, 1913) (Gelechiidae) Synonym(s): tortuosa Meyrick, 1913
- 378. Anarsia (Ananarsia) phortica Meyrick, 1913 (Gelechiidae) Synonym(s): phortica Meyrick, 1913
- 379. Aproaerema modicella (Deventer, 1904) (Gelechiidae) Synonym(s): modicella Deventer, 1904
- 380. Aristotelia galeotis Meyrick, 1908 (Gelechiidae) Synonym(s): galeotis Meyrick, 1908
- **381. Dactylethrella candida (Stainton,1859)** (Gelechiidae) Synonym(s): candida Stainton,1859; ?plagiferella Walker,1863; tetroctas Meyrick,1906
- 382. Dactylethrella globulata (Meyrick, 1910) (Gelechiidae) Synonym(s): globulata Meyrick, 1910
- 383. Dactylethrella incondita (Meyrick, 1913) (Gelechiidae) Synonym(s): incondita Meyrick, 1913
- 384. Deimophila psaphara Meyrick, 1906 (Gelechiidae) Synonym(s): psaphara Meyrick, 1906
- **385.Deltophora peltosema (Lower,1900)** (Gelechiidae) Synonym(s): peltosema Lower,1900; pyramidophora Turner,1919
- 386. Demiophila psaphara Meyrick, 1906 (Gelechiidae) Synonym(s): psaphara Meyrick, 1906

- 387.Dichomeris acuminata (Staudinger,1876) (Gelechiidae) Synonym(s): acuminata Staudinger,1876; ianthes Meyrick,1887; rusticus Walsingham,1892; lotellus Constant,1893; ammoxanthus Meyrick,1904; ochrophanes Meyrick,1907; agathopa Meyrick,1921; #agathope Janse,1950
- 388. Dichomeris ampliata Meyrick, 1913 (Gelechiidae) Synonym(s): ampliata Meyrick, 1913
- 389. Dichomeris caerulescens (Meyrick, 1913) (Gelechiidae) Synonym(s): caerulescens Meyrick, 1913
- 390.Dichomeris ceponoma Meyrick,1918 (Gelechiidae) Synonym(s): ceponoma Meyrick,1918; tetraschema Meyrick,1931
- 391. Dichomeris crepitatrix Meyrick, 1913 (Gelechiidae) Synonym(s): crepitatrix Meyrick, 1913
- 392. Dichomeris acrochlora (Meyrick, 1905) (Gelechiidae) Synonym(s): acrochlora Meyrick, 1905
- 393. Dichomeris ampycota (Meyrick, 1913) (Gelechiidae) Synonym(s): ampycota Meyrick, 1913
- 394. Dichomeris bisignella (Snellen, 1885) (Gelechiidae) Synonym(s): bisignella Snellen, 1885; deltaspis Meyrick, 1905
- 395. Dichomeris charonea (Meyrick, 1913) (Gelechiidae) Synonym(s): charonea Meyrick, 1913
- 396. Dichomeris chartaria (Meyrick, 1913) (Gelechiidae) Synonym(s): chartaria Meyrick, 1913
- 397. Dichomeris cinnabarina (Meyrick, 1923) (Gelechiidae) Synonym(s): cinnabarina Meyrick, 1923
- 398. Dichomeris immerita (Meyrick, 1913) (Gelechiidae) Synonym(s): immerita Meyrick, 1913
- 399. Dichomeris isoclera (Meyrick, 1913) (Gelechiidae) Synonym(s): isoclera Meyrick, 1913
- 400. Dichomeris levigata (Meyrick, 1913) (Gelechiidae) Synonym(s): levigata Meyrick, 1913
- 401. Dichomeris malacodes (Meyrick, 1910) (Gelechiidae) Synonym(s): malacodes Meyrick, 1910
- 402. Dichomeris ianthes (Meyrick, 1887) (Gelechiidae) Synonym(s): ianthes Meyrick, 1887; ochrophanes Meyrick, 1907
- 403. Dichomeris imbricata Meyrick,1913 (Gelechiidae) Synonym(s): imbricata Meyrick,1913; umbricata Meyrick,1934
- 404. Dichomeris intensa Meyrick, 1913 (Gelechiidae) Synonym(s): intensa Meyrick, 1913
- 405. Dichomeris mesoglena Meyrick, 1923 (Gelechiidae) Synonym(s): mesoglena Meyrick, 1923
- 406. Dichomeris metrodes Meyrick, 1913 (Gelechiidae) Synonym(s): metrodes Meyrick, 1913
- 407. Dichomeris olivescens Meyrick, 1913 (Gelechiidae) Synonym(s): olivescens Meyrick, 1913
- 408. Dichomeris polyaema (Meyrick, 1923) (Gelechiidae) Synonym(s): polyaema Meyrick, 1923
- 409. Encolapta metorcha Meyrick, 1913 (Gelechiidae) Synonym(s): metorcha Meyrick, 1913
- 410. Encrasima elaeopsis Meyrick, 1916 (Gelechiidae) Synonym(s): elaeopsis Meyrick, 1916
- 411. Encrasima reversa Meyrick, 1916 (Gelechiidae) Synonym(s): reversa Meyrick, 1916
- 412. Encrasima xanthoclista Meyrick, 1923 (Gelechiidae) Synonym(s): xanthoclista Meyrick, 1923
- 413. Ephysteris (s.str.) promptella (Staudinger,1859) (Gelechiidae) Synonym(s): promptella Staudinger,1859; despectella Walker,1863; petiginella Mann,1867; parvula Staudinger,1879; cacomicra Walsingham,1907; chersaea Meyrick,1908; oschophora Meyrick,1910; fanatica Meyrick,1921; dispensata Meyrick,1921; xanthorbabda Gozmany,1951 australiae Povolny,1977; #promtella Sattler,1978.
- 414. Epicoenia chernetis Meyrick, 1906 (Gelechiidae) Synonym(s): chernetis Meyrick, 1906
- 415. Epimimastis escharitis Meyrick, 1916 (Gelechiidae) Synonym(s): escharitis Meyrick, 1916
- 416. Epimimastis glaucodes Meyrick, 1910 (Gelechiidae) Synonym(s): glaucodes Meyrick, 1910
- 417. Epithectis studiosa Meyrick, 1905 (Gelechiidae) Synonym(s): studiosa Meyrick, 1905
- 418. Ficulea blandulella Walker, 1864 (Gelechiidae) Synonym(s): blandulella Walker, 1864
- 419. Helcystogramma amethystium (Meyrick, 1906) (Gelechiidae) Synonym(s): amethystium Meyrick, 1906
- 420. Helcystogramma anthitis (Meyrick, 1929) (Gelechiidae) Synonym(s): anthitis Meyrick, 1929
- 421. Helcystogramma arotraeum (Meyrick, 1894) (Gelechiidae) Synonym(s): arotraeum Meyrick, 1894
- 422. Helcystogramma aruritis (Meyrick, 1911) (Gelechiidae) Synonym(s): aruritis Meyrick, 1911
- 423. Helcystogramma epicentra (Meyrick, 1911) (Gelechiidae) Synonym(s): epicentra Meyrick, 1911
- 424. Helcystogramma hapalyntis (Meyrick, 1911) (Gelechiidae) Synonym(s): hapalyntis Meyrick, 1911
- 425. Helcystogramma hoplophorum Meyrick, 1916 (Gelechiidae) Synonym(s): hoplophorum Meyrick, 1916
- 426.Helcystogramma immeritellum (Walker, 1864) (Gelechiidae) Synonym(s): immeritellum Walker, 1864
- 427. Helcystogramma infibulatum Meyrick, 1916 (Gelechiidae) Synonym(s): infibulatum Meyrick, 1916
- 428. Helcystogramma leucoplectum (Meyrick, 1911) (Gelechiidae) Synonym(s): leucoplectum Meyrick, 1911
- 429. Helcystogramma lochistis (Meyrick, 1911) (Gelechiidae) Synonym(s): lochistis Meyrick, 1911
- 430. Helcystogramma philomusum (Meyrick, 1918) (Gelechiidae) Synonym(s): philomusum Meyrick, 1918
- 431. Helcystogramma phryganitis (Meyrick, 1911) (Gelechiidae) Synonym(s): phryganitis Meyrick, 1911
- 432. Helcystogramma rhabduchum (Meyrick, 1911) (Gelechiidae) Synonym(s): rhabduchum Meyrick, 1911
- 433. Ethmiopsis scriniata (Meyrick, 1913) (Gelechiidae) Synonym(s): scriniata Meyrick, 1913
- 434. Hypatima spathota Meyrick, 1913 (Gelechiidae) Synonym(s): spathota Meyrick, 1913
- 435.Myconita plutelliformis (Snellen,1901) (Gelechiidae) Synonym(s): plutelliformis Snellen,1901
- 436.Onebala brabylitis (Meyrick,1911) (Gelechiidae) Synonym(s): brabylitis Meyrick,1911
- 437.Onebala hibisci (Stainton, 1859) (Gelechiidae) Synonym(s): hibisci Stainton, 1859
- 438.Onebala infibulata (Meyrick, 1916) (Gelechiidae) Synonym(s): infibulata Meyrick, 1916
- 439. Onebala leucoplecta (Meyrick, 1911) (Gelechiidae) Synonym(s): leucoplecta Meyrick, 1911
- 440.Onebala victrix (Meyrick, 1911) (Gelechiidae) Synonym(s): victrix Meyrick, 1911
- 441. Scrobipalpa (s.str.) aptatella (Walker, 1864) (Gelechiidae) Synonym(s): aptatella Walker, 1864; heliopa
- 442.Stomopteryx rastrifera Meyrick,1918 (Gelechiidae) Synonym(s): rastrifera Meyrick,1918

- 443. Tituacia deviella Walker, 1864 (Gelechiidae) Synonym(s): deviella Walker, 1864; erosella Snellen, 1878
- 444. Capidentalia paroctas (Meyrick, 1913) (Gelechiidae) Synonym(s): paroctas Meyrick, 1913
- 445. Hypatima iophana (Meyrick, 1913) (Gelechiidae) Synonym(s): iophana Meyrick, 1913
- 446. Hypatima corynetis (Meyrick, 1913) (Gelechiidae) Synonym(s): corynetis Meyrick, 1913
- 447. Hypatima ericta (Meyrick, 1913) (Gelechiidae) Synonym(s): ericta Meyrick, 1913
- 448. Hypatima isoptila (Meyrick, 1913) (Gelechiidae) Synonym(s): isoptila Meyrick, 1913
- 449. Hypatima particulata (Meyrick, 1913) (Gelechiidae) Synonym(s): particulata Meyrick, 1913
- 450. Hypatima phacelota (Meyrick, 1913) (Gelechiidae) Synonym(s): phacelota Meyrick, 1913
- 451. Hypatima syncrypta (Meyrick,1916) (Gelechiidae) Synonym(s): syncrypta Meyrick,1916

#### Geometridae

- 452.Achrosis rondelaria (Fabricius,1775) (Geometridae) Synonym(s): rondelaria Fabricius,1775; squalida Geyer,[1832]; squalidaria Guenée,[1858]; violacearia Guenée,[1858]; contractaria Walker,1860; cyclogonata Walker,[1863]; schistifusata Walker,[1863]
- 453. Achrosis serpentinaria (Walker, 1866) (Geometridae) Synonym(s): serpentinaria Walker, 1866
- 454.Agathia conviridaria (Hübner,[1823]) (Geometridae) Synonym(s): viridana Stoll,1781 nec Linn.,1758; conviridaria Hübner,[1823]; intercissa Walker,1861
- 455.Agathia laetata (Fabricius,1794) (Geometridae) Synonym(s): laetata Fabricius,1794; zonaria Donovan,1799; catenaria Walker,1861; isogyna L.B.Prout,1916; furcula Matsumura,1931; andamanensis L.B.Prout,1932
- 456. Agathia magnifica Moore, 1879 (Geometridae) Synonym(s): magnifica Moore, 1879
- 457.Amblychia hymenaria Guenée, [1858] (Geometridae) Synonym(s): hymenaria Guenée, [1858]; brabanti Thierry-Mieg, 1893; albifascia W.Warren, 1894; procellosa W.Warren, 1894
- 458.Antimimistis attenuata (Moore,[1887]) (Geometridae) Synonym(s): attenuata Moore,[1887]
- 459. Antimimistis curpina L.B. Prout, 1958 (Geometridae) Synonym(s): curpina L.B. Prout, 1958
- 460.Aplochlora vivilaca (Walker, 1861) (Geometridae) Synonym(s): vivilaca Walker, 1861
- **461.Aporandria specularia (Guenée,[1858])** (Geometridae) Synonym(s): specularia Guenée,[1858]; haplograpta L.B.Prout,1922
- 462. Axinoptera plicata (Hampson, 1912) (Geometridae) Synonym(s): plicata Hampson, 1912
- 463. Axinoptera subcostalis Hampson, 1893 (Geometridae) Synonym(s): subcostalis Hampson, 1893
- 464.Berta chrysolineata Walker,[1863] (Geometridae) Synonym(s): chrysolineata Walker,[1863]; fenestrata L.B.Prout,1913
- 465. Biston strigarius (Moore, 1879) (Geometridae) Synonym(s): strigarius Moore, 1879
- **466.Bosara emarginaria (Hampson,1893)** (Geometridae) Synonym(s): *emarginaria Hampson,1893; exilis* Bastelberger,1905
- **467.Calletaera postvittata (Walker,1861)** (Geometridae) Synonym(s): postvittata Walker,1861; honoraria Walker,1861; permotaria Walker,1861
- **468.Calluga costalis Moore,[1887]** (Geometridae) Synonym(s): costalis Moore,[1887]; rufifascia Hampson,1893; cissocosma Turner,1904; albiviridis W.Warren,1907
- 469.Carbia pulchrilinea (Walker, 1866) (Geometridae) Synonym(s): pulchrilinea Walker, 1866; axis Hampson, 1893; moniliata W. Warren, 1893
- 470.Celenna festivaria (Fabricius,1794) (Geometridae) Synonym(s): festivaria Fabricius,1794; saturataria Walker 1861
- 471. Chiasmia (Godonela) nora (Walker, 1861) (Geometridae) Synonym(s): nora Walker, 1861
- 472. Chiasmia cessaria (Walker, 1861) (Geometridae) Synonym(s): cessaria Walker, 1861
- 473. Chiasmia ferruginata (Moore, [1887]) (Geometridae) Synonym(s): ferruginata Moore, [1887]
- 474.Chiasmia fidoniata (Guenée,[1858]) (Geometridae) Synonym(s): fidoniata Guenée,[1858]; cacavena Walker, 1861; arenaria Swinhoe, 1885; lineata W. Warren, 1899
- 475.Chiasmia frugaliata (Guenée,[1858]) (Geometridae) Synonym(s): frugaliata Guenée,[1858]; peremptaria Walker.1861
- 476. Chiasmia normata (Walker, 1861) (Geometridae) Synonym(s): normata Walker, 1861; exfusaria Walker, [1863]; parallelaria Walker, [1863]; desiccata Walker, 1866; malefidaria Mabille, 1880; congener W. Warren, 1897; minoa Strand, 1915.
- 477. Chiasmia quadraria (Moore, [1887]) (Geometridae) Synonym(s): quadraria Moore, [1887]
- 478.Chorodna strixaria (Guenée,[1858]) (Geometridae) Synonym(s): strixaria Guenée,[1858]; celebensis L.B.Prout,1928
- **479.Chrysocraspeda faganaria (Guenée,[1858]) (Geometridae) Synonym(s):** togata Fabricius,1798 nec Esp.,1788; faganaria Guenée,[1858]; deviaria Walker,1861; rhodinaria Walker,1861; amoenaria Snellen,1890; auricincta Hampson,1893
- 480.Chrysocraspeda olearia (Guenée,[1858]) (Geometridae) Synonym(s): olearia Guenée,[1858]; cerasina Swinhoe, 1893
- 481. Chrysocraspeda tristicula Swinhoe, 1885 (Geometridae) Synonym(s): tristicula Swinhoe, 1885; laeta W. Warren, 1899.
- 482.Cleora alienaria (Walker, 1860) (Geometridae) Synonym(s): alienaria Walker, 1860

- **483.Cleora injectaria (Walker,1860)** (Geometridae) Synonym(s): injectaria Walker,1860; compactaria Walker,[1863]; sublectaria Walker,[1863]
- 484. Comostola laesaria (Walker, 1861) (Geometridae) Synonym(s): laesaria Walker, 1861; perlepidaria Walker, 1866
- **485.Cusiala boarmoides Moore,[1887]** (Geometridae) Synonym(s): boarmoides Moore,[1887]; boarmoides Moore,[1887]; boarmoides Moore,[1888; angulata Hampson,1891; griseifusa Sonan,1938; #bcarmoides Watanasit et al.,2004
- **486.Cusiala raptaria (Walker,1860)** (Geometridae) Synonym(s): raptaria Walker,1860; disterminata Walker,1860; suiasasa Walker,1860; rufifasciata Hampson,1893
- 487. Dasyboarmia canidorsata (Walker, 1866) (Geometridae) Synonym(s): canidorsata Walker, 1866
- 488. Derambila adaucta L.B. Prout, 1910 (Geometridae) Synonym(s): adancta L.B. Prout, 1910
- 489. Derambila saponaria (Guenée, [1858]) (Geometridae) Synonym(s): saponaria Guenée, [1858]
- 490. Diplurodes coremiaria (Hampson, 1896) (Geometridae) Synonym(s): coremiaria Hampson, 1896
- **491. Dysphania subrepleta (Walker,1854)** (Geometridae) Synonym(s): subrepleta Walker,1854; bellonaria Guenée,[1858]
- 492. Ecliptopera dissecta (Moore,[1887]) (Geometridae) Synonym(s): dissecta Moore,[1887]
- 493. Ecliptopera subnubila L.B. Prout, 1940 (Geometridae) Synonym(s): subnubila L.B. Prout, 1940
- 494. Ectropis bhurmitra (Walker, 1860) (Geometridae) Synonym(s): bhurmitra Walker, 1860; diffusaria Walker, 1860; sabulosa W.Warren, 1897; semifascia W.Warren, 1897; semifasciata W.Warren, 1900; obrussata Holland, 1900; brevifasciata Wileman, 1912
- 495. Eois grataria (Walker, 1861) (Geometridae) Synonym(s): grataria Walker, 1861; pallicinctaria Walker, 1863
- 496. Eois lunulosa (Moore, [1887]) (Geometridae) Synonym(s): lunulosa Moore, [1887]; ochracea W. Warren, 1894
- 497. Epipristis minimaria Guenée, [1858] (Geometridae) Synonym(s): minimaria Guenée, [1858]
- 498. Eucyclodes gavissima (Walker, 1861) (Geometridae) Synonym(s): gavissima Walker, 1861
- 499. Eucyclodes semialba (Walker, 1861) (Geometridae) Synonym(s): semialba Walker, 1861
- **500.Eumelea ludovicata Guenée,[1858]** (Geometridae) Synonym(s): *ludovicata Guenée,[1858]; aureliata Guenée,[1858]; vulgivaga Savamoto,1938*
- 501. Eumelea rosalia (Stoll,1781) (Geometridae) Synonym(s): rosalia Stoll,1781
- **502. Eupithecia albifurva Hampson, 1907** (Geometridae) Synonym(s): albifurva Hampson, 1907
- 503. Eupithecia costalis (Walker, 1863) (Geometridae) Synonym(s): costalis Walker, 1863
- 504. Eupithecia niveivena L.B. Prout, 1926 (Geometridae) Synonym(s): niveivena L.B. Prout, 1926
- 505.Fascellina chromataria Walker,1860 (Geometridae) Synonym(s): chromataria Walker,1860; usta Walker,1866; ceylonica Moore,[1887]; subchromaria Wehrli,1936; nigrochromaria Inoue,1955
- 506.Gonodontis clelia (Cramer,[1780]) (Geometridae) Synonym(s): clelia Cramer,[1780]; rajaca Walker,1860; hyperbolica Swinhoe,1885.
- **507.Hemithea marina (Butler,1878)** (Geometridae) Synonym(s): costipunctata Moore,[1867]; marina Butler,1878; simplex W.Warren,1897; pariciliata Fuchs,1902
- 508. Heterostegane rectifascia Hampson, 1893 (Geometridae) Synonym(s): rectifascia Hampson, 1893
- 509. Heterostegane tritocampsis (L.B. Prout, 1934) (Geometridae) Synonym(s): tritocampsis L.B. Prout, 1934
- 510. Heterostegane urbica (Swinhoe, 1885) (Geometridae) Synonym(s): urbica Swinhoe, 1885
- 511. Hyperythra flavaria (Fabricius,1787) (Geometridae) Synonym(s): lutea Stoll,1781 nec Hufn.,1766; flavaria Fabricius,1787; flavata Fabricius,1794; limbolaria Guenée,[1858]; ennomaria Guenée,[1858]; luteata Guenée,[1858]; penicillaria Guenée,[1858]; luteata Herrich-Schäffer,1856; rufifimbria W.Warren,1896
- 512. Hypomecis separata (Walker, 1860) (Geometridae) Synonym(s): separata Walker, 1860; retractaria Walker, 1860
- 513. Hyposidra talaca (Walker, 1860) (Geometridae) Synonym(s): talaca Walker, 1860; deceptatura Walker, 1860; decipiens Walker, 1860; rigusaria Walker, [1863]; bombycaria Walker, 1866; vampyraria Snellen, 1881; myceterna Druce, 1889; flaccida Lucas, 1894
- 514. Idaea actiosaria (Walker, 1861) (Geometridae) Synonym(s): actiosaria Walker, 1861
- 515. Idaea gemmaria (Hampson, 1896) (Geometridae) Synonym(s): gemmaria Hampson, 1896
- 516. Idaea lineata (Hampson, 1893) (Geometridae) Synonym(s): lineata Hampson, 1893
- 517. Idaea marcidaria (Walker, 1861) (Geometridae) Synonym(s): marcidaria Walker, 1861; swinhoei L.B. Prout, 1932
- 518. Idaea micra (Hampson, 1893) (Geometridae) Synonym(s): micra Hampson, 1893
- 519.Idaea mutanda W.Warren,1888 (Geometridae) Synonym(s): inductata Walker,1861 nec Gn.,[1858]; mutanda W.Warren,1888
- 520.Idaea phoenicoglauca (Hampson,1907) (Geometridae) Synonym(s): phoenicoglauca Hampson,1907
- **521.Idaea semisericea (W.Warren,1897)** (Geometridae) Synonym(s): semisericea W.Warren,1897; comparanda W.Warren,1900; neanica L.B.Pront,1938; trettesensis L.B.Pront,1938
- 522. Jodis nanda (Walker, 1861) (Geometridae) Synonym(s): nanda Walker, 1861; micra W. Warren, 1897
- **523.Lophophelma neonoma (Hampson,1907)** (Geometridae) Synonym(s): neonoma Hampson,1907
- **524.Lophophleps phoenicoptera (Hampson, 1896)** (Geometridae) Synonym(s): phoenicoptera Hampson, 1896
- **525.Loxofidonia cingala (Moore,[1887])** (Geometridae) Synonym(s): cingala Moore,[1887]
- 526.Luxiaria tarpobana Herbulot,1986 (Geometridae) Synonym(s): tarpobana Herbulot,1986
- 527. Maxates acutissima (Walker, 1861) (Geometridae) Synonym(s): acutissima Walker, 1861
- 528. Maxates coelataria (Walker, 1861) (Geometridae) Synonym(s): coelataria Walker, 1861
- **529.Mesotrophe intortaria (Guenée,[1858])** (Geometridae) Synonym(s): intortaria Guenée,[1858]; expunctaria Walker,1859; responsaria Walker,1861; ovisignata Moore,[1887]

- 530.Micrulia catocalaria (Snellen,1881) (Geometridae) Synonym(s): catocalaria Snellen,1881; purpurea W.Warren,1897; lobata Hampson,1912
- 531. Mixocera parvulata (Walker,[1863]) (Geometridae) Synonym(s): parvulata Walker,[1863]; rectifasciata Hampson,1896
- 532. Nadagara vigaia Walker, 1862 (Geometridae) Synonym(s): vigaia Walker, 1862; inordinata Walker, 1862
- 533.Oenospila flavifusata (Walker, 1861) (Geometridae) Synonym(s): flavifusata Walker, 1861; sinuata Moore, 1868
- 534.Organopoda carnearia (Walker, 1861) (Geometridae) Synonym(s): carnearia Walker, 1861
- 535.Ornithospila lineata (Moore, 1872) (Geometridae) Synonym(s): lineata Moore, 1872
- **536.Orothalassodes leucospilota (Moore,[1887])** (Geometridae) Synonym(s): leucospilota Moore,[1887]; albomaculata Hampson,1893
- 537.Orthocabera obliqua (Hampson, 1893) (Geometridae) Synonym(s): obliqua Hampson, 1893
- 538.Oxymacaria ceylonica Hampson,1902 (Geometridae) Synonym(s): ccylonica Hampson,1902
- 539.Ozola acutata (Walker, 1862) (Geometridae) Synonym(s): acutata Walker, 1862
- 540.Ozola convergens W.Warren, 1905 (Geometridae) Synonym(s): convergens W.Warren, 1905
- 541. Ozola microniaria Walker, 1862 (Geometridae) Synonym(s): microniaria Walker, 1862; blitearia Walker, [1863]
- 542.Ozola minor (Moore, 1888) (Geometridae) Synonym(s): minor Moore, 1888; leptogonia Hampson, 1902
- 543.Paradarisa comparataria (Walker,1866) (Geometridae) Synonym(s): exclusaria Walker,1860; comparataria Walker,1866
- 544.Pasiphila palpata (Walker,1862) (Geometridae) Synonym(s): palpata Walker,1862; variegata Moore,[1887]; virescens Moore,[1887]
- 545.Pelagodes clarifimbria (L.B.Prout,1919) (Geometridae) Synonym(s): clarifimbria L.B.Prout,1919
- 546.Perixera monetaria (Guenée,[1858]) (Geometridae) Synonym(s): monetaria Guenée,[1858]; areolaria Guenée,[1858]; argentispila W.Warren,1893; hyperythra Swinhoe,1894; pleniluna W.Warren,1897
- **547.Perixera obliviaria (Walker,1861)** (Geometridae) Synonym(s): obliviaria Walker,1861; suspicaria Snellen,1881; rufidorsata W.Warren,1896; rufannularia W.Warren,1897
- 548.Perixera obrinaria (Guenée,[1858]) (Geometridae) Synonym(s): obrinaria Guenée,[1858]; caligata Walker,[1863]; contractata Walker,[1863]; similaria Walker,[1863]; rubrisecta W.Warren,1898
- 549.Petelia immaculata Hampson,1893 (Geometridae) Synonym(s): immaculata Hampson,1893
- 550.Petelia medardaria (Herrich-Schäffer,[1856]) (Geometridae) Synonym(s): medardaria Herrich-Schäffer,[1856]; chacoraca Walker,1860; chandubija Walker,1860
- 551.Polynesia sunandava (Walker,1861) (Geometridae) Synonym(s): sunandava Walker,1861; aeriferata Walker,[1863]
- 552. Pomasia psylaria Guenée, [1858] (Geometridae) Synonym(s): psylaria Guenée, [1858]
- 553.Probithia exclusa (Walker,1860) (Geometridae) Synonym(s): exclusa Walker,1860; praetereuns Walker,1860; frenata R.Felder & Rogenhofer,[1875]; lignaria Walker,1866
- 554. Probithia obstataria (Walker, 1861) (Geometridae) Synonym(s): obstataria Walker, 1861; turpis W. Warren, 1897
- 555. Problepsis deliaria (Guenée,[1858]) (Geometridae) Synonym(s): deliaria Guenée,[1858]
- 556. Protuliocnemis biplagiata (Moore, [1887]) (Geometridae) Synonym(s): biplagiata Moore, [1887]
- 557. Pseudiodis albidentula (Hampson, 1907) (Geometridae) Synonym(s): albidentula Hampson, 1907
- 558. Rheumaptera scotaria (Hampson, 1907) (Geometridae) Synonym(s): scotaria Hampson, 1907
- **559.Ruttellerona cessaria (Walker,1860)** (Geometridae) Synonym(s): cessaria Walker,1860; praeclararia Walker,[1863]
- 560. Ruttellerona harmonica (Hampson, 1898) (Geometridae) Synonym(s): harmonica Hampson, 1898
- 561. Sauris hirudinata Guenée, [1858] (Geometridae) Synonym(s): birudinata Guenée, [1858]; remodesaria Walker, 1862; lobta W. Warren, 1895
- 562. Sauris nigripalpata Walker, 1862 (Geometridae) Synonym(s): nigripalpata Walker, 1862
- 563. Sauris perfasciata Hampson, 1895 (Geometridae) Synonym(s): perfasciata Hampson, 1895
- 564.Sauris proboscidaria Walker,1862 (Geometridae) Synonym(s): proboscidaria Walker,1862; metaphaea Hampson,1907
- 565. Sauris triseriata (Moore,[1887]) (Geometridae) Synonym(s): triseriata Moore,[1887]
- 566.Scardamia bractearia (Walker,1860) (Geometridae) Synonym(s): bractearia Walker,1860; taprobanes R.Felder & Rogenhofer,1875
- 567. Scopula actuaria (Walker, 1861) (Geometridae) Synonym(s): actuaria Walker, 1861
- 568. Scopula adeptaria (Walker, 1861) (Geometridae) Synonym(s): adeptaria Walker, 1861; eximia W. Warren, 1898; tenuipes Turner, 1914; tainanensis Wileman & South, 1917
- 569.Scopula alstoni L.B.Prout, 1919 (Geometridae) Synonym(s): alstoni L.B.Prout, 1919
- 570. Scopula aspilataria (Walker, 1861) (Geometridae) Synonym(s): aspilataria Walker, 1861
- 571. Scopula costata (Moore, [1887]) (Geometridae) Synonym(s): costata Moore, [1887]
- 572.Scopula emissaria (Walker, 1861) (Geometridae) Synonym(s): emissaria Walker, 1861; defamataria Walker, 1861; mollis W. Warren, 1896
- 573. Scopula fibulata (Guenée, [1858]) (Geometridae) Synonym(s): fibulata Guenée, [1858]
- 574.Scopula nesciaria (Walker, 1861) (Geometridae) Synonym(s): nesciaria Walker, 1861; negataria Walker, 1861
- 575. Scopula opicata (Fabricius, 1798) (Geometridae) Synonym(s): opicata Fabricius, 1798; infantularia Guenée, [1858]; vanaria Walker, 1861

- 576.Scopula pulchellata (Fabricius,1794) (Geometridae) Synonym(s): pulchellata Fabricius,1794; nictata Guenée,[1858]; metaspilaria Walker,1861; ligataria Walker,1861; spatiosaria Walker,1866; grandicularia Swinhoe,1886; spilodorsata W.Warren,1895; discata W.Warren,1897; obdiscata L.B.Prout,1938; spilotis L.B.Prout,1938; cosmeta L.B.Prout,1938
- **577. Scopula indensata (Moore, [1887])** (Geometridae) Synonym(s): *indensata Moore, [1887]*
- 578.Scopula walkeri (Butler,1883) (Geometridae) Synonym(s): extimaria Walker,1861 nec Wlk.,1861; walkeri Butler,1883; rufilinea W.Warren,1895
- 579.Semiothisa streniataria (Walker,1861) (Geometridae) Synonym(s): streniataria Walker,1861; fidoniata Hampson,1895; olivescens W.Warren,1896
- **580.Somatina omicraria (Fabricius,1798)** (Geometridae) Synonym(s): omicraria Fabricius,1798; extrucata Walker,1861; cana Hampson,1895
- **581. Somatina purpurascens Moore, [1887]** (Geometridae) Synonym(s): purpurascens Moore, [1887]
- **582.Spaniocentra pannosa (Moore, [1887])** (Geometridae) Synonym(s): pannosa Moore, [1887]
- 583. Symmacra solidaria (Guenée,[1858]) (Geometridae) Synonym(s): solidaria Guenée,[1858]; quadraequata Walker, 1861; thalassica Moore, [1887]; rufifrontaria Hampson, 1907; hyporrhoda L.B. Prout, 1938
- 584.Symmimetis cristata (W.Warren,1897) (Geometridae) Synonym(s): cristata W.Warren,1897; rivula Hambson,1903
- 585.Synegia imitaria (Walker,1861) (Geometridae) Synonym(s): imitaria Walker,1861; obrimaria Walker,1861; aemula W.Warren,1894
- 586.Thalassodes immistaria Walker, 1861 (Geometridae) Synonym(s): immistaria Walker, 1861
- **587.Traminda aventiaria (Guenée,[1858])** (Geometridae) Synonym(s): aventiaria Guenée,[1858]; molybdias Meyrick, 1889.
- 588.Xanthorhoe greeni L.B.Prout,1939 (Geometridae) Synonym(s): greeni L.B.Prout,1939
- 589.Zamarada excisa Hampson, 1891 (Geometridae) Synonym(s): excisa Hampson, 1891

# Glyphipterygidae

- 590. Chrysocentris ditiorana (Walker, 1863) (Glyphipterygidae) Synonym(s): ditiorana Walker, 1863
- 591. Glyphipterix antidoxa Meyrick, 1909 (Glyphipterygidae) Synonym(s): antidoxa Meyrick, 1909
- 592. Glyphipterix argyromis Meyrick, 1907 (Glyphipterygidae) Synonym(s): argyromis Meyrick, 1907

### Gracillariidae

- 593. Acrocercops bisinuata Meyrick, 1921 (Gracillariidae) Synonym(s): bisinuata Meyrick, 1921
- 594. Acrocercops brochogramma Meyrick, 1914 (Gracillariidae) Synonym(s): brochogramma Meyrick, 1914
- 595. Acrocercops castellata Meyrick, 1908 (Gracillariidae) Synonym(s): castellata Meyrick, 1908
- 596. Acrocercops coffeifoliella (Motschulsky, 1859) (Gracillariidae) Synonym(s): coffeifoliella Motschulsky, 1859
- 597. Acrocercops convoluta Meyrick, 1908 (Gracillariidae) Synonym(s): convoluta Meyrick, 1908
- 598. Acrocercops euthycolona Meyrick, 1931 (Gracillariidae) Synonym(s): euthycolona Meyrick, 1931
- 599. Acrocercops geologica Meyrick, 1908 (Gracillariidae) Synonym(s): geologica Meyrick, 1908
- 600. Acrocercops isodelta Meyrick, 1908 (Gracillariidae) Synonym(s): isodelta Meyrick, 1908
- 601. Acrocercops lyrica Meyrick, 1908 (Gracillariidae) Synonym(s): hyrica Meyrick, 1908
- 602. Acrocercops plocamis Meyrick, 1908 (Gracillariidae) Synonym(s): plocamis Meyrick, 1908
- 603. Acrocercops praeclusa Meyrick, 1914 (Gracillariidae) Synonym(s): praeclusa Meyrick, 1914
- 604.Acrocercops stricta Meyrick, 1908 (Gracillariidae) Synonym(s): stricta Meyrick, 1908
- 605. Acrocercops strophala Meyrick, 1908 (Gracillariidae) Synonym(s): strophala Meyrick, 1908
- 606. Acrocercops telearcha Meyrick, 1908 (Gracillariidae) Synonym(s): telearcha Meyrick, 1908
- 607. Acrocercops tenera Meyrick, 1914 (Gracillariidae) Synonym(s): tenera Meyrick, 1914
- 608. Acrocercops tetracrena Meyrick, 1908 (Gracillariidae) Synonym(s): tetracrena Meyrick, 1908
- 609. Acrocercops triacris Meyrick, 1908 (Gracillariidae) Synonym(s): triacris Meyrick, 1908
- 610. Acrocercops zadocaea Meyrick, 1912 (Gracillariidae) Synonym(s): zadocaea Meyrick, 1912
- 611. Caloptilia (?) leucolitha (Meyrick,1912) (Gracillariidae) Synonym(s): leucolitha Meyrick,1912
- 612. Caloptilia (?) scaeodesma (Meyrick, 1928) (Gracillariidae) Synonym(s): scaeodesma Meyrick, 1928
- 613. Caloptilia (Phylloptilia) syrphetias (Meyrick,1907) (Gracillariidae) Synonym(s): syrphetias Meyrick,1907; zopherotarsa Meyrick,1936; perseella Kumata,1982
- **614. Caloptilia (Timodora) iselaea (Meyrick,1914)** (Gracillariidae) Synonym(s): iselaea Meyrick,1914; hapalocharis Meyrick,1935
- 615.Caloptilia (s.str.) ariana (Meyrick,1914) (Gracillariidae) Synonym(s): ariana Meyrick,1914; heliciae Kumata,1966
- 616. Caloptilia (s.str.) dogmatica (Meyrick, 1908) (Gracillariidae) Synonym(s): dogmatica Meyrick, 1908
- 617. Caloptilia (s.str.) iselaea (Meyrick,1914) (Gracillariidae) Synonym(s): iselaea Meyrick,1914; hapalocharis Meyrick,1935

- 618. Caloptilia (s.str.) prosticta (Meyrick, 1909) (Gracillariidae) Synonym(s): prosticta Meyrick, 1909
- 619. Caloptilia (s.str.) soyella (Van Deventer, 1904) (Gracillariidae) Synonym(s): soyella Van Deventer, 1904
- 620.Caloptilia (s.str.) theivora Walsingham, 1891 (Gracillariidae) Synonym(s): theivora Walsingham, 1891
- 621. Caloptilia (s.str.) zachrysa (Meyrick,1907) (Gracillariidae) Synonym(s): zachrysa Meyrick,1907
- 622. Caloptilia (s.str.) acrotherma (Meyrick, 1908) (Gracillariidae) Synonym(s): acrotherma Meyrick, 1908
- 623. Caloptilia (s.str.) argalea (Meyrick,1908) (Gracillariidae) Synonym(s): argalea Meyrick,1908
- 624. Caloptilia (s.str.) phalaropa (Meyrick,1912) (Gracillariidae) Synonym(s): phalaropa Meyrick,1912
- 625.Conopomorpha cramerella Snellen, 1904 (Gracillariidae) Synonym(s): cramerella Snellen, 1904
- 626. Corythocestis pentharcha (Meyrick, 1922) (Gracillariidae) Synonym(s): pentharcha Meyrick, 1922
- 627. Epicephala albifrons (Stainton, 1859) (Gracillariidae) Synonym(s): albifrons Stainton, 1859
- 628. Epicephala exetastis Meyrick, 1908 (Gracillariidae) Synonym(s): exetastis Meyrick, 1908
- 629. Epicephala flagellata Meyrick, 1908 (Gracillariidae) Synonym(s): flagellata Meyrick, 1908
- 630. Epicephala frenata Meyrick, 1908 (Gracillariidae) Synonym(s): frenata Meyrick, 1908
- **631. Gibbovalva quadrifasciata (Stainton,1862)** (Gracillariidae) Synonym(s): quadrifasciata Stainton,1862; ordinatella Meyrick,1880
- 632. Macarostola hieranthes (Meyrick, 1907) (Gracillariidae) Synonym(s): hieranthes Meyrick, 1907
- 633. Macarostola paradisia Meyrick, 1908 (Gracillariidae) Synonym(s): paradisia Meyrick, 1908
- 634.Macarostola thiasodes (Meyrick,1912) (Gracillariidae) Synonym(s): thiasodes Meyrick,1912
- 635.Macarostola thriambica (Meyrick,1907) (Gracillariidae) Synonym(s): thriambica Meyrick,1907
- 636.Parectopa capnias (Meyrick, 1908) (Gracillariidae) Synonym(s): capnias Meyrick, 1908
- **637.Phodoryctis caerulea (Meyrick,1912)** (Gracillariidae) Synonym(s): caerulea Meyrick,1912; centrometra Meyrick,1920; #caerula Bradley,1961
- 638. Phrixosceles campsigrapha Meyrick, 1908 (Gracillariidae) Synonym(s): campsigrapha Meyrick, 1908
- 639. Phrixosceles literaria Meyrick, 1908 (Gracillariidae) Synonym(s): literaria Meyrick, 1908
- **640.Phyllocnistis citrella Stainton,1856** (Gracillariidae) Synonym(s): citrella Stainton,1856; minutella Van Deventer,1904; citricola Shiraki,1913
- 641. Phyllocnistis saligna (Zeller, 1839) (Gracillariidae) Synonym(s): saligna Zeller, 1839; salicifoliella Duponchel, [1845]; salignella Herrich-Schäffer, 1855; lugdunensella Bruand, 1859
- 642. Phyllocnistis selenopa Meyrick, 1915 (Gracillariidae) Synonym(s): selenopa Meyrick, 1915
- **643.Phyllonorycter conista (Meyrick,1911)** (Gracillariidae) Synonym(s): conista Meyrick,1911; clarisona Meyrick,1916
- 644. Stomphastis chalybacma (Meyrick, 1908) (Gracillariidae) Synonym(s): chalybacma Meyrick, 1908
- 645.Synnympha diluviata Meyrick,1915 (Gracillariidae) Synonym(s): diluviata Meyrick,1915

# Hepialidae

646. Endoclita signifer (Walker, 1856) (Hepialidae) Synonym(s): signifer Walker, 1856; hunanensis Chu & Wang, 1985

#### **Immidae**

- 647.Imma mackwoodii (Moore, 1887) (Immidae) Synonym(s): mackwoodii Moore, 1887
- 648.Imma semicitra Meyrick,1937 (Immidae) Synonym(s): semicitra Meyrick,1937

# Lacturidae

649. Anticrates chrysantha Meyrick, 1905 (Lacturidae) Synonym(s): chrysantha Meyrick, 1905

# Lasiocampidae

- 650. Chilena strigula Walker, 1865 (Lasiocampidae) Synonym(s): strigula Walker, 1865
- 651. Euthrix laeta (Walker, 1855) (Lasiocampidae) Synonym(s): laeta Walker, 1855
- 652.Gastropacha (Estigena) pardale (Walker,1855) (Lasiocampidae) Synonym(s): pardale Walker,1855
- 653.Kunugia latipennis (Walker,1855) (Lasiocampidae) Synonym(s): latipennis Walker,1855; basimacula Walker,1862; purpurascens Moore,1884; sumatrae Swinhoe,1916; basidiscata Holloway,1982; dongchuaensis Tsai & Hou,1983
- 654.Odonestis ceylonica Tams,1935 (Lasiocampidae) Synonym(s): ceylonica Tams,1935
- 655. Odonestis bheroba Moore, 1859 (Lasiocampidae) Synonym(s): bberoba Moore, 1858; barutai Kishida, 1992
- 656.Odonestis vita Moore,1859 (Lasiocampidae) Synonym(s): vita Moore,1859
- 657. Orienthrix sulphurea (Moore, 1879) (Lasiocampidae) Synonym(s): sulphurea Moore, 1879
- 658. Streblote dorsalis (Walker, 1866) (Lasiocampidae) Synonym(s): dorsalis Walker, 1866

- 659.Streblote igniflua (Moore,[1883]) (Lasiocampidae) Synonym(s): igniflua Moore,[1883]
- 660. Streblote venustum (Walker, 1855) (Lasiocampidae) Synonym(s): venustum Walker, 1855
- 661. Suana concolor (Walker, 1855) (Lasiocampidae) Synonym(s): concolor Walker, 1855; bimaculata Walker, 1855; ampla Walker, 1855; cervina Moore, 1879; riemsdyki Heylaerts, 1889
- 662. Trabala vishnou (Lefèbvre, 1827) (Lasiocampidae) Synonym(s): vishnou Lefèbvre, 1827

#### Lecithoceridae

- 663.Abrachmia justa (Meyrick,1910) (Lecithoceridae) Synonym(s): justa Meyrick,1910; mertiodes Meyrick,1910; karachiella Amsel,1968
- 664. Deltoplastis figurodigita Wu & Park, 1998 (Lecithoceridae) Synonym(s): figurodigita Wu & Park, 1998
- 665. Deltoplastis cremnaspis (Meyrick,1905) (Lecithoceridae) Synonym(s): cremnaspis Meyrick,1905; tetradelta Meyrick,1906
- 666. Deltoplastis straminicornis (Meyrick, 1910) (Lecithoceridae) Synonym(s): straminicornis Meyrick, 1910
- 667. Deltoplastis acrophanes (Meyrick, 1910) (Lecithoceridae) Synonym(s): acrophanes Meyrick, 1910
- 668. Deltoplastis lamellospina Wu & Park, 1998 (Lecithoceridae) Synonym(s): lamellospina Wu & Park, 1998
- 669. Deltoplastis figurata (Meyrick, 1910) (Lecithoceridae) Synonym(s): figurata Meyrick, 1910
- 670.Deltoplastis amicella (Walker,1864) (Lecithoceridae) Synonym(s): amicella Walker,1864; abligatella Walker,1864
- 671. Deltoplastis clerodotis (Meyrick,1910) (Lecithoceridae) Synonym(s): clerodotis Meyrick,1910; commodata Meyrick,1923
- 672. Deltoplastis cognata Wu & Park,1998 (Lecithoceridae) Synonym(s): cognata Wu & Park,1998
- 673. Deltoplastis propensa (Meyrick, 1910) (Lecithoceridae) Synonym(s): propensa Meyrick, 1910
- 674. Deltoplastis byssina (Meyrick, 1910) (Lecithoceridae) Synonym(s): byssina Meyrick, 1910
- 675. Eccedoxa thenara Wu,2001 (Lecithoceridae) Synonym(s): thenara Wu,2001
- 676. Hygroplasta canitiana Wu & Park,1998 (Lecithoceridae) Synonym(s): canitiana Wu & Park,1998
- 677. Hygroplasta monila Wu & Park, 1998 (Lecithoceridae) Synonym(s): monila Wu & Park, 1998
- 678. Hygroplasta promyctera Wu & Park, 1998 (Lecithoceridae) Synonym(s): promyctera Wu & Park, 1998
- 679. Hygroplasta onyxijuxta Wu & Park,1998 (Lecithoceridae) Synonym(s): onyxijuxta Wu & Park,1998
- 680. Hygroplasta merinxa Wu & Park,1998 (Lecithoceridae) Synonym(s): merinxa Wu & Park,1998
- 681. Hygroplasta utricula Wu & Park,1998 (Lecithoceridae) Synonym(s): utricula Wu & Park,1998
- 682. Hygroplasta spoliatella (Walker, 1864) (Lecithoceridae) Synonym(s): spoliatella Walker, 1864
- 683.Antiochtha longivincula Wu & Park,1998 (Lecithoceridae) Synonym(s): longivincula Wu & Park,1998
- 684. Antiochtha oxyzona (Meyrick, 1910) (Lecithoceridae) Synonym(s): oxyzona Meyrick, 1910
- 685. Antiochtha periastra (Meyrick, 1910) (Lecithoceridae) Synonym(s): periastra Meyrick, 1910
- 686.Antiochtha balbidota Meyrick,1905 (Lecithoceridae) Synonym(s): balbidota Meyrick,1905
- 687. Antiochtha vigilax (Meyrick, 1910) (Lecithoceridae) Synonym(s): vigilax Meyrick, 1910
- 688. Antiochtha stellulata (Meyrick, 1906) (Lecithoceridae) Synonym(s): stellulata Meyrick, 1906
- 689. Antiochtha achnastis (Meyrick, 1906) (Lecithoceridae) Synonym(s): achnastis Meyrick, 1906
- 690. Antiochtha cataclina (Meyrick, 1923) (Lecithoceridae) Synonym(s): cataclina Meyrick, 1923
- 691. Antiochtha coelatella (Walker, 1864) (Lecithoceridae) Synonym(s): coelatella Walker, 1864
- 692. Hyperochtha butyropa (Meyrick, 1910) (Lecithoceridae) Synonym(s): butyropa Meyrick, 1910
- 693.Nosphistica erratica Meyrick,1911 (Lecithoceridae) Synonym(s): erratica Meyrick,1911
- 694.Odites (Oditoides) isocentra (Meyrick,1906) (Lecithoceridae) Synonym(s): isocentra Meyrick,1906
- 695. Odites (s.str.) actuosa Meyrick, 1914 (Lecithoceridae) Synonym(s): actuosa Meyrick, 1914
- 696.Odites (s.str.) atmopa Meyrick,1914 (Lecithoceridae) Synonym(s): atmopa Meyrick,1914
- 697. Odites (s.str.) encarsia Meyrick, 1908 (Lecithoceridae) Synonym(s): encarsia Meyrick, 1908
- 698.Odites (s.str.) furfurosa (Meyrick, 1906) (Lecithoceridae) Synonym(s): furfurosa Meyrick, 1906
- 699. Odites (s.str.) gomphias Meyrick, 1908 (Lecithoceridae) Synonym(s): gomphias Meyrick, 1908
- 700.Odites (s.str.) orthometra Meyrick,1908 (Lecithoceridae) Synonym(s): orthometra Meyrick,1908
- 701. Odites (s.str.) paracyrta (Meyrick,1905) (Lecithoceridae) Synonym(s): paracyrta Meyrick,1905
- 702. Procometis mistharna (Meyrick, 1908) (Lecithoceridae) Synonym(s): mistharna Meyrick, 1908
- 703. Ptochoryctis acrosticta Meyrick, 1906 (Lecithoceridae) Synonym(s): acrosticta Meyrick, 1906
- 704. Ptochoryctis alma (Meyrick, 1908) (Lecithoceridae) Synonym(s): alma Meyrick, 1908
- 705. Ptochoryctis anguillaris Meyrick, 1914 (Lecithoceridae) Synonym(s): anguillaris Meyrick, 1914
- 706. Ptochoryctis galbanea (Meyrick, 1914) (Lecithoceridae) Synonym(s): galbanea Meyrick, 1914
- 707. Ptochoryctis scionota Meyrick, 1906 (Lecithoceridae) Synonym(s): scionota Meyrick, 1906
- 708.Synchalara agroplaca (Meyrick,1907) (Lecithoceridae) Synonym(s): agroplaca Meyrick,1907
- 709. Thubana cherandra (Meyrick, 1906) (Lecithoceridae) Synonym(s): cherandra Meyrick, 1906
- 710. Thubana exoema (Meyrick, 1911) (Lecithoceridae) Synonym(s): exoema Meyrick, 1911
- 711. Thubana isocrypta (Meyrick,1911) (Lecithoceridae) Synonym(s): isocrypta Meyrick,1911

- 712. Thubana xanthoteles (Meyrick,1923) (Lecithoceridae) Synonym(s): xanthoteles Meyrick, 1923; melitopyga Meyrick, 1923; stenosis Park, 2003
- 713. Torodora facula Wu & Park, 1999 (Lecithoceridae) Synonym(s): facula Wu & Park, 1999
- 714. Torodora piscarifurca Wu & Park,1999 (Lecithoceridae) Synonym(s): piscarifurca Wu & Park,1999
- 715. Torodora ventralilata Wu & Park,1999 (Lecithoceridae) Synonym(s): ventralilata Wu & Park,1999

#### Limacodidae

- 716. Altha adala (Moore, [1860]) (Limacodidae) Synonym(s): adala Moore, 1859; #adada Hutacharern & Tubtim, 1995
- 717. Altha nivea Walker, 1862 (Limacodidae) Synonym(s): nivea Walker, 1862
- 718. Atosia daenia (Moore, 1859) (Limacodidae) Synonym(s): daenia Moore, 1859
- 719. Darna (Oxyplax) fulvidorsia (Hampson,1910) (Limacodidae) Synonym(s): fulvidorsia Hampson,1910
- 720. Darna (Oxyplax) fulvimixa (Hampson,1910) (Limacodidae) Synonym(s): fulvimixa Hampson,1910
- 721. Darna (Oxyplax) ochracea (Moore, 1883) (Limacodidae) Synonym(s): ochracea Moore, 1883
- 722. Darna (s.str.) nararia (Moore,1859) (Limacodidae) Synonym(s): nararia Moore,1859; signata Moore,1883; fraterna Moore,1883; suffusa Moore,1888; cosmiana Swinhoe,1886; sericea Hampson,1893
- **723.Miresa albipuncta (Herrich-Schäffer,[1854])** (Limacodidae) Synonym(s): albipuncta Herrich-Schäffer,[1854]; guttifera Walker,1855
- 724.Miresa argentifera Walker, 1855 (Limacodidae) Synonym(s): argentifera Walker, 1855
- 725.Miresa canescens Hampson, 1896 (Limacodidae) Synonym(s): canescens Hampson, 1896
- 726. Nagoda nigricans Moore, 1887 (Limacodidae) Synonym(s): nigricans Moore, 1887
- 727. Narosa adala Moore, 1859 (Limacodidae) Synonym(s): adala Moore, 1859
- 728. Narosa argentipuncta Hampson, 1895 (Limacodidae) Synonym(s): argentipuncta Hampson, 1895
- 729. Narosa conspersa Walker, 1855 (Limacodidae) Synonym(s): conspersa Walker, 1855; velutina Walker, 1862
- 730. Narosa fletcheri West, 1937 (Limacodidae) Synonym(s): fletcheri West, 1937
- 731. Narosa velutina Walker, 1862 (Limacodidae) Synonym(s): velutina Walker, 1862
- 732. Parasa chlorozonata Hampson, 1896 (Limacodidae) Synonym(s): chlorozonata Hampson, 1896
- 733. Parasa hampsoni Dyar, 1894 (Limacodidae) Synonym(s): viridis Hampson, 1893; hampsoni Dyar, 1894
- 734.Parasa hilaris (Westwood,1848) (Limacodidae) Synonym(s): hilaris Westwood,1848; laeta Westwood,1848; retracta Walker,1865; hockingii Moore,1888; mirza Swinhoe,1890
- 735.Parasa lepida (Cramer,[1779]) (Limacodidae) Synonym(s): lepida Cramer,[1779]; graciosa Westwood,1848; latifascia Walker,1855; media Walker,1855
- 736.Scopelodes venosa Walker,1855 (Limacodidae) Synonym(s): venosa Walker,1855; aurogrisea Moore,1883; ursina
  Butler, 1886
- 737. Spatulifimbria castaneiceps Hampson, 1892 (Limacodidae) Synonym(s): castaneiceps Hampson, 1892
- 738. Susica nararia (Moore, 1859) (Limacodidae) Synonym(s): nararia Moore, 1859
- 739.Susica sericea Hampson, 1893 (Limacodidae) Synonym(s): sericea Hampson, 1893
- 740. Tetraphleba ferreogrisea Hampson, 1910 (Limacodidae) Synonym(s): ferreogrisea Hampson, 1910
- 741. Aphendala ferrogrisea (Hampson, 1910) (Limacodidae) Synonym(s): ferrogrisea Hampson, 1910
- 742. Rarithea phocea (Hampson, 1910) (Limacodidae) Synonym(s): phocea Hampson, 1910
- 743. Thosea aperiens (Walker, 1865) (Limacodidae) Synonym(s): aperiens Walker, 1865
- 744. Thosea cervina Moore, 1877 (Limacodidae) Synonym(s): cervina Moore, 1877
- 745.Aphendala recta (Hampson, 1893) (Limacodidae) Synonym(s): recta Hampson, 1893

#### Lymantriidae

- 746.Arctornis cygna (Moore,1879) (Lymantriidae) Synonym(s): cygna Moore,1879; cymbicornis Butler,1881; nigricilia Swinhoe,1881; comma Hampson,1892; divisa Hampson,1892; #cyena Strand,1915
- 747.Arctornis marginata (Moore,1883) (Lymantriidae) Synonym(s): marginata Moore,1883; discolor Hampson,1896; lerwa Swinhoe,1899; phaedra Collenette,1932; melinau Holloway,1982
- 748. Aroa major Hampson, 1892 (Lymantriidae) Synonym(s): major Hampson, 1892
- 749. Aroa maxima Hampson, 1892 (Lymantriidae) Synonym(s): maxima Hampson, 1892
- 750. Aroa plana (Walker, 1855) (Lymantriidae) Synonym(s): plana Walker, 1855; junctifera Walker, 1865
- 751. Aroa sienna Hampson, 1890 (Lymantriidae) Synonym(s): sienna Hampson, 1890; siena Bryk, 1934
- 752. Aroa subnotata (Walker, 1855) (Lymantriidae) Synonym(s): subnotata Walker, 1855
- 753.Calliteara horsfieldii (Saunders,1851) (Lymantriidae) Synonym(s): horsfieldii Saunders,1851; arga Moore,1859; longipennis Walker,1862; nilgirica Hampson,1891; farenoides Lucas,1892; horsfieldi Strand,1915
- 754. Carriola fenestrata (Hampson, 1892) (Lymantriidae) Synonym(s): fenestrata Hampson, 1892
- 755.Casama vilis (Walker,1865) (Lymantriidae) Synonym(s): vilis Walker,1865; indeterminata Walker,1865; richteri Daniel,1960
- 756. Cispia alba (Moore, 1879) (Lymantriidae) Synonym(s): alba Moore, 1879

- 757.Cispia punctifascia Walker,1855 (Lymantriidae) Synonym(s): punctifascia Walker,1855; #inferiora Strand,1917; #superiora Strand,1917
- 758.Cobanilla marginata (Moore, 1883) (Lymantriidae) Synonym(s): marginata Moore, 1883
- 759.Dasychira moerens (R.Felder & Rogenhofer,1874) (Lymantriidae) Synonym(s): moerens R.Felder & Rogenhofer,1874
- 760.Dasychira pennatula (Fabricius,1793) (Lymantriidae) Synonym(s): pennatula Fabricius,1793; securis Hübner,[1823]; antica Walker,1855; falcata Walker,1865; tacta Walker,1865; approximata Walker,1865
- 761. Dasychira thwaitesi Moore, 1883 (Lymantriidae) Synonym(s): thwaitesi Moore, 1883; pudica Moore, 1887
- 762. Euproctis atomaria (Walker, 1855) (Lymantriidae) Synonym(s): atomaria Walker, 1855; apicalis Walker, 1855; flavotriangulata Strand, 1932
- 763. Euproctis bimaculata Walker, 1855 (Lymantriidae) Synonym(s): bimaculata Walker, 1855; bigutta Walker, 1855; lutescens Walker, 1855
- 764.Euproctis cervina (Moore,1877) (Lymantriidae) Synonym(s): cervina Moore,1877; pygmaea Moore,1879 nec Wlk.,1855; pusilla Moore,[1883]; dana Swinhoe,1903; kashmirica Strand,1910; danaica Strand,1915
- 765. Euproctis costalis (Walker, 1855) (Lymantriidae) Synonym(s): costalis Walker, 1855; incomptaria Walker, 1862; complens Walker, 1865; illepida Walker, 1865
- 766. Euproctis decussata (Moore, 1877) (Lymantriidae) Synonym(s): decussata Moore, 1877
- 767.Euproctis digramma (Guérin-Méneville,1838) (Lymantriidae) Synonym(s): digramma Guérin-Méneville,1838; flava Kirby,1892 nec Fabr.,1775
- 768. Euproctis flavinata (Walker, 1865) (Lymantriidae) Synonym(s): flavinata Walker, 1865
- 769. Euproctis fraterna (Moore, [1883]) (Lymantriidae) Synonym(s): fraterna Moore, 1883
- 770. Euproctis fulvipuncta Hampson,[1893] (Lymantriidae) Synonym(s): fulvipuncta Hampson,[1893]
- 771. Euproctis guttata (Walker, 1855) (Lymantriidae) Synonym(s): guttata Walker, 1855; digramma Moore, 1883 nec Guérin-Ménev., 1838; flava Kirby, 1892
- 772. Euproctis icilia (Stoll,[1791]) (Lymantriidae) Synonym(s): icilia Stoll,[1791]
- 773. Euproctis lacipa (Swinhoe,1923) (Lymantriidae) Synonym(s): apicalis Walker,1855 nec Wlk.,1855; lacipa Swinhoe,1923
- 774. Euproctis latifascia (Walker, 1855) (Lymantriidae) Synonym(s): latifascia Walker, 1855; antica Walker, 1855 nec Wlk., 1855; postica Walker, 1865; abdominalis Moore, 1888; #basiatra Strand, 1910; #suisharyonis Strand, 1914
- 775. Euproctis lunata Walker, 1855 (Lymantriidae) Synonym(s): lunata Walker, 1855
- 776. Euproctis macwoodi Collenette, 1938 (Lymantriidae) Synonym(s): macwoodi Collenette, 1938
- 777. Euproctis citrina (Moore, 1877) (Lymantriidae) Synonym(s): citrina Moore, 1877; semisignata Swinboe, 1923
- 778. Euproctis macrostigma Hampson, 1904 (Lymantriidae) Synonym(s): macrostigma Hampson, 1904
- 779. Euproctis promittens (Walker, 1865) (Lymantriidae) Synonym(s): promittens Walker, 1865
- 780.Euproctis scintillans (Walker,1856) (Lymantriidae) Synonym(s): scintillans Walker,1856; justiciae Moore,1859; moorei Snellen,1879; limbata Butler,1881
- **781. Euproctis semisignata (Walker, 1865)** (Lymantriidae) Synonym(s): semisignata Walker, 1865; citrina Moore, 1877; leithiana Moore, 1879; brevivitta Moore, 1879; erecta Moore, 1879; illanta Swinhoe, 1891
- 782.Euproctis varians (Walker,1855) (Lymantriidae) Synonym(s): varians Walker,1855; pygmaea Moore,1879; pusilla Moore,1883
- 783. Euproctis veto Schintlmeister, 1987 (Lymantriidae) Synonym(s): veto Schintlmeister, 1987
- 784. Euproctis xanthoceps Hampson, 1910 (Lymantriidae) Synonym(s): xanthoceps Hampson, 1910
- **785.Euproctis xanthorrhoea (Kollar,[1844])** (Lymantriidae) Synonym(s): xanthorhoea Kollar,[1844]; subnigra Moore, 1879; subdita Moore, 1879; flavonigra Moore, 1879
- 786. Kanchia subvitrea (Walker, 1865) (Lymantriidae) Synonym(s): subvitrea Walker, 1865
- 787. Laelia cardinalis Hampson, 1892 (Lymantriidae) Synonym(s): cardinalis Hampson, 1892
- 788. Laelia exclamationis (Kollar, 1844) (Lymantriidae) Synonym(s): exclamationis Kollar, 1844; cervina Walker, 1855; rotundata Walker, 1855; rubida Walker, 1864; disjuncta Walker, 1865; horishanella Matsumura, 1931
- 789.Laelia rubripennis Moore,1884 (Lymantriidae) Synonym(s): testacea Moore,1872 (homonym); fasciata Moore,1883; rubripennis Moore,1884
- 790.Laelia suffusa (Walker,1855) (Lymantriidae) Synonym(s): suffusa Walker,1855; angulifera Walker,1855; prolata Swinboe,1892
- 791. Laelia testacea Walker, 1854 (Lymantriidae) Synonym(s): testacea Walker, 1854; juvenis Walker, 1855; colon Hambson, 1891
- 792. Lymantria ampla (Walker, 1855) (Lymantriidae) Synonym(s): ampla Walker, 1855
- 793. Lymantria beatrix (Stoll, [1790]) (Lymantriidae) Synonym(s): beatrix Stoll, [1790]; ganaba Swinboe, 1903
- 794. Lymantria costalis Walker, 1865 (Lymantriidae) Synonym(s): costalis Walker, 1865
- 795.Lymantria fuliginosa Moore, 1883 (Lymantriidae) Synonym(s): fuliginosa Moore, 1883; postfusca Swinhoe, 1906
- 796.Lymantria grandis Walker,1855 (Lymantriidae) Synonym(s): grandis Walker,1855; maculosa Walker,1855; metarboda Walker,1862; viola Swinhoe,1889
- 797.Lymantria incerta Walker, 1855 (Lymantriidae) Synonym(s): incerta Walker, 1855
- 798. Lymantria obsoleta Walker, 1855 (Lymantriidae) Synonym(s): obsoleta Walker, 1855
- 799. Lymantria nussi Schintlmeister, 2004 (Lymantriidae) Synonym(s): nussi Schintlmeister, 2004
- 800.Lymantria rosea Butler, 1879 (Lymantriidae) Synonym(s): rosea Butler, 1879; rufotincta Kenrick, 1913

- 801. Lymantria subrosea Swinhoe,1903 (Lymantriidae) Synonym(s): rosea Hampson,1892 nec Butl.,1879; subrosea Swinhoe,1903
- 802. Lymantria todara Moore, 1879 (Lymantriidae) Synonym(s): todara Moore, 1879
- 803.Olene mendosa Hübner,[1823] (Lymantriidae) Synonym(s): mendosa Hübner,[1823]; basalis Walker,1855; lanceolata Walker,1855; fusiformis Walker,1855; sawanta Moore,1859; basigera Walker,1865; distinguenda Walker,1865; divisa Walker,1865; basivitta Walker,1869; invasa Walker,1869; tarowanensis Matsumura,1927
- **804.Orgyia australis Walker,1855** (Lymantriidae) Synonym(s): australis Walker,1855; postica Walker,1855; ceylanica Nietner,1862; canifascia Walker,1865; ocularis Moore,1879
- 805.Orgyia postica (Walker,1855) (Lymantriidae) Synonym(s): postica Walker,1855; ceylanica Nietner,1862; nebulosa Walker,1862; ludekingii Snellen,1879
- 806. Orgyia viridescens (Walker, 1855) (Lymantriidae) Synonym(s): viridescens Walker, 1855
- 807.Perina nuda (Fabricius,1787) (Lymantriidae) Synonym(s): nuda Fabricius,1787; basalis Walker,1855; subtincta Walker,1855; combinata Walker,1865; ritsemae Heylaerts,1881; biparsa Matsumura,1911
- 808.Psalis pennatula (Fabricius,1793) (Lymantriidae) Synonym(s): pennatula Fabricius,1793; securis Hübner,1823; antica Walker,1855; praeusta Felder,1861; falcata Walker,1865; tacta Walker,1865; approximata Walker,1865; costalis Matsumura,1911
- 809.Redoa submarginata Walker, 1855 (Lymantriidae) Synonym(s): submarginata Walker, 1855; transiens Walker, 1862; acuta Snellen, 1881; hipparia Swinhoe, 1893; sikkima Strand, 1915; keiana Hulstaert, 1923
- 810. Scarpona discolor (Hampson, 1896) (Lymantriidae) Synonym(s): discolor Hampson, 1896

#### Momphidae

811. Bifascioides leucomelanellus (Rebel,1917) (Momphidae) Synonym(s): leucomelanellus Rebel,1917; pirastica Meyrick, 1936

#### **Noctuidae**

- 812. "Aquita" acontioides (Walker, 1862) (Noctuidae) Synonym(s): acontioides Walker, 1862
- 813. "Capnodes" tetraspila Walker, 1858 (Noctuidae) Synonym(s): tetraspila Walker, 1858
- 814. "Giaura" tortricoides (Walker,[1866]) (Noctuidae) Synonym(s): tortricoides Walker,[1866]; basigerella Walker, 1866; curvilinea Snellen, 1879; borneonis Gaede, 1937; ura Gade, 1937
- 815. "Urbona" chlorocrota (Hampson, 1907) (Noctuidae) Synonym(s): chlorocrota Hampson, 1907
- 816. Acantholipes trajecta (Walker, 1865) (Noctuidae) Synonym(s): trajecta Walker, 1865; inconspicua Butler, 1880; trifasciata Moore, [1885]
- 817. Achaea mercatoria (Fabricius,1775) (Noctuidae) Synonym(s): mercatoria Fabricius,1775; vulpina Fabricius,1794; ino Hübner,[1823]; accelerans Walker,1858
- 818. Acontia (Emmelia) crocata (Guenée, 1852) (Noctuidae) Synonym(s): crocata Guenée, 1852; signifera Walker, 1858 nec Wlk., 1858; meridionalis Walker, 1865; scanda R. Felder & Rogenhofer, 1874
- 819. Acontia (Emmelia) marmoralis (Fabricius,1794) (Noctuidae) Synonym(s): marmoralis Fabricius,1794; tropica Guenée,1852; bipunctata Walker,[1858]; maculosa Walker,[1858]; hemiglauca Hampson,1910
- 820. Acrapex hamulifera (Hampson, 1893) (Noctuidae) Synonym(s): hamulifera Hampson, 1893
- 821. Acrapex prisca Walker, 1866 (Noctuidae) Synonym(s): prisca Walker, 1866; cramboides Moore, [1884]
- 822. Acrapex roseotincta Hampson, 1910 (Noctuidae) Synonym(s): roseotincta Hampson, 1910
- **823.Acronicta (Plataplecta) pruinosa (Guenée,1852)** (Noctuidae) Synonym(s): pruinosa Guenée,1852; soluta Walker,1865; consanguis Butler,1878; asiatica Poujade,1888; crenulata Bethune-Baker,1906; albior Hampson,1909
- 824.Adisura marginalis (Walker,1858) (Noctuidae) Synonym(s): marginalis Walker,1858; delicia R.Felder & Rogenhofer,1874; dulcis Moore,1881; similis Moore,1881; purgata W.Warren,1913
- **825.Adrapsa ablualis Walker,[1859]** (Noctuidae) Synonym(s): ablualis Walker,[1859]; titysusalis Walker,[1859]; semicircularis Lucas,1892
- **826.Aegilia describens Walker,[1858]** (Noctuidae) Synonym(s): describens Walker,[1858]; anisoptera Snellen,1880; xylinata Walker,1865
- 827. Aegocera venulia (Cramer, 1777) (Noctuidae) Synonym(s): venulia Cramer, 1777
- **828.Agrapha albostriata (Bremer & Grey,1853)** (Noctuidae) Synonym(s): albostriata Bremer & Grey,1853; subchalybaea Walker,1865; nubila Moore,1887; oxygramma Hampson,1894; transfixa auct.
- 829. Agrapha fracta (Walker, 1857) (Noctuidae) Synonym(s): fracta Walker, 1857
- 830. Agrapha limbirena (Guenée, 1852) (Noctuidae) Synonym(s): limbirena Guenée, 1852
- 831. Agrapha placida (Moore, 1884) (Noctuidae) Synonym(s): placida Moore, 1884
- 832. Scotogramma agrotiformis (Hampson, 1896) (Noctuidae) Synonym(s): agrotiformis Hampson, 1896
- 833.Agrotis (s.str.) biconicus Kollar,[1844] (Noctuidae) Synonym(s): spinifera Hübner,[1808] nec Vill.,1789; biconica Kollar,[1844]; aristifera Guenée,1852; spiculifera Guenée,1852; ferina Felder & Rogenhofer,1874; hodnae Oberthür,1878
- 834. Amilaga geometroides (Walker, 1857) (Noctuidae) Synonym(s): geometroides Walker, 1857
- 835. Amphigonia hepatizans Guenée, 1852 (Noctuidae) Synonym(s): hepatizans Guenée, 1852

- Centre for Entomological Studies Ankara
- 836.Amyna axis Guenée,1852 (Noctuidae) Synonym(s): axis Guenée,1852; octo Guenée,1852; colon Guenée,1852; flavigutta Walker,1858; perfundens Walker,1858; stricta Walker,1858; cephusalis Walker,[1859]; obstructa Walker,1862; vexabilis Wallengren,1863; inornata Walker,1865; leucospila Walker,1865; albigutta Walker,1869; stigmatula Snellen,1872; bavia R.Felder & Rogenhofer,1874; orbica Morrison,1875; undulifera Butler,1875; tecta Grote,1876; monotretalis Mabille,1879; supplex Sninhoe,1885; rufa Bethune-Baker,1906.
- 837.Amyna punctum (Fabricius,1794) (Noctuidae) Synonym(s): punctum Fabricius,1794; annulata Fabricius,1794; selenampha Guenée,1852; spoliata Walker,[1858]; latipennis Wallengren,1860; subtracta Walker,1862; urba Wallengren,1863; trivenefica Wallengren,1863; natalensis Wallengren,1865; latipennis Walker,1865; paradoxa Saalmüller,1880; #trivenifica Hampson,1902.
- 838.Anadevidia peponis (Fabricius,1775) (Noctuidae) Synonym(s): peponis Fabricius,1775; agramma Guenée,1852; inchoata Walker,1865; fumifera Graeser,[1890]
- 839.Anigraea cinctipalpis (Walker, 1865) (Noctuidae) Synonym(s): cinctipalpis Walker, 1865; angulata Moore, 1882; deletoides Bethune-Baker, 1906; ovilata W. Warren, 1914
- 840.Anomis combinans (Walker,1858) (Noctuidae) Synonym(s): combinans Walker,1858; revocans Walker,1858; busama Swinboe,1920
- 841. Anomis figlina Butler, 1889 (Noctuidae) Synonym(s): figlina Butler, 1889; sinensis Berio, 1977
- 842.Anomis fulvida Guenée,1852 (Noctuidae) Synonym(s): fulvida Guenée,1852; inducens Walker,1858; cuprina Walker,1865; privata Walker,1865; albipuncta Snellen,1880; nagaloa Mabille & Vuillot,1890
- 843. Anomis guttanivis (Walker, [1858]) (Noctuidae) Synonym(s): guttanivis Walker, [1858]
- 844.Anomis involuta (Walker,[1858]) (Noctuidae) Synonym(s): involuta Walker,[1858]; basalis Walker,[1858]; colligata Walker,1865; vitiensis Butler,1886; dona Swinhoe,1919; brima Swinhoe,1920
- 845. Anomis mesogona (Walker, 1858) (Noctuidae) Synonym(s): mesogona Walker, 1858
- 846. Anomis nigritarsis (Walker, 1858) (Noctuidae) Synonym(s): nigritarsis Walker, 1858; xanthochroa Butler, 1886
- 847.Anomis privata (Walker,1865) (Noctuidae) Synonym(s): privata Walker,1865; commoda Butler,1878; subfulvida W.Warren,1913; griseolineata W.Warren,1913
- 848. Anoratha paritalis (Walker, [1859]) (Noctuidae) Synonym(s): paritalis Walker, [1859]
- 849.Antarchaea mansueta (Walker, 1864) (Noctuidae) Synonym(s): digramma Walker, 1863; mansueta Walker, 1864; erubescens Walker, 1864; scitula Walker, 1866
- 850. Antarchaea cucullata (Moore, 1885) (Noctuidae) Synonym(s): cucullata Moore, 1885
- 851.Anticarsia irrorata (Fabricius,1781) (Noctuidae) Synonym(s): irrorata Fabricius,1781; sordida Fabricius,1794 nec Denis & Schiff.,1775; jocosa Hübner,[1823]; transducta Walker,1865; consueta Walker,1869; loxigramma Hampson,1902; #irorata Hacker & Fibiger,2001
- 852.Anuga constricta Guenée,1852 (Noctuidae) Synonym(s): constricta Guenée,1852; complexa Walker,1858; glaucopoides Walker,1864; macrocera Snellen,1880
- 853. Anuga multiplicans (Walker, 1858) (Noctuidae) Synonym(s): multiplicans Walker, 1858
- 854. Apospasta pannosa (Moore, 1881) (Noctuidae) Synonym(s): pannosa Moore, 1881
- 855.Aquis orbicularis (Walker, 1858) (Noctuidae) Synonym(s): orbicularis Walker, 1858; griseinigra Hampson, 1894; babooni Bethune-Baker, 1906; crenulata Bethune-Baker, 1906
- 856. Araeopteron pictale Hampson, 1893 (Noctuidae) Synonym(s): pictale Hampson, 1893
- 857. Arcte coerula (Guenée, 1852) (Noctuidae) Synonym(s): coerula Guenée, 1852
- 858.Argyrogramma signata (Fabricius,1775) (Noctuidae) Synonym(s): signata Fabricius,1775; diminuta Walker,1865; bainanensis Chou & Lu,1979
- 859. Aroana cingalensis (Walker, 1865) (Noctuidae) Synonym(s): cingalensis Walker, 1865
- 860. Artena dotata (Fabricius, 1794) (Noctuidae) Synonym(s): dotata Fabricius, 1794
- 861. Atacira melanephra (Hampson, 1912) (Noctuidae) Synonym(s): melanephra Hampson, 1912
- 862. Athetis albanalis (W. Warren, 1912) (Noctuidae) Synonym(s): albanalis W. Warren, 1912
- 863.Athyrma perficiens (Walker, 1858) (Noctuidae) Synonym(s): perficiens Walker, 1858; condita Walker, 1858; olivacea A.E. Prout, 1922
- 864. Attatha ino (Drury, [1782]) (Noctuidae) Synonym(s): ino Drury, [1782]; notata Fabricius, 1894; mundicolor Walker, 1865
- 865.Autoba brachygonia (Hampson,1910) (Noctuidae) Synonym(s): brachygonia Hampson,1910
- 866.Avatha discolor (Fabricius,1794) (Noctuidae) Synonym(s): discolor Fabricius,1794; includens Walker,1858; trigonifera Walker,1858; curvifera Walker,1858; complacens Walker,1858; frontalis Walker,1858; expectans Walker,1858
- 867.Avatha bubo (Geyer,1832) (Noctuidae) Synonym(s): bubo Geyer,1832; perficiens Walker,1858; condita Walker,1858; leksawasdi Koçak & Kemal,2006
- 868. Avatha perficiens (Walker, 1858) (Noctuidae) Synonym(s): perficiens Walker, 1858; condita Walker, 1858
- 869. Avitta ophiusalis (Walker, 1858) (Noctuidae) Synonym(s): ophiusalis Walker, 1858
- **870.Avitta quadrilinea (Walker,[1863])** (Noctuidae) Synonym(s): quadrilinea Walker,[1863]; quadrilinealis Moore,1867; completa Rothschild,1915
- 871. Avitta rufifrons Moore, [1887] (Noctuidae) Synonym(s): rufifrons Moore, [1887]
- 872.Avitta subsignans Walker,1858 (Noctuidae) Synonym(s): subsignans Walker,1858; surrigens Walker,1864; leitimorensis Pagenstecher,1884
- 873. Badiza despecta (Walker, 1865) (Noctuidae) Synonym(s): despecta Walker, 1865
- 874.Bamra albicola Walker,1858 (Noctuidae) Synonym(s): albicola Walker,1858; discalis Moore,1867; diplostigma Hampson,1893
- 875.Barasa acronyctoides Walker,1862 (Noctuidae) Synonym(s): acronyctoides Walker,1862; cana Hampson,1893; caradrinoides Snellen,1879

- 876.Barasa alopha Hampson, 1896 (Noctuidae) Synonym(s): alopha Hampson, 1896
- 877. Bastilla amygdalis Moore, [1885] (Noctuidae) Synonym(s): amygdalis Moore, [1885]
- 878. Bastilla analis (Guenée, 1852) (Noctuidae) Synonym(s): analis Guenée, 1852
- 879. Bastilla arcuata (Moore, 1887) (Noctuidae) Synonym(s): arcuata Moore, 1887; guenei Snellen, 1880; curvata Leech, 1889
- 880.Bastilla crameri (Moore,[1885]) (Noctuidae) Synonym(s): achatina Cramer,1780 nec Sulz,,1776; crameri Moore,[1885]; discalis Moore,[1885]
- 881. Bastilla fulvotaenia (Guenée, 1852) (Noctuidae) Synonym(s): fulvotaenia Guenée, 1852
- 882.Bastilla joviana (Stoll,1782) (Noctuidae) Synonym(s): sinuata Fabricius,1781 nec Fabr.,1775; joviana Stoll,1782; jovis Hübner,[1823]
- 883.Bastilla senex (Walker, 1858) (Noctuidae) Synonym(s): senex Walker, 1858; acutissima Bethune-Baker, 1906
- 884.Batracharta obliqua (Walker,1862) (Noctuidae) Synonym(s): obliqua Walker,1862; apicalis Moore,1882; tincta Hampson,1893
- 885.Bertula abjudicalis Walker,[1859] (Noctuidae) Synonym(s): abjudicalis Walker,[1859]; thrisalis Walker,1859; tumidalis Walker,1859; #abducalis Kononenko & Pinratana,2005
- 886.Blenina donans Walker, 1857 (Noctuidae) Synonym(s): donans Walker, 1857
- 887.Bocana manifestalis Walker,[1859] (Noctuidae) Synonym(s): manifestalis Walker,[1859]; oberratalis Walker,[1859]; determinata Walker,1865
- 888.Bocula xanthostola Hampson,1926 (Noctuidae) Synonym(s): marginata Moore,[1884] nec Mr.1882; xanthostola Hampson,1926
- 889. Brana calopasa Walker, [1858] (Noctuidae) Synonym(s): calopasa Walker, [1858]
- 890.Brithys crini (Fabricius,1775) (Noctuidae) Synonym(s): crini Fabricius,1775; dominica Cramer,1872; nipponica Matsumura.1931
- 891. Buzara luteipalpis (Walker, 1865) (Noctuidae) Synonym(s): Iuteipalpis Walker, 1865
- 892.Buzara onelia (Guenée,1852) (Noctuidae) Synonym(s): onelia Guenée,1852; umbrosa Walker,1865; obumbrata Walker,1865
- 893.Caduca albopunctata (Walker,[1858]) (Noctuidae) Synonym(s): albopunctata Walker,[1858]; meleagris R.Felder & Rogenhofer,1874; nasea Swinhoe,1918
- 894.Calesia stillifera R.Felder & Rogenhofer,1874 (Noctuidae) Synonym(s): stillifera R.Felder & Rogenhofer,1874; satellitia Moore,[1885]
- 895.Callopistria albistrigoides Poole,1989 (Noctuidae) Synonym(s): albistriga Hampson,1908 nec Wlk.,[1863]; albistrigoides Poole,1989
- 896. Callopistria coelisigna Hampson, 1902 (Noctuidae) Synonym(s): coelisigna Hampson, 1902
- 897. Callopistria guttulalis Hampson, 1896 (Noctuidae) Synonym(s): guttulalis Hampson, 1896
- 898.Callopistria maillardi (Guenée,1862) (Noctuidae) Synonym(s): maillardi Guenée,1862; recurvata Moore,1882; nauticorum Tams,1935; pseudintermissa Viette,1965.
- 899. Calyptra eustrigata Hampson, 1926 (Noctuidae) Synonym(s): eustrigata Hampson, 1926
- 900.Calyptra minuticornis (Guenée,1852) (Noctuidae) Synonym(s): minuticornis Guenée,1852; novaepommeraniae Strand,1919
- 901. Tadaxa bijungens (Walker, 1865) (Noctuidae) Synonym(s): bijungens Walker, 1865
- 902. Ilyrgis echephurealis Walker, 1859 (Noctuidae) Synonym(s): echephurealis Walker, 1859
- 903. Dierna patibulum (Fabricius, 1794) (Noctuidae) Synonym(s): patibulum Fabricius, 1794; acanthusalis Walker, 1858; clarifera Walker, 1865
- 904. Maguda palpalis (Walker, 1865) (Noctuidae) Synonym(s): palpalis Walker, 1865
- 905. Carea albirufa Hampson, 1896 (Noctuidae) Synonym(s): albirufa Hampson, 1896
- 906. Carea angulata (Fabricius,1793) (Noctuidae) Synonym(s): angulata Fabricius,1793; subtilis Walker,[1857]; innocens Swinboe,1918; intermedia Swinboe,1918
- 907. Carea chlorostigma (Hampson, 1893) (Noctuidae) Synonym(s): chlorostigma Hampson, 1893
- 908. Catada vagalis Walker, [1859] (Noctuidae) Synonym(s): vagalis Walker, [1859]; glomeralis Walker, [1859]
- 909. Catocala (s.str.) macula (Hampson, 1891) (Noctuidae) Synonym(s): macula Hampson, 1891
- 910. Cerynea ustula (Hampson, 1898) (Noctuidae) Synonym(s): ustula Hampson, 1898
- 911. Cetola rubricosta Hampson, 1907 (Noctuidae) Synonym(s): rubricosta Hampson, 1907
- 912. Chalciope mygdon (Cramer,[1777]) (Noctuidae) Synonym(s): mygdon Cramer,[1777]; triangulum Fabricius,1787; mygdoniae Hibner,[1823]
- 913. Characoma metalophota (Hampson, 1896) (Noctuidae) Synonym(s): metalophota Hampson, 1896
- 914. Characoma phaeoleuca Hampson, 1912 (Noctuidae) Synonym(s): phaeoleuca Hampson, 1912
- 915. Chasmina fasciculosa (Walker, 1858) (Noctuidae) Synonym(s): fasciculosa Walker, 1858
- 916. Chilkasa falcata Swinhoe, 1885 (Noctuidae) Synonym(s): falcata Swinhoe, 1885; perhamata Hampson, 1894; difformis Roepke, 1948
- 917. Chlumetia transversa (Walker, 1863) (Noctuidae) Synonym(s): transversa Walker, 1863; guangxiensis Wu & Zhu, 1981
- 918. Chrysodeixis acuta (Walker,1858) (Noctuidae) Synonym(s): acuta Walker,1858; furibatai Okano,1963; nigribursa Chou & Lu,1974
- 919. Chrysodeixis chalcites (Esper,[1789]) (Noctuidae) Synonym(s): chalcites Esper,[1789]; chalsytis Hübner,1790; bengalensis Rossi,1794; quaestionis Fabricius,1794; verticillata Guenée,1852; integra Walker,1858; adjuncta Walker,1865

- 920. Chrysodeixis permissa (Walker, 1858) (Noctuidae) Synonym(s): permissa Walker, 1858
- 921. Chrysopera combinans (Walker, 1858) (Noctuidae) Synonym(s): combinans Walker, 1858; quadrilunata Pagenstecher, 1890
- 922.Claterna cydonia (Cramer,1775) (Noctuidae) Synonym(s): cydonia Cramer,1775; exagans Walker,1858; submemorans Walker,1858; affinis Rothschild,1915
- 923.Condica capensis (Guenée,1852) (Noctuidae) Synonym(s): capensis Guenée,1852; afra Guenée,1852; prodita Walker, 1862; canorufa Walker, 1865; funesta Walker, 1865; spargens Walker, 1865.
- 924.Cophanta funestalis Walker,1864 (Noctuidae) Synonym(s): funestalis Walker,1864; anthracina Snellen,1880; optiva Swinhoe,1890
- 925.Corcobara angulipennis Moore, 1882 (Noctuidae) Synonym(s): angulipennis Moore, 1882; thwaitesi Moore, [1885]
- 926.Cornutiplusia circumflexa (Linnaeus,1767) (Noctuidae) Synonym(s): circumflexa Linnaeus,1767; lunata Fabricius,1787; flexuosa Donovan,1807; daubii Freyer,1838; graphica Herrich-Schäffer,1851; patefacta Walker,[1858]; reticulata Moore,1882; clarescens Pinker & Bacallado,1975; #unata Kononenko & Pinratana,2005
- 927.Craniophora fasciata (Moore,[1884]) (Noctuidae) Synonym(s): fasciata Moore,[1884]; nigrostriata Pagenstecher, 1888; divisa Moore, 1888
- 928. Cyclodes omma (Hoeven, 1840) (Noctuidae) Synonym(s): omma Hoeven, 1840; replenens Walker, 1858
- 929. Dactyloplusia impulsa (Walker, 1865) (Noctuidae) Synonym(s): impulsa Walker, 1865
- 930. Dactyloplusia mutans (Walker, 1865) (Noctuidae) Synonym(s): mutans Walker, 1865; hedysma De Joannis, 1929; celionis Chou & Lu, 1979
- 931. Daona mansueta Walker, 1864 (Noctuidae) Synonym(s): mansueta Walker, 1864; digramma Walker, [1866]; erubescens Walker, [1866]; scitula Walker, [1866]
- 932. Diarsia ochracea (Walker, 1865) (Noctuidae) Synonym(s): ochracea Walker, 1865; ruptistriga Walker, 1865; frontalis Moore, 1884; perrufa W. Warren, 1912
- 933. Diascia transvitta (Moore, 1887) (Noctuidae) Synonym(s): transvitta Moore, 1887
- 934. Dinumma placens Walker, 1858 (Noctuidae) Synonym(s): placens Walker, 1858; varians Butler, 1889
- 935. Diomea lignicolora Walker, [1858] (Noctuidae) Synonym(s): lignicolora Walker, [1858]; suvarnadvipae Kobes, 1983
- 936. Diomea rotundata Walker, [1858] (Noctuidae) Synonym(s): rotundata Walker, [1858]
- 937. Dordura aliena (Walker, 1864) (Noctuidae) Synonym(s): aliena Walker, 1864
- 938. Egnasia accingalis Walker, [1859] (Noctuidae) Synonym(s): accingalis Walker, [1859]
- 939. Egnasia ephyrodalis Walker, [1859] (Noctuidae) Synonym(s): ephyrodalis Walker, [1859]
- 940. Egnasia ocellata (Moore, 1885) (Noctuidae) Synonym(s): ocellata Moore, 1885
- 941. Egnasia participalis Walker, 1859 (Noctuidae) Synonym(s): participalis Walker, 1859; euphrona Swinhoe, 1891
- 942.Nagadeba polia (Hampson, 1891) (Noctuidae) Synonym(s): polia Hampson, 1891
- 943. Nagadeba indecoralis Walker, 1865 (Noctuidae) Synonym(s): indecoralis Walker, 1865; ianthina Swinhoe, 1890
- 944.Eligma narcissus (Cramer,1775) (Noctuidae) Synonym(s): narcissus Cramer,1775; indica Rothschild,1896; javanica Rothschild,1896; philippinensis Rothschild,1896; celebensis Tams,1935
- 945. Episparina tortuosalis (Moore, 1867) (Noctuidae) Synonym(s): tortuosalis Moore, 1867
- 946. Episparis varialis (Walker, 1858) (Noctuidae) Synonym(s): liturata Fabricius, 1787 nec Linn., 1761; varialis Walker, 1858; signata Walker, 1865; davallia R. Felder & Rogenhofer, 1874
- 947. Episteme nigripennis (Butler, 1875) (Noctuidae) Synonym(s): nigripennis Butler, 1875
- 948.Ercheia cyllaria (Cramer,1782) (Noctuidae) Synonym(s): cyllaria Cramer,1782; cyllota Guenée,1852; fusifera Walker,1858; signivitta Walker,1858; polychroma Walker,1858; atrivitta Walker,1864; purpureilinea Walker,1864; semipallida Walker,1864; tenebrosa Moore,1867;gundiana Felder,1874;costipannosa Moore,1882; pannosa Moore,1883; uniformis Moore,1883; anvira Swinhoe,1918
- 949.Ercheia diversipennis Walker,[1858] (Noctuidae) Synonym(s): diversipennis Walker,[1858]; ambidens R.Felder & Rogenhofer,1874; zura Swinhoe,1885; zygia Swinhoe,1885
- 950.Erebus ephesteris (Hübner,[1823]) (Noctuidae) Synonym(s): ephesteris Hübner,[1823]; laetitia Butler,1878; niasana Swinhoe,1918; malanga Swinhoe,1918
- 951. Erebus macrops (Linnaeus,1768) (Noctuidae) Synonym(s): macrops Linnaeus,1768; bubo Fabricius,1775; boopis Guenée,1852; walkeri Butler,1875.
- 952. Ericeia eriophora (Guenée,1852) (Noctuidae) Synonym(s): eriophora Guenée,1852; perfidiosa Walker,1858; deficiens Walker,1858; apicalis Walker,[1863]
- 953.Ericeia inangulata (Guenée,1852) (Noctuidae) Synonym(s): inangulata Guenée,1852; optativa Walker,1858; optatura Walker,1858; zeta Walker,1864; intracta Walker,1864; comitata Walker,1865; umbrosa Walker,1869; subcinerea Snellen,1880; intextilia Schultze,1908; levuensis A.E.Prout,1929; certilinea A.E.Prout,1929
- 954.Ericeia pertendens (Walker,[1858]) (Noctuidae) Synonym(s): pertendens Walker,[1858]; gonioptila A.E.Prout,1922; eurytaenia A.E.Prout,1929; occidua A.E.Prout,1929; iopolia D.S.Fletcher,1957
- 955. Aereopteron pictale Hampson, 1893 (Noctuidae) Synonym(s): pictale Hampson, 1893
- 956.Aereopteron nivalis Hampson,1907 (Noctuidae) Synonym(s): nivalis Hampson,1907
- 957. Aereopteron poliaphaea (Hampson, 1910) (Noctuidae) Synonym(s): poliaphaea Hampson, 1910
- 958.Etanna basalis Walker,1862 (Noctuidae) Synonym(s): basalis Walker,1862; atrifasciata Hampson,1896; mackwoodi Hampson,1902
- 959.Eublemma (Coccidiphaga) scitulum (Rambur,1833) (Noctuidae) Synonym(s): scitula Rambur,1833; exasperata Lederer,1855; gibbosa Snellen,1872; futilis Swinhoe,1884; cretacea Hampson,1893; turatii Berio,2002.

- Centre for Entomological Studies Ankara
- 960.Eublemma (baccalix-gr.) baccalix (Swinhoe,1886) (Noctuidae) Synonym(s): baccalix Swinhoe,1886; fasciosa Moore,[1887].
- 961. Eublemma (cochylioides-gr.) anachoresis (Wallengren,1863) (Noctuidae) Synonym(s): anachoresis Wallengren,1863; accedens R. Felder & Rogenhofer,[1875]; divisa Moore,1881; leonata Butler,1886.
- 962.Eublemma (cochylioides-gr.) cochylioides (Guenée,1852) (Noctuidae) Synonym(s): cochylioides Guenée,1852; rosita Guenée,1852; phoenissa Lederer,1855; derogata Walker,1858; calida Rebel,1894; calida Staudinger,1895; confuscata W.Warren,1913.
- 963. Eudocima aurantia (Moore, 1877) (Noctuidae) Synonym(s): aurantia Moore, 1877; rutilus Moore, 1881
- 964.Eudocima cajeta (Cramer,1779) (Noctuidae) Synonym(s): cajeta Cramer,1779; multiscripta Walker,[1858]; talboti A.E. Prout, 1922
- 965.Eudocima homaena (Hübner,[1823]) (Noctuidae) Synonym(s): ancilla Cramer,1777 nec Linn.,1767; strigata Donovan,1804; homaena Hübner,[1823]; bilineosa Walker,[1858]; formosana Okano,1964
- 966.Eudocima materna (Linnaeus,1767) (Noctuidae) Synonym(s): materna Linnaeus,1767; hybrida Fabricius,1775; apta Walker,[1858]; chalcogramma Walker,1865
- 967. Eutamsia confundens (Walker, 1857) (Noctuidae) Synonym(s): confundens Walker, 1857
- 968. Eutamsia connotata (W. Warren, 1912) (Noctuidae) Synonym(s): connotata W. Warren, 1912
- 969. Eutelia favillatrioides Poole, 1989 (Noctuidae) Synonym(s): favillatrix Walker, 1858 nec Gn., 1852; favillatrioides Poole, 1989
- 970. Eutelia favillatrix (Guenée, 1852) (Noctuidae) Synonym(s): favillatrix Guenée, 1852; #favilatrix Hampson, 1902.
- 971. Felinia precedens (Walker, 1858) (Noctuidae) Synonym(s): precedens Walker, 1858; filipalpis Walker, 1858; kebea Bethune-Baker, 1906
- 972. Felinia spissa Guenée, 1852 (Noctuidae) Synonym(s): spissa Guenée, 1852; spissata Guenée, 1852; decens Walker, [1858]
- 973.Feliniopsis (consummata-gr.) consummata (Walker,1857) (Noctuidae) Synonym(s): consummata Walker,1857
- 974.Fodina stola Guenée,1852 (Noctuidae) Synonym(s): stola Guenée,1852; postmaculata Hampson,1893; #formosensis Strand,1914
- 975.Gesonia obeditalis Walker,[1859] (Noctuidae) Synonym(s): obeditalis Walker,[1859]; pansalis Walker,[1859]; secundalis Walker,[1859]; crambisata Walker,1862; evulsalis Walker,[1866]; binotata Walker,1866; concors Walker,1866; terrosa Snellen,1872; rubicundula Swinhoe,1885; nigrofusca Swinhoe,1885; festina Swinhoe,1885.
- 976. Giaura minor (Hampson, 1896) (Noctuidae) Synonym(s): minor Hampson, 1896
- 977. Grammodes congenita Walker, 1858 (Noctuidae) Synonym(s): congenita Walker, 1858
- 978.Hadennia jutalis (Walker,[1859]) (Noctuidae) Synonym(s): jutalis Walker,[1859]; hypenalis Walker,[1859]; ignicorna Swinhoe, 1890
- 979. Hadennia mysalis (Walker,[1859]) (Noctuidae) Synonym(s): mysalis Walker,[1859]; albinotalis Moore,1877; prunosa Moore,1885; ignicoma Swinhoe,1890; palpiplumalis Owada,1987; #brunosa Poole,1989
- 980. Hadjina cupreipennis (Moore, 1881) (Noctuidae) Synonym(s): cupreipennis Moore, 1881
- 981. Helicoverpa armigera (Hübner,[1808]) (Noctuidae) Synonym(s): obsoleta auct. nec Fabr.,1775; barbara Fabricius,1794 [rejected]; armigera Hübner,[1808]; pulverosa Walker,[1857]; uniformis Wallengren,1860; rama Bhattacherjee & Gupta,1972.
- 982.Helicoverpa assulta (Guenée,1852) (Noctuidae) Synonym(s): assulta Guenée,1852; separata Walker,1857; temperata Walker,1857; succinea Moore,1881; afra Hardwick,1965.
- 983.Culicula schaldusalis (Walker,1858) (Noctuidae) Synonym(s): schaldusalis Walker,1858; bimarginata Walker,1865; marginata Moore,1885 nec Mr.,1882
- 984.Hipoepa biasalis (Walker,[1859]) (Noctuidae) Synonym(s): biasalis Walker,[1859]; lapsalis Walker,[1859]; obenbergeri Strand,1920
- 985.Hipoepa fractalis (Guenée,1854) (Noctuidae) Synonym(s): fractalis Guenée,1854; raptatalis Walker,1859; invenusta Swinhoe,1890; #feminina Strand,1919; castanea Rothschild,1920; plebejus Rothschild,1920
- 986.Acontia (s.str.) upsilon (Walker, 1865) (Noctuidae) Synonym(s): upsilon Walker, 1865
- 987.Acontia (Emmelia) sexpunctata (Fabricius,1794) (Noctuidae) Synonym(s): sexpunctata Fabricius,1794; imbuta Walker,1865; acerba R.Felder & Rogenhofer,1874; jnda R.Felder Rogenhofer,1874; ochreola W.Warren,1913
- 988.Acontia (Metapioplasta) erronea Hacker, Legrain & Fibiger,2008 (Noctuidae) Synonym(s): erronea Hacker, Legrain & Fibiger,2008
- 989.Hydrillodes abavialis (Walker,[1859]) (Noctuidae) Synonym(s): abavialis Walker,[1859]; #abavalis Kononenko & Pinratana,2005
- 990. Hydrillodes lentalis Guenée, 1854 (Noctuidae) Synonym(s): lentalis Guenée, 1854; hemusalis Walker, [1859]; latifascialis Walker, [1859]; moloalis Walker, [1859]; momusalis Walker, [1859]; basalis Moore, 1867; submorosa Strand, 1920
- 991. Hydrillodes morosa (Butler, 1879) (Noctuidae) Synonym(s): morosa Butler, 1879
- 992. Hydrilloides gravatalis (Walker, 1859) (Noctuidae) Synonym(s): gravatalis Walker, 1859
- 993. Hypena (Jussalypena) laceratalis Walker, [1859] (Noctuidae) Synonym(s): laceratalis Walker, [1859]; senectalis Guenée, 1862; hemigrammalis Mabille, 1880; acrocompsa Turner, 1932.
- 994. Hypena (s.str.) obacerralis Walker, [1859] (Noctuidae) Synonym(s): obacerralis Walker, [1859]; longipalpalis Guenée, 1852; sordida Rothschild, 1921.
- 995. Hypena assimilis Hampson, 1891 (Noctuidae) Synonym(s): assimilis Hampson, 1891
- 996. Hypena iconicalis Walker, [1859] (Noctuidae) Synonym(s): iconicalis Walker, [1859]; subnotalis Walker, [1866]; sulalis Walker, [1866]; similata Moore, 1882; herpa Swinhoe, 1901; apicipuncta Strand, 1920; belindana Strand, 1920; chosokeiana Strand, 1922

- Centre for Entomological Studies Ankara
- 997. Hypena labatalis Walker, [1859] (Noctuidae) Synonym(s): labatalis Walker, [1859]
- 998. Hypena lignealis Walker, 1866 (Noctuidae) Synonym(s): lignealis Walker, 1866
- 999. Hypena obfuscalis Hampson, 1893 (Noctuidae) Synonym(s): obfuscalis Hampson, 1893
- 1000. Rhinognatha scopigera (Moore,1885) (Noctuidae) Synonym(s): scopigera Moore,1885; nubifascia Hampson,1893
- 1001. **Hyperlopha cristifera (Walker,1865)** (Noctuidae) Synonym(s): cristifera Walker,1865; epops R.Felder & Rogenhofer,1874; irrorata Hampson,1893
- 1002. **Hypocala deflorata (Fabricius,1794)** (Noctuidae) Synonym(s): deflorata Fabricius,1794; australasiae Butler,1892; moorei Butler,1892.
- 1003. Hypocala guttiventris Walker,1858 (Noctuidae) Synonym(s): guttiventris Walker,1858; lativitta Walker,1865; triphaenina R.Felder & Rogenhofer,1874
- 1004. Hypocala violacea Butler,1879 (Noctuidae) Synonym(s): violacea Butler,1879; clarissima Butler,1892; kebaea Bethune-Baker,1906
- 1005. Hypopyra vespertilio (Fabricius,1787) (Noctuidae) Synonym(s): vespertilio Fabricius,1787; hypopyroides Walker,1858; hypopyroides Walker,1869 nec Wlk.,1858; signata Walker,1869; dulcina R.Felder & Rogenhofer,1874; pandia R.Felder & Rogenhofer,1874
- 1006. **Hyposada postvittata (Moore,1887)** (Noctuidae) Synonym(s): postvittata Moore,1887; anisodoides Hampson,1894
- 1007. Ischyja ferrifracta (Walker,[1863]) (Noctuidae) Synonym(s): ferrifracta Walker,[1863]; schlegeli Snellen,1884; glaucopteron Hampson,1891
- 1008. Ischyja manlia (Cramer,1776) (Noctuidae) Synonym(s): manlia Cramer,1776; squalida Fabricius,1787; amboinensis C.Felder,1862
- 1009. Labanda herbealis Walker, 1859 (Noctuidae) Synonym(s): herbealis Walker, 1859
- 1010. Lacera noctilio (Fabricius, 1794) (Noctuidae) Synonym(s): noctilio Fabricius, 1794; capella Guenée, 1852
- 1011. Latiphea berresoides (Hampson, 1893) (Noctuidae) Synonym(s): berresoides Hampson, 1893
- 1012. Leucania irregularis (Walker, 1857) (Noctuidae) Synonym(s): irregularis Walker, 1857; coenosa Snellen, 1877; abstracta Svinhoe, 1890; sepulchralis Lucas, 1900; scalata W.Warren, 1912; carbo De Joannis, 1928
- 1013. Leucania rufescentalis Poole,1989 (Noctuidae) Synonym(s): rufescens Hampson,1918 nec Mre.,1882; rufescentalis Poole,1989
- 1014. Leucocosmia nonagrica (Walker,1863) (Noctuidae) Synonym(s): nonagrica Walker,1863; ceres Butler,1886; euthusa Hampson,1891; heliarcha Meyrick,1897; unipunctata Bethune-Baker,1906; nigripuncta W.Warren,1913
- 1015. Lophoptera hemithyris (Hampson, 1905) (Noctuidae) Synonym(s): hemithyris Hampson, 1905
- 1016. Lophoptera squammigera Guenée,1852 (Noctuidae) Synonym(s): squammigera Guenée,1852; costata Moore,[1885]
- 1017. Luceria aurantilineata (Hampson, 1896) (Noctuidae) Synonym(s): aurantilineata Hampson, 1896
- 1018. Lygephila dorsigera (Walker, 1865) (Noctuidae) Synonym(s): dorsigera Walker, 1865; cucullata Moore, 1882; orientalis Butler, 1886
- 1019. Lygniodes vampyrus (Fabricius,1794) (Noctuidae) Synonym(s): vampyrus Fabricius,1794; reducens Walker, [1858]; disparans Walker, 1858; e-antiqua Hampson,1891
- 1020. Lysimelia lysimeloides (Hampson, 1893) (Noctuidae) Synonym(s): lysimeloides Hampson, 1893
- 1021. Marapana pulverata (Guenée,1852) (Noctuidae) Synonym(s): pulverata Guenée,1852; raralis Walker,[1859]; truncatalis Walker,[1866]
- 1022. Marcipa insulata (Walker, 1865) (Noctuidae) Synonym(s): insulata Walker, 1865
- 1023. Maurilia iconica (Walker,1857) (Noctuidae) Synonym(s): iconica Walker,1857; cervina Walker,1866; instabilis
  Butler,1889; bifascia Gaede,1915; tunicata Swinhoe,1918; undaira Swinhoe,1918; fortis Swinhoe,1918; dalama Swinhoe,1919; gilva Swinhoe,1919;
  elima Swinhoe,1919; iconicoides Gaede,1938; subiconica Kobes,1997
- 1024. Mecodina umbrosa (Hampson, 1893) (Noctuidae) Synonym(s): umbrosa Hampson, 1893
- 1025. **Mecodina ophiusalis Walker**,[1859] (Noctuidae) Synonym(s): ophiusalis Walker,[1859]
- **1026. Mecodina praecipua (Walker,1865)** (Noctuidae) Synonym(s): praecipua Walker,1865; nara R.Felder & Rogenhofer,1874; amboinica Pagenstecher,1884
- 1027. Metachrostis egens (Moore,[1884]) (Noctuidae) Synonym(s): egens Moore,[1884]
- 1028. Metachrostis pectinata Hampson, 1907 (Noctuidae) Synonym(s): pectinata Hampson, 1907
- 1029. **Metoponrhis marginata (Hampson,1898)** (Noctuidae) Synonym(s): marginata Hampson,1898
- 1030. Micreremites rasalis W.Warren, 1891 (Noctuidae) Synonym(s): rasalis W.Warren, 1891
- 1031. Mimeusemia ceylonica Hampson, 1893 (Noctuidae) Synonym(s): ceylonica Hampson, 1893
- 1032. Mimeusemia peshwa Moore, 1858 (Noctuidae) Synonym(s): peshwa Moore, 1858; peshwa Hampson, 1901
- 1033. Mixomelia relata (Hampson, 1891) (Noctuidae) Synonym(s): relata Hampson, 1891
- 1034. Mocis frugalis (Fabricius,1775) (Noctuidae) Synonym(s): frugalis Fabricius,1775; lycopodia Geyer,1837; translata Walker,1865.
- 1035. Mocis undata (Fabricius,1775) (Noctuidae) Synonym(s): undata Fabricius,1775; archesia Cramer,1780; vibria Cramer,1780; gregalis Guenée,1852; velata Walker,[1863]; bifasciata Walker,1865.
- 1036. Mythimna (Aletia) consanguis (Guenée, 1852) (Noctuidae) Synonym(s): consanguis Guenée, 1852
- 1037. Mythimna (Aletia) reversa (Moore, [1885]) (Noctuidae) Synonym(s): reversa Moore, [1885]

- 1038. Mythimna (Pseudaletia) pallidicosta (Hampson,1894) (Noctuidae) Synonym(s): albicosta Moore,1882 (praeocc.); pallidicosta Hampson,1894
- 1039. Mythimna (s.str.) denticula (Hampson, 1893) (Noctuidae) Synonym(s): denticula Hampson, 1893
- 1040. Nagia linteola (Guenée,1852) (Noctuidae) Synonym(s): linteola Guenée,1852; pilipes Guenée,1852; syba Guenée,1852; ecclesiastica Butler,1874; leucocelis Mabille,1879; accolytis Hampson,1926; bieratica Hampson,1926; monastica Hampson,1926; proselytis Hampson,1926; magaruna De Joannis,1932; homotica Tams,1935
- 1041. Nanaguna albisecta Hampson,1905 (Noctuidae) Synonym(s): albisecta Hampson,1905
- 1042. Neachrostia undulata (Hampson, 1893) (Noctuidae) Synonym(s): undulata Hampson, 1893
- 1043. Nodaria discisigna Moore, 1883 (Noctuidae) Synonym(s): discisigna Moore, 1883; lunifera Moore, 1885
- 1044. Nodaria cingala Moore, 1885 (Noctuidae) Synonym(s): cingala Moore, 1885
- 1045. Nola analis (Wileman & West, 1928) (Noctuidae) Synonym(s): analis Wileman & West, 1928
- 1046. Nola brunellus (Hampson, 1893) (Noctuidae) Synonym(s): brunellus Hampson, 1893
- 1047. Nola cingalesa Moore, [1882] (Noctuidae) Synonym(s): cingalesa Moore, [1882]
- 1048. Nola dentilinea (Hampson,1909) (Noctuidae) Synonym(s): dentilinea Hampson,1909
- 1049. Nola fuscibasalis (Bethune-Baker, 1904) (Noctuidae) Synonym(s): fuscibasalis Bethune-Baker, 1904
- 1050. Nola leucoscopula (Hampson,1907) (Noctuidae) Synonym(s): leucoscopula Hampson,1907
- 1051. Nola mesotherma Hampson,1909 (Noctuidae) Synonym(s): mesotherma Hampson,1909
- 1052. Nola major Hampson, 1891 (Noctuidae) Synonym(s): major Hampson, 1891
- 1053. Nola rufa (Hampson,1900) (Noctuidae) Synonym(s): rufa Hampson,1900
- 1054. Nola rufimixta (Hampson,1909) (Noctuidae) Synonym(s): rufimixta Hampson,1909
- 1055. Nola streptographia (Hampson,1900) (Noctuidae) Synonym(s): streptographia Hampson,1900
- 1056. Nola squalida Staudinger,1871 (Noctuidae) Synonym(s): squalida Staudinger,1871; musculalis Saalmüller,1880; turanica Staudinger,1887; fraterna Moore,1888; vanhasseltii Heylaerts,1892; ceylonica Hampson,1893; desmotes Turner,1899; parvula Chrétien,1913; mesoscia Hampson,1914; henrioti Warnecke,1937; minima Warnecke,1938; #squamosa Zukowsky,1941; priesneri Rebel,1947
- 1057. Nola tumulifera Hampson, 1893 (Noctuidae) Synonym(s): tumulifera Hampson, 1893
- 1058. Calonola ectrota (Hampson,1907) (Noctuidae) Synonym(s): ectrota Hampson,1907
- 1059. Evonima ochritincta (Hampson,1901) (Noctuidae) Synonym(s): ochritincta Hampson,1901
- 1060. Inouenola grisalis (Hampson, 1893) (Noctuidae) Synonym(s): grisalis Hampson, 1893
- 1061. Varganola flavibasis (Hampson,1900) (Noctuidae) Synonym(s): flavibasis Hampson,1900
- **1062. Nycteola indica (R.Felder & Rogenhofer,1874)** (Noctuidae) Synonym(s): indica R.Felder & Rogenhofer,1874; grisea Hampson,1891; pallescens Hampson,1893; strigivenata Hampson,1895; atrithorax Gaede,1937
- 1063. Oglasa bisignata (Hampson, 1907) (Noctuidae) Synonym(s): bisignata Hampson, 1907
- **1064. Oglasa retracta (Hampson,1907)** (Noctuidae) Synonym(s): retracta Hampson,1907
- 1065. Oglasa hypenoides (Moore,1881) (Noctuidae) Synonym(s): hypenoides Moore,1881; cosmiodes Hampson,1895; sambawana Svinhoe,1916
- 1066. Olulis lactigutta (Hampson,1907) (Noctuidae) Synonym(s): lactigutta Hampson,1907
- 1067. Ommatophora luminosa (Cramer, 1780) (Noctuidae) Synonym(s): luminosa Cramer, 1780
- 1068. Ophiusa discriminans (Walker,1858) (Noctuidae) Synonym(s): discriminans Walker,1858; pygospila Snellen,1880; sublutea Bethune-Baker,1906; intacta Hampson,1913
- 1069. Ophiusa disjungens (Walker, 1858) (Noctuidae) Synonym(s): disjungens Walker, 1858
- 1070. Ophiusa trapezium (Guenée,1852) (Noctuidae) Synonym(s): trapezium Guenée,1852; circumferens Walker,1865; cognata Walker,1865; adusta Moore,1882; prunicolor Moore,[1885]; kebea Bethune-Baker,1906
- 1071. Oraesia emarginata (Fabricius,1794) (Noctuidae) Synonym(s): emarginata Fabricius,1794; metallescens Guenée,1852; tentans Walker, [1858]; alliciens Walker, [1858]
- 1072. Oraesia provocans Walker,[1858] (Noctuidae) Synonym(s): provocans Walker,[1858]; hartmanni Möschler,1883; cuprea Saalmüller,1891
- 1073. Ortopla noduna (Swinhoe,1905) (Noctuidae) Synonym(s): noduna Swinhoe,1905
- 1074. Oxyodes scrobiculata (Fabricius,1775) (Noctuidae) Synonym(s): scrobiculata Fabricius,1775; clytia Stoll,[1782]; vittata Fabricius,1794; ochreata Rothschild,1915; samoana Tams,1935; tanymekes Tams,1935; novaehebridensis Viette,1951; obscurior Holloway,1979
- 1075. Paectes cristatrix (Guenée, 1852) (Noctuidae) Synonym(s): cristatrix Guenée, 1852
- 1076. Pandesma quenavadi Guenée,1852 (Noctuidae) Synonym(s): quenavadi Guenée,1852; jubra Swinhoe,1889
- 1077. Pantydia metaphaea (Hampson,1912) (Noctuidae) Synonym(s): metaphaea Hampson,1912
- 1078. Pantydia metaspila (Walker,1858) (Noctuidae) Synonym(s): metaspila Walker,1858; pallidilinea Walker,1858; moolla Svinhoe,1885; sordida Butler,1886
- 1079. Parallelia algira (Linnaeus, 1767) (Noctuidae) Synonym(s): algira Linnaeus, 1767; achatina Sulzer, 1776; alterna Villers, 1789; triangularis Hübner, [1803] nec Thunb., 1784; albivitta Guenée, 1852; festina Walker, 1858; olympia Swinhoe, 1885; europea Schawerda, 1912
- 1080. Parallelia arctotaenia (Guenée, 1852) (Noctuidae) Synonym(s): arctotaenia Guenée, 1852
- 1081. Parallelia rigidistria (Guenée,1852) (Noctuidae) Synonym(s): rigidistria Guenée,1852; calefasciens Walker, 1858; correctata Walker, 1865
- 1082. Parallelia stuposa (Fabricius,1794) (Noctuidae) Synonym(s): stuposa Fabricius,1794; festinata Walker,1858; japonibia Bryk,1948; sinica Bryk,1948
- 1083. Parolulis renalis (Moore, 1885) (Noctuidae) Synonym(s): renalis Moore, 1885

- 1084. Parolulis olivescens (Hampson, 1907) (Noctuidae) Synonym(s): olivescens Hampson, 1907
- 1085. Penicillaria nugatrix Guenée, 1852 (Noctuidae) Synonym(s): nugatrix Guenée, 1852; jacosatrix Guenée, 1852
- 1086. Pericyma mendax (Walker,[1858]) (Noctuidae) Synonym(s): mendax Walker,[1858]; cilipes Walker,[1858]; delineosa Walker,1858; disjuncta Walker,1865.
- 1087. Pindara illibata (Fabricius,1775) (Noctuidae) Synonym(s): illibata Fabricius,1775; peropaca Hübner,[1831]; laetabilis Guenée,1852
- 1088. Platyja umminia (Cramer,1780) (Noctuidae) Synonym(s): umminia Cramer,1780; subunita Guenée,1852; drepanoides Walker,1858; trajeta Walker,1869; falcata R.Felder & Rogenhofer,1874
- 1089. Condica dolorosa (Walker,1865) (Noctuidae) Synonym(s): dolorosa Walker,1865; taprobanae R.Felder & Rogenbofer,1874
- 1090. Plecoptera pallidimargo Hampson,1926 (Noctuidae) Synonym(s): pallidimargo Hampson,1926
- 1091. Plecoptera quaesita (Swinhoe,1885) (Noctuidae) Synonym(s): quaesita Swinhoe,1885; fetna Swinhoe,1915; lobelia Swinhoe,1915
- 1092. Plecoptera quinquelinea (Walker, 1865) (Noctuidae) Synonym(s): quinquelinea Walker, 1865
- 1093. Plecoptera sexlinea (Walker, 1865) (Noctuidae) Synonym(s): sexlinea Walker, 1865
- 1094. Plusiodonta coelonota (Kollar,[1844]) (Noctuidae) Synonym(s): coelonota Kollar,[1844]; chalytoides Guenée, 1852; conducens Walker, 1858
- 1095. Poeta quadrinotata (Walker, 1865) (Noctuidae) Synonym(s): quadrinotata Walker, 1865
- 1096. Polydesma umbricola Boisduval,1833 (Noctuidae) Synonym(s): umbricola Boisduval,1833; collutrix Geyer,1837; landula Guenée,1852; determinata Wallengren,1863; #collutrix Hampson,1916
- 1097. Pseudogyrtona perversa (Walker,1863) (Noctuidae) Synonym(s): perversa Walker,1863; stipata Walker,1863; confusa Wileman,1911
- 1098. **Pseudogyrtona modesta (Moore,1884)** (Noctuidae) Synonym(s): modesta Moore,1884; grisea Hambson,1893
- 1099. Psimada quadripennis Walker,1858 (Noctuidae) Synonym(s): quadripennis Walker,1858; ? javana C.Felder & Rogenhofer,1874
- 1100. Pterogonia aurigutta (Walker,1858) (Noctuidae) Synonym(s): aurigutta Walker,1858; striatura Moore,1887; irrorata Dudgeon,1905
- 1101. Pterogonia nubes (Hampson, 1893) (Noctuidae) Synonym(s): nubes Hampson, 1893; nerissa Swinhoe, 1902
- 1102. Remigia frugalis (Fabricius,1775) (Noctuidae) Synonym(s): frugalis Fabricius,1775; lycopodia Geyer,1837; translata Walker,1865; #nigripunctata W.Warren,1913; #frugalisana Strand,1917
- 1103. **Remigia undata (Fabricius,1775)** (Noctuidae) Synonym(s): undata Fabricius,1775; archesia Cramer,1780; virbia Cramer,1780; gregalis Guenée,1852; bifasciata Walker,1865; philippiensis Strand,1917; uberia Wileman,1923
- 1104. Rhesala moestalis (Walker,[1866]) (Noctuidae) Synonym(s): moestalis Walker,[1866]; erebina Butler,1879; figurata Moore,1885; malgassica Heyden,1891; formosana Strand,1920; ragazzii Berio,1936
- 1105. **Risoba obstructa Moore,1881** (Noctuidae) Synonym(s): obstructa Moore,1881
- 1106. Rivula basalis Hampson, 1891 (Noctuidae) Synonym(s): basalis Hampson, 1891
- 1107. Rivula leucanoides (Walker,[1863]) (Noctuidae) Synonym(s): leucanoides Walker,[1863]; biatomea Moore,1883
- 1108. Saroba finipalpis (Walker, 1858) (Noctuidae) Synonym(s): finipalpis Walker, 1858
- 1109. Saroba ceylonica (Walker,1865) (Noctuidae) Synonym(s): ceylonica Walker,1865; cascalis Swinhoe,1891; asulca Swinhoe,1918
- 1110. Saroba pustulifera (Walker, 1865) (Noctuidae) Synonym(s): pustulifera Walker, 1865
- 1111. Sarobela litterata (Pagenstecher, 1888) (Noctuidae) Synonym(s): litterata Pagenstecher, 1888; biplagiata Butler, 1889; aurotincta Hampson, 1893; spectabilis Turner, 1936
- 1112. Scriptoplusia nigriluna (Walker,1858) (Noctuidae) Synonym(s): nigriluna Walker,1858; hokowensis Chou & Lu,1979; kuznetsovi Kljutschko,1993
- 1113. Selepa plumbeata Hampson,1912 (Noctuidae) Synonym(s): plumbeata Hampson,1912
- 1114. Serrodes partita (Fabricius,1775) (Noctuidae) Synonym(s): partita Fabricius,1775; inara Cramer,[1780]; basinigrum Walker,1858; korana R. Felder & Rogenbofer,1874.
- 1115. **Sesamia inferens (Walker,1856)** (Noctuidae) Synonym(s): inferens Walker,1856; transquilaris Butler,1880; gracilis Butler,1880; innocens Butler,1881.
- 1116. **Setoctena bothrophora (Hampson,1907)** (Noctuidae) Synonym(s): bothrophora Hampson,1907
- 1117. **Sigmuncus arcuata (Hampson,1897)** (Noctuidae) Synonym(s): arcuata Hampson,1897; camptobasis Hampson,1897
- 1118. **Simplicia bimarginata (Walker,[1863])** (Noctuidae) Synonym(s): bimarginata Walker,[1863]; infausta R.Felder & Rogenhofer,1874; moorei Swinhoe,1919
- 1119. Simplicia butesalis Walker,[1859] (Noctuidae) Synonym(s): butesalis Walker,[1859]; cinerealis Walker,[1866]
- 1120. Simplicia caeneusalis (Walker,[1859]) (Noctuidae) Synonym(s): caeneusalis Walker,[1859]; robustalis Walker,1866 nec Gn.,1854; simulata Moore,1882; obiana Swinhoe,1919; lautokiensis A.E.Prout,1933; ryukyuensis Sugi,1965; buffetti Holloway,1977
- 1121. Simplicia mistacalis (Guenée,1854) (Noctuidae) Synonym(s): mistacalis Guenée,1854; marginata Moore,1882; subterminalis Draeseke,1928

- 1122. **Speiredonia zamis (Stoll,1790)** (Noctuidae) Synonym(s): zamis Stoll,1790; diops Walker,1858; retrahens Walker,1858; albifascia Walker,1865; conspicua R.Felder & Rogenbofer,1874; sumbana Swinhoe,1918; layardi Hampson,1926
- 1123. Sphetta apicalis Walker, 1865 (Noctuidae) Synonym(s): apicalis Walker, 1865; biocellata Moore, 1879
- 1124. Sphingomorpha chlorea (Cramer,1779) (Noctuidae) Synonym(s): chlorea Cramer,1779; rapta Fabricius,1787; sipyla Guenée,1852; monteironis Butler,1875
- 1125. Spirama retorta (Clerk,1764) (Noctuidae) Synonym(s): retorta Clerk,1764; spiralis Fabricius,1775; nyctea Fabricius,1798; chimista Kollar,[1844]; suffumosa Guenée,1852; isabella Guenée,1852; cohaerens Walker,1858; martha Butler,1878; simplicior Butler,1881; jinchuena Butler,1883; inaequalis Butler,1883
- 1126. Spodoptera pectinicornis (Hampson, 1895) (Noctuidae) Synonym(s): pectinicornis Hampson, 1895
- 1127. Stenopterygia subcurva (Walker,1857) (Noctuidae) Synonym(s): subcurva Walker,1857; postica Walker,1857; calida Walker,1862; sikkima Moore,1882; monostigma Saalmüller,1891
- 1128. Stictoptera cucullioides Guenée,1852 (Noctuidae) Synonym(s): cucullioides Guenée,1852; subobliqua Walker,[1858]; variabilis Moore,1882; timesia Swinhoe,1893
- 1129. Stictoptera trajiciens (Walker,[1858]) (Noctuidae) Synonym(s): trajiciens Walker,[1858]
- 1130. Sympis rufibasis Guenée, 1852 (Noctuidae) Synonym(s): rufibasis Guenée, 1852
- 1131. Tamba decolor (Walker, 1865) (Noctuidae) Synonym(s): decolor Walker, 1865; submicacea Walker, 1869
- 1132. Tamba lineifera (Walker, 1865) (Noctuidae) Synonym(s): lineifera Walker, 1865; sondaicus Snellen, 1877
- 1133. Tamba usurpatalis (Walker, 1858) (Noctuidae) Synonym(s): usurpatalis Walker, 1858
- 1134. Targalla albiceps (Hampson,1894) (Noctuidae) Synonym(s): albiceps Hampson,1894; picticolor Hampson,1896; ioda Swinhoe,1899
- 1135. **Targalla apicifascia (Hampson,1894)** (Noctuidae) Synonym(s): apicifascia Hampson,1894; mediofusca Bethune-Baker,1906; dinawa Bethune-Baker,1906
- 1136. Targalla delatrix (Guenée,1852) (Noctuidae) Synonym(s): delatrix Guenée,1852; infida Walker,[1858]; plusioides Walker,1865; impleta Walker,1865; praetexta R.Felder & Rogenhofer,1874; #intda Kononenko & Pinratana,2005
- 1137. Targalla subocellata (Walker,[1863]) (Noctuidae) Synonym(s): subocellata Walker,[1863]
- 1138. Thalathoides conjecturalis (Swinhoe, 1890) (Noctuidae) Synonym(s): conjecturalis Swinhoe, 1890
- 1139. **Thria robusta Walker,[1858]** (Noctuidae) Synonym(s): anysa auct.; robusta Walker,[1858]; fugitiva Walker,[1858]; opposita Wallengren,1865; sennaarensis R.Felder & Rogenhofer,1874; grandis Staudinger,1877; terrigena Christoph,1877; similata Moore,1883; distincta Rothschild,1920; asiria Wiltshire,1988; omana Wiltshire,1988; sokotrana Wiltshire,1988
- 1140. Thyas coronata (Fabricius,1775) (Noctuidae) Synonym(s): coronata Fabricius,1775; leonina Fabricius,1775; ancilla Fabricius,1794; magica Hübner, [1831]; ponderosa Mabille,1879
- 1141. Thyas honesta Hübner, 1824 (Noctuidae) Synonym(s): honesta Hübner, 1824
- 1142. Thysanoplusia (Daubeiplusia) lectula (Walker,1858) (Noctuidae) Synonym(s): lectula Walker,1858; calitura R.Felder & Rogenhofer,1874; longisigna Chou & Lu,1979
- 1143. Thysanoplusia (s.str.) intermixta (W.Warren,1913) (Noctuidae) Synonym(s): intermixta W.Warren,1913; brachycaleea Hampson,1913
- 1144. **Thysanoplusia (s.str.) orichalcea (Fabricius,1775)** (Noctuidae) Synonym(s): orichalcea Fabricius,1775; chrystina Martyn,1797; aurifera Hübner,[1813].
- 1145. Tinolius eburneiguttus Walker, 1855 (Noctuidae) Synonym(s): eburneigutta Walker, 1855
- 1146. Trachea auriplena (Walker, 1857) (Noctuidae) Synonym(s): auriplena Walker, 1857
- 1147. Trichoplusia vittata (Wallengren,1856) (Noctuidae) Synonym(s): vittata Wallengren,1856; transfixa Walker, [1858]; commidendri Wollaston,1879.
- 1148. Trigonodes hyppasia (Cramer,1779) (Noctuidae) Synonym(s): hyppasia Cramer,1779; deliana Stoll,1791; anfractuosa Boisduval,1834; acutata Guenée,1852; inacuta Guenée,1852; compar Walker,[1858]
- 1149. **Tropidtamba lepraota (Hampson,1898)** (Noctuidae) Synonym(s): lepraota Hampson,1898; pallidiplaga Swinboe,1905; grandis Turner,1933
- 1150. Xanthodes albago (Fabricius,1794) (Noctuidae) Synonym(s): albago Fabricius,1794; malvae Esper,[1796]; stramen Guenée,1852; impurata Walker,1857; impellens Walker,1858; inefficiens Walker,1858.
- 1151. Xenochroa chlorostigma (Hampson,1893) (Noctuidae) Synonym(s): chlorostigma Hampson,1893; tumidistigma W.Warren,1916; #borneonis Strand,1917; #sikkimensis Strand,1917
- 1152. Zonoplusia ochreata (Walker,1865) (Noctuidae) Synonym(s): ochreata Walker,1865; cornucopiae Snellen,1880

#### Notodontidae

- 1153. Allata (s.str.) argentifera Walker, 1862 (Notodontidae) Synonym(s): argentifera Walker, 1862
- 1154. Antheua servula (Drury, 1773) (Notodontidae) Synonym(s): servula Drury, 1773
- 1155. Armiana metaphaea (Walker, 1865) (Notodontidae) Synonym(s): metaphaea Walker, 1865
- 1156. Cerura (Neocerura) liturata (Walker, 1855) (Notodontidae) Synonym(s): liturata Walker, 1855
- 1157. Chadisra bipars Walker, 1862 (Notodontidae) Synonym(s): bipars Walker, 1862
- 1158. Clostera anachoreta (Fabricius,1787) (Notodontidae) Synonym(s): #anachoreta [Denis & Schiffermüller],1775; anachoreta Fabricius,1787; pallida Staudinger,1887 nec Wlk.,1855; albidior Pfütze,1901; erema Bryk,1942; lundquisti Bryk,1942; mahatma Bryk,1949

- 1159. Clostera restituta (Walker, 1865) (Notodontidae) Synonym(s): restituta Walker, 1865
- 1160. Kamalia kandyia (Moore, 1883) (Notodontidae) Synonym(s): kandyia Moore, 1883
- 1161. Netria viridescens Walker, 1855 (Notodontidae) Synonym(s): viridescens Walker, 1855
- 1162. Netria griseata (Hampson, 1892) (Notodontidae) Synonym(s): griseata Hampson, 1892
- 1163. Pseudoteleclita centristicta (Hampson, 1898) (Notodontidae) Synonym(s): centristicta Hampson, 1898
- 1164. **Somera viridifusca Walker,1855** (Notodontidae) Synonym(s): viridifusca Walker,1855
- 1165. Stauropus alternus Walker, 1855 (Notodontidae) Synonym(s): alternus Walker, 1855

### Oecophoridae

- 1166. **Promalactis clinometra Meyrick,1908** (Oecophoridae) Synonym(s): clinometra Meyrick,1908
- 1167. **Promalactis semantris (Meyrick,1906)** (Oecophoridae) Synonym(s): semantris Meyrick, 1906
- 1168. **Promalactis thiasitis Meyrick,1908** (Oecophoridae) Synonym(s): thiasitis Meyrick,1908

# **Opostegidae**

- 1169. Opostegoides nephelozona (Meyrick,1915) (Opostegidae) Synonym(s): nephelozona Meyrick,1915
- 1170. Opostegoides tetroa (Meyrick, 1907) (Opostegidae) Synonym(s): tetroa Meyrick, 1907
- 1171. Opostegoides uvida (Meyrick,1915) (Opostegidae) Synonym(s): wida Meyrick,1915
- 1172. Pseudopostega epactaea (Meyrick,1907) (Opostegidae) Synonym(s): epactaea Meyrick,1907
- 1173. Pseudopostega frigida (Meyrick,1906) (Opostegidae) Synonym(s): frigida Meyrick,1906
- 1174. Pseudopostega machaerias (Meyrick,1907) (Opostegidae) Synonym(s): machaerias Meyrick,1907
- 1175. Pseudopostega zelopa (Meyrick, 1905) (Opostegidae) Synonym(s): zelopa Meyrick, 1905

# **Psychidae**

- 1176. Acanthopsyche minima Hampson,1900 (Psychidae) Synonym(s): minima Hampson,1900
- 1177. **Bambalina consorta (Templeton, 1847)** (Psychidae) Synonym(s): consorta Templeton, 1847
- 1178. Chalioides vitrea Swinhoe, 1892 (Psychidae) Synonym(s): vitrea Swinhoe, 1892
- 1179. Dappula tertia (Templeton, 1847) (Psychidae) Synonym(s): tertia Templeton, 1847; templetonii Westwood, 1854
- 1180. Eumeta variegata (Snellen,1879) (Psychidae) Synonym(s): variegata Snellen,1879; layardii Moore,1881; pryeri Leech,1888; sikkima Moore,1891; wallacei Swinhoe,1892
- 1181. Eurukuttarus laniata (Hampson,1905) (Psychidae) Synonym(s): laniata Hampson,1905
- 1182. Metisa hypoleuca (Hampson, 1896) (Psychidae) Synonym(s): hypoleuca Hampson, 1896
- 1183. Metisa plana Walker, 1855 (Psychidae) Synonym(s): plana Walker, 1855
- 1184. **Muhabbetkemalia rhabdophora (Hampson,1893)** (Psychidae) Synonym(s): rhabdophora Hampson,1893
- 1185. Oiketicus tertius Templeton,1847 (Psychidae) Synonym(s): tertius Templeton,1847; templetonii Westwood,1854
- 1186. Pteroma plagiophleps Hampson, 1892 (Psychidae) Synonym(s): plagiophleps Hampson, 1892

# Pterophoridae

- 1187. **Agdistis (s.str.) nanodes Meyrick,1906** (Pterophoridae) Synonym(s): nanodes Meyrick,1906; sindicola Amsel,1968; debilis Bigot,1968.
- 1188. **Buckleria paludum (Zeller,1839)** (Pterophoridae) Synonym(s): paludum Zeller,1839; paludidactylus Bruand,1859; paludicola Flethcer,1907; dolichos Matsumura,1931.
- 1189. Cosmoclostis leucomochla T.B.Fletcher,1947 (Pterophoridae) Synonym(s): leucomochla T.B.Fletcher,1947
- 1190. Cosmoclostis pesseuta Meyrick,1906 (Pterophoridae) Synonym(s): pesseuta Meyrick,1906; premnicola T.B.Fletcher,1932.
- 1191. **Deuterocopus melanotus T.B.Fletcher,1910** (Pterophoridae) Synonym(s): *melanotus T.B.Fletcher,1910; lophopteryx T.B.Fletcher,1910.*
- 1192. **Deuterocopus planetus Meyrick,1908** (Pterophoridae) Synonym(s): planetus Meyrick,1908
- 1193. **Deuterocopus sokotranus Rebel,1907** (Pterophoridae) Synonym(s): sokotranus Rebel,1907; viticola Meyrick,1911; triannulatus Meyrick,1913.
- 1194. **Diacrotricha fasciola Zeller,1852** (Pterophoridae) Synonym(s): fasciola Zeller,1852
- 195. Hellinsia lienigiana (Zeller,1852) (Pterophoridae) Synonym(s): lienigianus Zeller,1852; melinodactylus Herrich-Schäffer,1855; scarodactylus Becker,1861; serindibanus Moore,1886; victorianus Strand,1913; catharodactylus Caradja,1920; hirosakianus Matsumura,1931; mutuurai Yano,1963.

- 1196. Megalorhipida leucodactyla (Fabricius,1794) (Pterophoridae) Synonym(s): leucodactylus Fabricius,1794; defectalis Walker,1864; congrualis Walker,1864; oxydactyla Walker,1864; hawaiiensis Butler,1881; ochrodactyla Fish,1881; centetes Meyrick,1886; compsochares Meyrick,1886; ralumensis Pagenstecher,1900; derelictus Meyrick,1926; palaestinensis Amsel,1935
- 1197. Oxyptilus regulus Meyrick,1906 (Pterophoridae) Synonym(s): regulus Meyrick,1906
- 1198. Platyptilia citropleura Meyrick,1907 (Pterophoridae) Synonym(s): citropleura Meyrick,1907
- 1199. Platyptilia molopias Meyrick,1906 (Pterophoridae) Synonym(s): molopias Meyrick,1906; benitensis Strand,1912
- 1200. Procapperia pelecyntes (Meyrick, 1908) (Pterophoridae) Synonym(s): pelecyntes Meyrick, 1908
- 1201. Pterophorus leucadactylus (Walker, 1864) (Pterophoridae) Synonym(s): leucadactylus Walker, 1864
- 1202. Pterophorus melanopodus (T.B.Fletcher,1907) (Pterophoridae) Synonym(s): melanopodus T.B.Fletcher,1907
- 1203. Sphenarches anisodactylus (Walker,1864) (Pterophoridae) Synonym(s): anisodactyla Walker,1864; diffusalis Walker,1864; direptalis Walker,1864; synophrys Meyrick,1886; croesus Strand,1913.
- 1204. Sphenarches zanclistes (Meyrick, 1905) (Pterophoridae) Synonym(s): zanclistes Meyrick, 1905
- 1205. **Stangeia xerodes (Meyrick,1886)** (Pterophoridae) Synonym(s): xerodes Meyrick,1886; esakii Hori,1936; dryites Meyrick,1936.
- 1206. Stenodacma wahlbergi (Zeller,1851) (Pterophoridae) Synonym(s): wahlbergi Zeller,1851; rutilalis Walker,1864.
- 1207. Stenoptilia zophodactyla (Duponchel,1838) (Pterophoridae) Synonym(s): zophodactyla Duponchel,1838; loevii Zeller,1847; oreodactyla Bruand,1850; loividactyla Bruand,1859; canalis Walker,1864; semicostatus Zeller,1873.
- 1208. Stenoptilodes taprobanes (R.Felder & Rogenhofer,1875) (Pterophoridae) Synonym(s): taprobanes R.Felder & Rogenhofer,1875; brachymorpha Meyrick,1888; seeboldi Hofmann,1898; crenulata Barnes & McDunnough,1913; phaenicodactyla Chrétien,1915; terlizzii Turati,1926; zavattarii Hartig,1953; legrandi Bigot,1962.
- 1209. Trichoptilus pelias Meyrick, 1908 (Pterophoridae) Synonym(s): pelias Meyrick, 1908
- **1210. Trichoptilus regalis (T.B.Fletcher,1909)** (Pterophoridae) Synonym(s): regalis T.B.Fletcher,1909; chordites Meyrick,1913.

# **Pyralidae**

- 1211. Acara morosella Walker, 1863 (Pyralidae) Synonym(s): morosella Walker, 1863; maximella Walker, 1866
- 1212. Achroia grisella (Fabricius,1794) (Pyralidae) Synonym(s): grisella Fabricius,1794; aluearia Fabricius,1798; cinereola Hühner,[1803]; alvea Haworth,1811; alveariella Guenée,1845; anticella Walker,1863; obscurevittella Ragonot,1901; #major Dufrane,1930.
- 1213. Achroia innotata Walker, 1864 (Pyralidae) Synonym(s): innotata Walker, 1864
- 1214. Achyra coelatalis (Walker,1859) (Pyralidae) Synonym(s): coelatalis Walker,1859; massalis Walker,1859; nodiferalis Gaede,1917; aurantiaca Rothschild,1921; fredi Amsel,1961
- 1215. Achyra nudalis (Hübner,1796) (Pyralidae) Synonym(s): nudalis Hübner,1796; interpunctalis Hübner,1796; unipunctalis Duponchel,1831; bipunctalis Duponchel,1831; pauciferalis Walker,1865; nodalis Gundlach,1891; ochromorpha Lower,1901
- 1216. Addyme inductalis (Walker, 1863) (Pyralidae) Synonym(s): inductalis Walker, 1863
- 1217. Aethaloessa calidalis (Guenée,1854) (Pyralidae) Synonym(s): calidalis Guenée,1854; octavialis Walker,1859; fulvidalis Wallengren,1860; secutalis Walker,[1866]; witialis R.Felder & Rogenhofer,1875; aurantiaca Hampson,1912
- **1218. Agassiziella angulipennis (Hampson,1891)** (Pyralidae) Synonym(s): angulipennis Hampson,1891; angulipenne Hampson,1896
- 1219. Agassiziella fuscifusale (Hampson, 1893) (Pyralidae) Synonym(s): fuscifusale Hampson, 1893
- 1220. Agassiziella picalis (Guenée,1854) (Pyralidae) Synonym(s): picalis Guenée,1854; picale Hampson,1893
- 1221. Agathodes ostentalis (Geyer, 1838) (Pyralidae) Synonym(s): ostentalis Geyer, 1838
- 1222. Agdistopis sinhala (T.B.Fletcher,1909) (Pyralidae) Synonym(s): sinhala T.B.Fletcher,1909
- 1223. Agrioglypta itysalis (Walker,1859) (Pyralidae) Synonym(s): itysalis Walker,1859; piepersialis Snellen,[1880]; malayana Butler,1880
- 1224. Agrotera effertalis Walker, 1859 (Pyralidae) Synonym(s): effertalis Walker, 1859
- 1225. Agrotera scissalis Walker, 1865 (Pyralidae) Synonym(s): scissalis Walker, 1865
- 1226. Ambia caerulata Hampson, 1893 (Pyralidae) Synonym(s): caerulata Hampson, 1893; cyanealis Hampson, 1903
- **1227. Ambia iambealis (Walker,1859)** (Pyralidae) Synonym(s): *iambealis Walker,1859*; *fulvalis Hampson,1893*; #iambesalis Hampson,1897; albiflavicalis W.Warren,1906
- 1228. Ambia poritialis (Walker, 1859) (Pyralidae) Synonym(s): poritialis Walker, 1859
- 1229. Ambia tenebrosalis Hampson, 1896 (Pyralidae) Synonym(s): tenebrosalis Hampson, 1896
- 1230. Ambia xantholeuca Hampson, 1896 (Pyralidae) Synonym(s): xantholeuca Hampson, 1896
- **1231. Ammatucha semiirrorella (Hampson,1896)** (Pyralidae) Synonym(s): semiirrorella Hampson,1896; lathria Turner,1922
- 1232. Ancylodes lapsalis (Walker, 1859) (Pyralidae) Synonym(s): lapsalis Walker, 1859
- 1233. Ancylolomia argentata Moore, 1886 (Pyralidae) Synonym(s): argentata Moore, 1886
- 1234. Ancylolomia basistriga Moore, 1886 (Pyralidae) Synonym(s): basistriga Moore, 1886
- 1235. Ancylolomia bituberosella Amsel,1959 (Pyralidae) Synonym(s): bituberosella Amsel,1959; #bitubirosella Bleszynki,1965

- 1236. Ancylolomia cervicella Bleszynski,1970 (Pyralidae) Synonym(s): cervicella Bleszynski,1970
- 1237. Ancylolomia chrysographella (Kollar,[1844]) (Pyralidae) Synonym(s): chrysographella Kollar,[1844]; responsella Walker, 1863; xylinella Walker, 1863; basistriga Moore, 1886; cassimella Swinhoe, 1886; #bassistriga Bleszynski & Collins, 1962.
- **1238.** Ancylolomia indica R.Felder & Rogenhofer, 1875 (Pyralidae) Synonym(s): indica R.Felder & Rogenhofer, 1875
- 1239. Ancylolomia locupletella (Kollar,[1844]) (Pyralidae) Synonym(s): locupletella Kollar,[1844]
- **1240.** Ancylolomia taprobanensis Zeller, 1877 (Pyralidae) Synonym(s): taprobanensis Zeller, 1877
- 1241. Ancylolomia westwoodi Zeller,1863 (Pyralidae) Synonym(s): westwoodi Zeller,1863
- 1242. Angustalius malacelloides (Bleszynski,1955) (Pyralidae) Synonym(s): malacelloides Bleszynski,1955
- 1243. Anonaepestis bengalella Ragonot, 1894 (Pyralidae) Synonym(s): bengalella Ragonot, 1894
- **1244. Aphomia odontella (Hampson,1901)** (Pyralidae) Synonym(s): odontella Hampson,1901
- **1245. Aphomia sapozhnikovi (Krulikovsky,1909)** (Pyralidae) Synonym(s): anella Zincken nec [Denis & Schiff.]; bipunctatus Zeller,1848 nec Curt..; sapozhnikovi Krulikovsky,1909; decolor Caradja,1910; zelleri Joannis,1932
- 1246. Argyria argentisparsalis Hampson, 1896 (Pyralidae) Synonym(s): argentisparsalis Hampson, 1896
- 1247. Argyria plumbeolinealis (Hampson, 1896) (Pyralidae) Synonym(s): plumbeolinealis Hampson, 1896
- 1248. Assara albicostalis Walker, 1863 (Pyralidae) Synonym(s): albicostalis Walker, 1863; subterebrellum Snellen, 1880; niveicostella Hampson, 1896.
- **1249. Assara seminivalis (Turner,1904)** (Pyralidae) Synonym(s): *seminivalis Turner,1904*
- 1250. Ategumia adipalis (Lederer, 1863) (Pyralidae) Synonym(s): adipalis Lederer, 1863; notatalis Walker, [1866]; cuprinalis Moore, 1877
- 1251. Aurana actiosella Walker, 1863 (Pyralidae) Synonym(s): actiosella Walker, 1863; lentalis Swinhoe, 1885
- 1252. Bocchoris acamasalis (Walker, 1859) (Pyralidae) Synonym(s): acamasalis Walker, 1859
- 1253. Bocchoris inspersalis (Zeller,1852) (Pyralidae) Synonym(s): inspersalis Zeller,1852; afflictalis Guenée,1854; bootanalis Walker,1865; stellalis Butler,1879; pusaensis Bhattacherjee,1973
- 1254. Bocchoris tenera (Butler, 1883) (Pyralidae) Synonym(s): tenera Butler, 1883
- 1255. Bostra gnidusalis (Walker, 1859) (Pyralidae) Synonym(s): gnidusalis Walker, 1859; tristis Butler, 1881
- 1256. Botyodes asialis Guenée, 1854 (Pyralidae) Synonym(s): asialis Guenée, 1854; #liliputalis Strand, 1913
- 1257. Bradina admixtalis (Walker,1859) (Pyralidae) Synonym(s): admixtalis Walker,1859; panaeusalis Walker,1859; tabidalis Lederer,1863; sodalis Lederer,1863; leptogastralis Walker,[1866]; avunculalis Saalmüller,1880; pallidalis W.Warren,1896
- 1258. Cadra cautella (Walker,1863) (Pyralidae) Synonym(s): cautella Walker,1863; defectella Walker,1864; desuetella Walker,1866; passulella Barrett,1875; formosella Wileman & South,1918; rotundatella Turati,1930; pelopis Turner,1947; irakella Amsel,1959
- 1259. Calamotropha anticella (Walker, 1866) (Pyralidae) Synonym(s): anticellus Walker, 1866
- 1260. Calamotropha argenticilia (Hampson, 1896) (Pyralidae) Synonym(s): argenticilia Hampson, 1896
- 1261. Calamotropha atkinsoni (Zeller,1863) (Pyralidae) Synonym(s): atkinsoni Zeller,1863; fuscicostella Snellen,1880; bolodryas Meyrick,1933
- 1262. Calamotropha caesella (Walker,1863) (Pyralidae) Synonym(s): caesella Walker,1863; famulella Walker,1866
- 1263. Calamotropha delatalis (Walker, 1863) (Pyralidae) Synonym(s): delatalis Walker, 1863
- 1264. Calamotropha endopolia (Hampson,1912) (Pyralidae) Synonym(s): endopolia Hampson,1912
- 1265. Calamotropha indica Bleszynski,1961 (Pyralidae) Synonym(s): indica Bleszynski,1961
- 1266. Calamotropha melanosticta (Hampson, 1896) (Pyralidae) Synonym(s): melanostictus Hampson, 1896
- **1267.** Calamotropha melli (Caradja & Meyrick,1933) (Pyralidae) Synonym(s): melli Caradja & Meyrick,1933
- **1268.** Calamotropha neurigrammalis (Hampson,1912) (Pyralidae) Synonym(s): neurigrammalis Hampson,1912
- 1269. Calamotropha oculalis (Snellen, 1893) (Pyralidae) Synonym(s): oculalis Snellen, 1893
- 1270. Calamotropha pseudodielota Bleszynski, 1961 (Pyralidae) Synonym(s): pseudodielota Bleszynski, 1961
- 1271. Calamotropha punctivenella (Hampson, 1896) (Pyralidae) Synonym(s): punctivenella Hampson, 1896
- 1272. Calamotropha schwarzi Bleszynski,1961 (Pyralidae) Synonym(s): schwarzi Bleszynski,1961
- 1273. Calamotropha unicolorella (Zeller,1863) (Pyralidae) Synonym(s): unicolorellus Zeller,1863; abbreviatellus Walker,1866
- 1274. Calguia aspiciella (Ragonot, 1889) (Pyralidae) Synonym(s): aspiciella Ragonot, 1889
- 1275. Calguia defiguralis Walker,1863 (Pyralidae) Synonym(s): defiguralis Walker,1863; auritipalpus Moore,[1886]; palpella Ragonot,1888; bistriella Pagenstecher,1900; crocogastra Meyrick,1934
- 1276. Cangetta tridentalis (Snellen, 1872) (Pyralidae) Synonym(s): tridentalis Snellen, 1872
- 1277. Cataclysta angulata Moore, 1885 (Pyralidae) Synonym(s): angulata Moore, 1885
- 1278. Cataclysta blandialis (Walker,1859) (Pyralidae) Synonym(s): blandialis Walker,1859; patnalis R.Felder & Rogenhofer,1875; stipalis Snellen,1880; cuneifera Moore,1885; junctalis Hampson,1891; nigritalis Hampson,1893; mesorphna Meyrick,1894; xanthbathra Meyrick,1894; perirorata Hampson,1917; #bombayensis Klima,1937
- 1279. Cataclysta fuscalis Hampson, 1893 (Pyralidae) Synonym(s): fuscalis Hampson, 1893; nyctopis Meyrick, 1894
- **1280.** Cathyalia fulvella Ragonot,1888 (Pyralidae) Synonym(s): fulvella Ragonot,1888; erythrina Hampson,1896; rufimarginella Pagenstecher,1900; clytopa Turner,1947.
- 1281. Ceroprepes patriciella Zeller, 1867 (Pyralidae) Synonym(s): patriciella Zeller, 1867
- **1282. Ceroprepes proximalis Walker** (Pyralidae) Synonym(s):

- 1283. Chalcidoptera emissalis (Walker,[1866]) (Pyralidae) Synonym(s): emissalis Walker,[1866]; crinipes R.Felder & Rogenhofer,1875; rubra Butler,1887; pyrrhocosma Meyrick,1894
- 1284. Charltona desistalis (Walker, 1863) (Pyralidae) Synonym(s): desistalis Walker, 1863
- 1285. Charltona fusca Hampson, 1903 (Pyralidae) Synonym(s): fusca Hampson, 1903
- 1286. Charltona kala Swinhoe, 1885 (Pyralidae) Synonym(s): kala Swinhoe, 1885
- **1287.** Charltoniada apicella (Hampson,1896) (Pyralidae) Synonym(s): apicella Hampson,1896; decorata De Joannis,1930
- 1288. Chilo auricilius Dudgeon, 1905 (Pyralidae) Synonym(s): auricilius Dudgeon, 1905
- 1289. Chilo ceylonicus Hampson,1896 (Pyralidae) Synonym(s): ceylonica Hampson,1896; torquatellus De Joannis,1930
- 1290. Chilo partellus (Swinhoe,1885) (Pyralidae) Synonym(s): zonellus Swinhoe,1884 nec Zeller,1847; partellus Swinhoe,1885; lutulentalis Tams,1932
- 1291. Chilo suppressalis Walker, 1863 (Pyralidae) Synonym(s): suppressalis Walker, 1863; oryzae T.B. Fletcher, 1928.
- 1292. Chilotraea auricilius (Dudgeon,1905) (Pyralidae) Synonym(s): auricilius Dudgeon,1905; popescugorji Bleszynski,1963
- 1293. Cirrhochrista bracteolalis Hampson, 1893 (Pyralidae) Synonym(s): bracteolalis Hampson, 1893
- 1294. Cirrhochrista pulchellalis Lederer, 1863 (Pyralidae) Synonym(s): pulchellalis Lederer, 1863; aetherialis Hampson
- 1295. Citripestis sagittiferella (Moore, 1891) (Pyralidae) Synonym(s): sagittiferella Moore, 1891
- 1296. Cnaphalocrocis medinalis (Guenée,1854) (Pyralidae) Synonym(s): medinalis Guenée,1854; nurscialis Walker,1859
- 1297. Cnaphalocrocis patnalis Bradley,1981 (Pyralidae) Synonym(s): patnalis Bradley,1981
- 1298. Coenodomus trichasema (Hampson,1916) (Pyralidae) Synonym(s): trichasema Hampson,1916
- 1299. Coleothrix swinhoeella (Ragonot, 1893) (Pyralidae) Synonym(s): swinhoeella Ragonot, 1893
- 1300. Coniesta flavalis (Hampson, 1919) (Pyralidae) Synonym(s): flavalis Hampson, 1919
- 1301. Coniesta lunilinealis (Hampson,1919) (Pyralidae) Synonym(s): lunilinealis Hampson,1919
- 1302. Coniesta strigulalis (Hampson, 1895) (Pyralidae) Synonym(s): strigulalis Hampson, 1895
- 1303. Copamyntis infusella (Meyrick,1879) (Pyralidae) Synonym(s): infusella Meyrick,1879; bipartella Hampson,1896
- 1304. Copamyntis obliquifasciella (Hampson, 1896) (Pyralidae) Synonym(s): obliquifasciella Hampson, 1896
- 1305. Corcyra cephalonica (Stainton,1866) (Pyralidae) Synonym(s): cephalonica Stainton,1866; oeconomellus Mann,1872; translineella Hampson,1901; theobromae Dyar,1913; lineata Legrand,1965
- 1306. Cotachena histricalis (Walker,1859) (Pyralidae) Synonym(s): histricalis Walker,1859; trinotata Butler,1887; peratilis W. Warren,1896; orientalis Rothschild,1915.
- 1307. Crambus dianiphalis Hampson,1908 (Pyralidae) Synonym(s): dianiphalis Hampson,1908
- 1308. Crocidolomia pavonana (Fabricius,1794) (Pyralidae) Synonym(s): pavonana Fabricius,1794; binotalis Zeller,1852; comalis Guenée,1854; incomalis Guenée,1854; quadripunctata Shiraki,1913; dentalis Amsel,1951
- 1309. Crocidolomia suffusalis (Hampson,1891) (Pyralidae) Synonym(s): suffusalis Hampson,1891; illustris Lucas,1892; #sinensis Caradja,1925
- 1310. Crypsiptya ceadesalis (Walker, 1859) (Pyralidae) Synonym(s): ceadesalis Walker, 1859
- 1311. Cryptoblabes angustipennella Ragonot, 1888 (Pyralidae) Synonym(s): angustipennella Ragonot, 1888
- 1312. Cryptoblabes ephestialis Hampson,1903 (Pyralidae) Synonym(s): ephestialis Hampson,1903
- 1313. Cryptoblabes proleucella Hampson, 1896 (Pyralidae) Synonym(s): proleucella Hampson, 1896
- 1314. Cryptophycita deflanderella (Ragonot, 1893) (Pyralidae) Synonym(s): deflanderella Ragonot, 1893
- 1315. Cydalima laticostalis (Guenée,1854) (Pyralidae) Synonym(s): laticostalis Guenée,1854; nitidicostalis Guenée,1854; leodicealis Guenée,1859.
- 1316. Cyrtogramme melagynalis (Agassiz,1978) (Pyralidae) Synonym(s): melagynalis Agassiz,1978
- 1317. Daulia argyrostrotalis Hampson,1912 (Pyralidae) Synonym(s): argyrostrotalis Hampson,1912
- 1318. **Deba surrectalis (Walker,1865)** (Pyralidae) Synonym(s): surrectalis Walker,1865
- 1319. **Decticogaster janapalis (Walker, 1859)** (Pyralidae) Synonym(s): janapalis Walker, 1859
- 1320. Diathrausta profundalis Lederer, 1863 (Pyralidae) Synonym(s): profundalis Lederer, 1863
- 1321. **Dichocrocis punctiferalis (Guenée,1854)** (Pyralidae) Synonym(s): punctiferalis Guenée,1854; detracta Walker,1859; nicippealis Walker,1866].
- 1322. Dichocrocis surusalis (Walker, 1859) (Pyralidae) Synonym(s): surusalis Walker, 1859
- 1323. Dipha aphidivora (Meyrick,1934) (Pyralidae) Synonym(s): aphidivora Meyrick,1934
- 1324. Diptychophora adspersella Snellen, 1893 (Pyralidae) Synonym(s): adspersella Snellen, 1893
- 1325. **Diptychophora minutalis Hampson,1893** (Pyralidae) Synonym(s): minutalis Hampson,1893; #minutella Hampson,1896
- 1326. **Diptychophora ochrophanes Meyrick, 1931** (Pyralidae) Synonym(s): ochrophanes Meyrick, 1931
- 1327. **Doloessa viridis Zeller,1848** (Pyralidae) Synonym(s): viridis Zeller,1848; figurana Walker,1863; ornata Wileman,1910; phthorogramma Meyrick,1938
- 1328. Donacaula dodatellus (Walker, 1864) (Pyralidae) Synonym(s): dodatellus Walker, 1864
- **1329. Drosophantis caeruleata (Hampson,1893)** (Pyralidae) Synonym(s): caeruleata Hampson,1893; cyanealis Hampson,1903; corusca Meyrick,1935

- 1330. Elophila melagynalis (Agassiz, 1978) (Pyralidae) Synonym(s): melagynalis Agassiz, 1978
- 1331. Elophila responsalis (Walker,[1866]) (Pyralidae) Synonym(s): responsalis Walker,[1866]; marmorea Meyrick, 1885
- 1332. Endotricha loricata Moore,1888 (Pyralidae) Synonym(s): loricata Moore,1888; ustalis Hampson,1903 nec Snell.,1880
- 1333. Endotricha albicilia Hampson, 1891 (Pyralidae) Synonym(s): albicilia Hampson, 1891
- 1334. Endotricha decessalis Walker, 1859 (Pyralidae) Synonym(s): decessalis Walker, 1859
- 1335. Endotricha mesenterialis (Walker,1859) (Pyralidae) Synonym(s): mesenterialis Walker,1859; suffusalis Walker,1859; obscura Butler,1886; eoidalis Snellen,1895
- 1336. Endotricha ruminalis (Walker,1859) (Pyralidae) Synonym(s): ruminalis Walker,1859; ibycusalis Walker,1859; symphonialis Hampson,1893
- 1337. Endotricha similata (Moore, 1888) (Pyralidae) Synonym(s): similata Moore, 1888
- 1338. Eoophyla sejunctalis (Snellen, 1876) (Pyralidae) Synonym(s): sejunctalis Snellen, 1876; delicate Moore, 1887
- 1339. Eristena postalbalis Hampson, 1891 (Pyralidae) Synonym(s): postalbalis Hampson, 1891
- 1340. Eristena pulchellalis (Hampson, 1893) (Pyralidae) Synonym(s): pulchellalis Hampson, 1893
- 1341. Eschata xanthocera Hampson, 1896 (Pyralidae) Synonym(s): xanthocera Hampson, 1896
- 1342. Eschata xanthorhyncha Hampson, 1896 (Pyralidae) Synonym(s): xanthorhyncha Hampson, 1896
- 1343. Etiella grisea Hampson, 1903 (Pyralidae) Synonym(s): grisea Hampson, 1903; drososcia Meyrick, 1929.
- 1344. Etiella zinckenella (Treitschke,1832) (Pyralidae) Synonym(s): marginella Fabricius,1781 nec Den. & Schiff.,1775; zinckenella Treitschke,1832; etiella Treitschke,1835; majorellus Costa,1836; colonnellus Costa,1836; dymnusalis Walker,1859; heraldella Guenée,1862; anticalis Walker,1863; indicatalis Walker,1863; hastiferella Walker,1866; decipiens Staudinger,1870; spartiella Rondani,1876; sabulinus Butler,1879; madagascariensis Saalmüller,1880; schisticolor Zeller,1881; villosella Hulst,1887; rubribasella Hulst,1890; #tiella Pinbey,1975.
- 1345. Euclasta (s.str.) defamatalis (Walker, 1859) (Pyralidae) Synonym(s): defamatalis Walker, 1859
- 1346. Euclasta (s.str.) filigeralis Lederer, 1863 (Pyralidae) Synonym(s): filigeralis Lederer, 1863
- 1347. Euglyphis procopia (Cramer, 1782) (Pyralidae) Synonym(s): procopia Cramer, 1782
- 1348. Eurrhyparodes bracteolalis (Zeller,1852) (Pyralidae) Synonym(s): bracteolalis Zeller,1852; plumbalis Guenée,1854; accesalis Walker,1859; stibialis Snellen,1880; #mambarelis Strand,1920
- 1349. Eurrhyparodes tricoloralis (Zeller,1852) (Pyralidae) Synonym(s): tricoloralis Zeller,1852; abnegatalis Walker,1859; confusalis W.Warren,1896; #tricolaris Klima,1939
- **1350. Euzophera (s.str.) perticella Ragonot,1888** (Pyralidae) Synonym(s): perticella Ragonot,1888; nilghirisella Ragonot,1901.
- 1351. Euzopherodes albicans Hampson, 1899 (Pyralidae) Synonym(s): albicans Hampson, 1899
- 1352. Faveria leucophaeella (Zeller,1867) (Pyralidae) Synonym(s): leucophaeella Zeller,1867; hyemalis Butler,1880; atratella Ragonot,1888; siderella Ragonot,1888; pernigerella Ragonot,1889.
- 1353. Gargela renatusalis (Walker,1859) (Pyralidae) Synonym(s): renatusalis Walker,1859; subpurella Walker,1864; ermineus Moore,1864; erminea Meyrick,1887; crambidalis Snellen,1893; renatalis Meyrick,1894
- 1354. **Glyphodes bicolor (Swainson,[1821])** (Pyralidae) Synonym(s): bicolor Swainson,[1821]; perspicillalis Zeller,1852; diurnalis Guenée,1854; parvalis Walker,[1866]
- 1355. Glyphodes bivitralis Guenée, 1854 (Pyralidae) Synonym(s): bivitralis Guenée, 1854; alitalis Hulst, 1886
- 1356. Glyphodes caesalis Walker, 1859 (Pyralidae) Synonym(s): caesalis Walker, 1859
- 1357. Glyphodes stolalis Guenée, 1854 (Pyralidae) Synonym(s): stolalis Guenée, 1854; substolalis Snellen, 1899
- 1358. Guastica semilutea Walker, 1863 (Pyralidae) Synonym(s): semilutea Walker, 1863
- 1359. Gyrtona cyclogramma (Hampson, 1896) (Pyralidae) Synonym(s): cyclogramma Hampson, 1896
- 1360. Gyrtona oppositalis (Walker, 1863) (Pyralidae) Synonym(s): oppositalis Walker, 1863
- 1361. Haimbachia flavalis (Hampson, 1919) (Pyralidae) Synonym(s): flavalis Hampson, 1919
- 1362. Haimbachia lunilinealis (Hampson, 1919) (Pyralidae) Synonym(s): lunilinealis Hampson, 1919
- 1363. Haimbachia strigulalis (Hampson,1896) (Pyralidae) Synonym(s): strigulalis Hampson,1896; cantoniellus Caradja,1926; cantoniellus Wu,1938
- 1364. Haritalodes derogata (Fabricius,1775) (Pyralidae) Synonym(s): derogata Fabricius,1775; multilinealis Guenée,1854; salomealis Walker,1859; otysalis Walker,1859; basipunctalis Bremer,1864; anuligeralis Walker,[1866]; obliqualis Lucas,1898
- 1365. **Hellula undalis (Fabricius,1781)** (Pyralidae) Synonym(s): undalis Fabricius,1781; lunulalis Costa,1836; alconalis Walker,1859; exemptalis Walker,[1866]; geyri Rothschild,1915; occidentalis De Joannis,1930; reniculus Pajni & Rose,1977
- 1366. Hemiscopis suffusalis (Walker, 1865) (Pyralidae) Synonym(s): suffusalis Walker, 1865
- 1367. Hendecasis duplifascialis (Hampson, 1891) (Pyralidae) Synonym(s): duplifascialis Hampson, 1891
- 1368. **Heortia vitessoides (Moore,[1885])** (Pyralidae) Synonym(s): vitessoides Moore,[1885]; #vitissoides Hutacharern & Tubtim,1995
- 1369. Herculia imbecilis (Moore, 1885) (Pyralidae) Synonym(s): imbecilis Moore, 1885
- 1370. Herculia nigrivitta (Walker,1863) (Pyralidae) Synonym(s): nigrivitta Walker,1863; fuscicosta Walker,1863; costigeralis Walker, [1866]; fuscicostalis Snellen,1880; obstans Meyrick,1936
- 1371. Herculia tenuis (Butler, 1880) (Pyralidae) Synonym(s): tenuis Butler, 1880; rhodocryptalis Cotes & Swinhoe, 1889
- 1372. Herpetogramma cynaralis (Walker, 1859) (Pyralidae) Synonym(s): cynaralis Walker, 1859; quadriguttalis Walker, [1866]; marginalis Moore, 1886; epitrota Meyrick, 1887
- 1373. Herpetogramma licarsisalis (Walker, 1859) (Pyralidae) Synonym(s): licarsisalis Walker, 1859; pharaxalis Walker, 1859; immundalis Walker, [1866]; fumidalis Walker, [1866]; serotinalis De Joannis, 1889; #licarsialis Rebel, 1939

- 1374. Herpetogramma phaeopteralis (Guenée,1854) (Pyralidae) Synonym(s): phaeopteralis Guenée,1854; vecordalis Guenée,1854; vecordalis Guenée,1854; vestalis Walker,1859; triarialis Walker,1859; ostreusalis Walker,1859; neloalis Walker,1859; abstrusalis Walker,1859; additalis Walker,1862; plebejalis Lederer,1863; cellatalis Walker,1866; tridentalis Snellen,1872; communalis Snellen,1875; intricatalis Möschler,1890 nec Led.,1863; #phoeopteralis Hampson,1896; #phoeopteralis Viette,1957
- 1375. Hvidodes laticostalis (Guénee, 1854) (Pyralidae) Synonym(s): laticostalis Guénee, 1854
- 1376. Hyalobathra illectalis (Walker,1859) (Pyralidae) Synonym(s): illectalis Walker,1859; niveicilialis Snellen,1880; albofimbrialis Snellen,1880; unicolor W.Warren,1895
- 1377. **Hyalobathra undulinea (Hampson,1891)** (Pyralidae) Synonym(s): undulinea Hampson,1891
- 1378. Hydriris ornatalis (Duponchel,1832) (Pyralidae) Synonym(s): ornatalis Duponchel,1832; saturnalis Treitschke,1835; deciusalis Walker,1859; invenustalis Walker,[1866]; fraterna Butler,1875; pulchellalis Mabille,1880 nec Mill.,1873; bifascialis Heeger,1938; orientalis Yamanaka,1972
- 1379. **Hymenia perspectalis (Hübner,1796)** (Pyralidae) Synonym(s): perspectalis Hübner,1796; primordialis Zeller,1852; exportalis Guenée,1854; rhinthonalis Walker,1859; phrasiusalis Walker,1859; spilotalis Saalmüller,1880
- 1380. Hyphantidium albicostale (Walker, 1863) (Pyralidae) Synonym(s): albicostale Walker, 1863
- 1381. Hypsipyla elachistalis Hampson, 1903 (Pyralidae) Synonym(s): elachistalis Hampson, 1903
- 1382. Hypsipyla robusta (Moore,[1886]) (Pyralidae) Synonym(s): robusta Moore,[1886]; pagodella Ragonot,1888; terebrans Olliff,1890; scabriusculella Ragonot,1893
- 1383. Hypsopygia postflava (Hampson, 1893) (Pyralidae) Synonym(s): postflava Hampson, 1893
- 1384. Epicrocis festivella Zeller,1848 (Pyralidae) Synonym(s): festivella Zeller,1848; ratoalis Walker,1859; albigeralis Walker,1865; tinealella Walker,1866; joannisella Ragonot,1888
- 1385. Epicrocis hilarella (Ragonot, 1888) (Pyralidae) Synonym(s): bilarella Ragonot, 1888
- 1386. Canthelea oegnusalis (Walker,1859) (Pyralidae) Synonym(s): oegnusalis Walker,1859; lateritialis Walker,1863; gratella Walker,1863; concolorella Walker,1866; stibiella Snellen,1872; punctigera Butler,1880; laxalis Swinboe,1885; africana Janse,1942
- 1387. Indomalayia flabellifera (Hampson, 1896) (Pyralidae) Synonym(s): flabellifera Hampson, 1896
- 1388. Indomyrlaea eugraphella (Ragonot, 1888) (Pyralidae) Synonym(s): eugraphella Ragonot, 1888
- 1389. Ischnurges gratiosalis (Walker, 1859) (Pyralidae) Synonym(s): gratiosalis Walker, 1859
- 1390. Ischnurges octoguttalis (R.Felder & Rogenhofer,1874) (Pyralidae) Synonym(s): octoguttalis R.Felder & Rogenhofer,1874
- 1391. Isocentris filalis (Guenée,1854) (Pyralidae) Synonym(s): filalis Guenée,1854; rhodophilalis Walker,[1866]; amoenalis Walker,[1866]; dives Butler,1870
- 1392. Kaurava rufimarginella (Hampson, 1896) (Pyralidae) Synonym(s): rufimarginella Hampson, 1896
- 1393. Ketambeia venustella (Hampson, 1896) (Pyralidae) Synonym(s): venustella Hampson, 1896
- 1394. Lamoria adaptella (Walker,1863) (Pyralidae) Synonym(s): adaptella Walker,1863; planalis Walker,1863; foedella Walker,1866; fusconervella Ragonot,1888; anella Hampson,1896 nec Denis & Schiffermüller, [1775].
- 1395. Lamoria anella ([Denis & Schiffermüller],1775) (Pyralidae) Synonym(s): anella [Denis & Schiffermüller],1775
- 1396. Lamprosema charesalis (Walker, 1859) (Pyralidae) Synonym(s): charesalis Walker, 1859
- 1397. Lamprosema chysorycta (Meyrick, 1884) (Pyralidae) Synonym(s): chysorycta Meyrick, 1884
- 1398. Lamprosema commixta (Butler, 1879) (Pyralidae) Synonym(s): commixta Butler, 1879
- 1399. Lamprosema indicata (Fabricius,1775) (Pyralidae) Synonym(s): indicata Fabricius,1775; vulgalis Guenée,1854; sabalis Walker,1859; moeliusalis Walker,1859; reductalis Walker,1865; connexalis Walker,[1866]; dolosalis Möschler,1881; dnopheralis Mabille,1900; lionnetalis Legrand,1965
- 1400. **Lepidogma melanolopha Hampson,1912** (Pyralidae) Synonym(s): melanolopha Hampson,1912; dubia Wileman & South,1917
- 1401. Leucinodes apicalis Hampson, 1896 (Pyralidae) Synonym(s): apicalis Hampson, 1896
- 1402. Leucinodes orbonalis Guenée, 1854 (Pyralidae) Synonym(s): orbonalis Guenée, 1854
- 1403. Leucoides fuscicostalis Hampson, 1893 (Pyralidae) Synonym(s): fuscicostalis Hampson, 1893
- 1404. Locastra muscosalis (Walker,[1866]) (Pyralidae) Synonym(s): muscosalis Walker,[1866]
- 1405. Loryma recusata (Walker,[1863]) (Pyralidae) Synonym(s): recusata Walker,[1863]; venosella Walker,1866; philornis Meyrick,1937
- 1406. Loxostege crocalis (Hampson, 1891) (Pyralidae) Synonym(s): crocalis Hampson, 1891
- 1407. Luma flavalis Hampson, 1893 (Pyralidae) Synonym(s): flavalis Hampson, 1893
- **1408.** Luma flavimarginalis Hampson,1907 (Pyralidae) Synonym(s): flavimarginalis Hampson,1907; #flavimarginalia Henning,1992
- 1409. Mabra eryxalis (Walker,1859) (Pyralidae) Synonym(s): eryxalis Walker,1859; velatalis Snellen,1892; crocobaphes Turner,1937
- 1410. Macalla margarita (Butler,1879) (Pyralidae) Synonym(s): margarita Butler,1879; lativitta Moore,1888; conjuncta W.Warren,1895; rufitinctalis W.Warren,1895.
- 1411. Macalla nubilosa (Moore, 1888) (Pyralidae) Synonym(s): nubilosa Moore, 1888
- 1412. Macalla validalis (Walker, 1865) (Pyralidae) Synonym(s): validalis Walker, 1865; minor Moore, 1888; fumosalis W.Warren, 1895
- 1413. Massepha absolutalis Walker, 1859 (Pyralidae) Synonym(s): absolutalis Walker, 1859; pollutalis Snellen, 1880; marginalis Swinhoe, 1906

- 1414. Mesolia margistrigella Hampson,1899 (Pyralidae) Synonym(s): margistrigella Hampson,1899
- 1415. Mesolia pandavella Ragonot, 1888 (Pyralidae) Synonym(s): pandavella Ragonot, 1888
- 1416. Metoeca foedalis (Guenée,1854) (Pyralidae) Synonym(s): foedalis Guenée,1854; tenellalis Guenée,1854; leucothoalis Walker,1859; soitalis Walker,1859; scitalis Lederer,1863; epispila Meyrick,1886; pseudofoedalis Strand,1913; #cantonalis Caradja,1925
- 1417. Micraglossa distictalis Hampson,1908 (Pyralidae) Synonym(s): distictalis Hampson,1908
- 1418. Mimudea brevialis (Walker, 1859) (Pyralidae) Synonym(s): brevialis Walker, 1859
- 1419. Mimudea flavofimbriata (Moore, 1888) (Pyralidae) Synonym(s): flavofimbriata Moore, 1888
- 1420. Musotima acclaralis (Walker, 1859) (Pyralidae) Synonym(s): acclaralis Walker, 1859
- 1421. Musotima suffusalis (Hampson, 1893) (Pyralidae) Synonym(s): suffusalis (Hampson, 1893)
- 1422. Mussidia pectincornella (Hampson, 1896) (Pyralidae) Synonym(s): pectincornella Hampson, 1896
- 1423. Nausinoe geometralis (Guenée,1854) (Pyralidae) Synonym(s): geometralis Guenée,1854; #geometricalis Lederer, 1863
- 1424. Nausinoe perspectata (Fabricius,1775) (Pyralidae) Synonym(s): perspectata Fabricius,1775; #perpectata Hutacharern & Tubtim,1995
- 1425. Nevrina procopia (Stoll,1781) (Pyralidae) Synonym(s): procopia Stoll,1781
- 1426. Niphopyralis albida Hampson, 1893 (Pyralidae) Synonym(s): albida Hampson, 1893; suffidalis Swinhoe, 1895
- 1427. Niphopyralis contaminata Hampson, 1893 (Pyralidae) Synonym(s): contaminata Hampson, 1893
- 1428. Niphopyralis nivalis Hampson,1893 (Pyralidae) Synonym(s): nivalis Hampson,1893
- 1429. Noorda blitealis Walker,1859 (Pyralidae) Synonym(s): blitealis Walker,1859; subjectalis Walker,[1866]; bolocrossa Meyrick,1902
- 1430. Notarcha quaternalis (Zeller,1852) (Pyralidae) Synonym(s): quaternalis Zeller,1852
- 1431. Nymphicula blandialis (Walker,1859) (Pyralidae) Synonym(s): blandialis Walker,1859; cuneifera Moore,[1885]
- 1432. Nymphicula nigritalis (Hampson, 1893) (Pyralidae) Synonym(s): nigritalis Hampson, 1893
- 1433. Nymphula depunctalis (Guenée,1854) (Pyralidae) Synonym(s): depunctalis Guenée,1854; decussalis Walker,1859; vestigialis Snellen,1880; dianalis Schaus,1905
- **1434. Nymphula foedalis (Guenée,1854)** (Pyralidae) Synonym(s): foedalis Guenée,1854 tenellalis Guenée,1854; leucothoalis Walker,1859; oethonalis Walker,1859; scitalis Lederer,1863; solitaris Walker,1865; epispila Meyrick,1886; cantonalis Caradja,1925
- 1435. Nymphula grisealis Hampson,1912 (Pyralidae) Synonym(s): grisealis Hampson,1912
- 1436. Nymphula hampsoni (South,1901) (Pyralidae) Synonym(s): hampsoni South,1901
- 1437. Nymphula spilomelalis (Walker,1859) (Pyralidae) Synonym(s): spilomelalis Walker,1859
- 1438. Ocrasa nonusalis Walker, 1859 (Pyralidae) Synonym(s): nonusalis Walker, 1859
- 1439. Oligostigma alicialis Hampson,1906 (Pyralidae) Synonym(s): alicialis Hampson,1906
- 1440. Oligostigma araeale Hampson, 1897 (Pyralidae) Synonym(s): araeale Hampson, 1897
- 1441. Oligostigma dianale Hampson, 1893 (Pyralidae) Synonym(s): dianale Hampson, 1893
- 1442. Oligostigma fumibasale Hampson, 1896 (Pyralidae) Synonym(s): fumibasale Hampson, 1896
- 1443. Oligostigma melanotalis Hampson, 1906 (Pyralidae) Synonym(s): melanotalis Hampson, 1906
- 1444. Oligostigma niveinotatum Hampson, 1893 (Pyralidae) Synonym(s): niveinotatum Hampson, 1893
- 1445. Oligostigma ornata (Moore, 1885) (Pyralidae) Synonym(s): ornata Moore, 1885; ornatum Hampson, 1893
- 1446. Oligostigma picalis (Guenée, 1854) (Pyralidae) Synonym(s): picalis Guenée, 1854; picale Hampson, 1893
- 1447. **Omiodes diemenalis (Guenée,1854)** (Pyralidae) Synonym(s): diemenalis Guenée,1854; absistalis Walker,1859; lydialis Walker,1859; ustalis Lederer,1863; incertalis Walker,[1866]; pyraustalis Snellen,[1880].
- 1448. Omiodes unialis (Guenée, 1854) (Pyralidae) Synonym(s): unialis Guenée, 1854
- 1449. Omphisa anastomosalis (Guenée, 1854) (Pyralidae) Synonym(s): anastomosalis Guenée, 1854
- 1450. Omphisa illisalis (Walker, 1859) (Pyralidae) Synonym(s): illisalis Walker, 1859
- 1451. Orthaga euadrusalis Walker, 1858 (Pyralidae) Synonym(s): euadrusalis Walker, 1858
- 1452. Orthoraphis obfuscata Hampson (Pyralidae) Synonym(s): obfuscata Hampson
- 1453. Ostrinia furnacalis (Guenée,1854) (Pyralidae) Synonym(s): furnacalis Guenée,1854; damoalis Walker,1859; salentialis Snellen,1880; kodzukalis Matsumura,1897; polygoni Dyar,1905; vastatrix Schultze,1908
- 1454. Pagyda botysalis (Snellen,1880) (Pyralidae) Synonym(s): botysalis Snellen,1880; aurantialis Hampson,1893
- 1455. Paliga damastesalis (Walker, 1859) (Pyralidae) Synonym(s): damastesalis Walker, 1859
- 1456. Paliga machaeralis (Walker,1859) (Pyralidae) Synonym(s): machaeralis Walker,1859; egenalis Lederer,1863; suavalis Walker,1865; rufipicta Butler,1880; fimbriata Moore,1886; albicostalis Swinhoe,1890; fuscicostalis Swinhoe,1894; #macheralis Koçak & Kemal,2009
- 1457. **Palpita actorionalis (Walker,1859)** (Pyralidae) Synonym(s): actorionalis Walker,1859; jovialis R.Felder & Rogenhofer,1875; zelleri Lederer,1863
- 1458. Palpita annulata (Fabricius,1794) (Pyralidae) Synonym(s): annulata Fabricius,1794; celsalis Walker,1859; partialis Lederer,1863; ardealis R.Felder & Rogenhofer,1875; inusitata Butler,1879.
- 1459. Palpita eurytusalis (Walker, 1859) (Pyralidae) Synonym(s): eurytusalis Walker, 1859
- 1460. Palpita glauculalis (Guenée, 1854) (Pyralidae) Synonym(s): glauculalis Guenée, 1854
- 1461. Palpita marinata (Fabricius, 1794) (Pyralidae) Synonym(s): marinata Fabricius, 1794
- 1462. Palpita negatalis (Walker, 1859) (Pyralidae) Synonym(s): negatalis Walker, 1859

- 1463. Palpita nigropunctalis (Bremer, 1864) (Pyralidae) Synonym(s): nigropunctalis Bremer, 1864
- 1464. Palpita pyloalis (Walker, 1859) (Pyralidae) Synonym(s): pyloalis Walker, 1859
- 1465. Paracataclysta fuscalis (Hampson,1893) (Pyralidae) Synonym(s): fuscalis Hampson,1893; nyctopis Meyrick,1894
- 1466. Paracymoriza vagalis (Walker, 1865) (Pyralidae) Synonym(s): vagalis Walker, 1865
- 1467. Parapoynx crisonalis (Walker,1859) (Pyralidae) Synonym(s): crisonalis Walker,1859; hebraicalis Snellen,1880; myina Meyrick,1885; incurvalis South,1901; takamukui Shibuya,1929
- 1468. Parapoynx diminutalis Snellen,1880 (Pyralidae) Synonym(s): diminutalis Snellen,1880; dicentra Meyrick, 1885; pallida Butler, 1886
- 1469. Parapoynx fluctuosalis (Zeller,1852) (Pyralidae) Synonym(s): fluctuosalis Zeller,1852; linealis Guenée,1854; chrysippusalis Walker,1859; obitalis Walker,1859; curta Butler,1879; luteivittalis Mabille,1880; cryzalis Wood-Mason,1885.
- 1470. Parapoynx villidalis (Walker, 1859) (Pyralidae) Synonym(s): villidalis Walker, 1859; sacadasalis Walker, 1859; unilinealis Snellen, 1876; villidale Hampson, 1896
- 1471. **Parapoynx votalis (Walker, 1859)** (Pyralidae) Synonym(s): votalis Walker, 1859
- 1472. **Parotis marinata (Fabricius,1794)** (Pyralidae) Synonym(s): marinata Fabricius,1794; psittacalis Hübner,[1825]; maliferalis Walker,[1866]; planalis W.Warren,1896; advena Hering,1901
- 1473. Patissa curvilinealis Hampson, 1896 (Pyralidae) Synonym(s): curvilinealis Hampson, 1896
- 1474. Patissa erythrozonalis Hampson, 1896 (Pyralidae) Synonym(s): erythrozonalis Hampson, 1896
- 1475. Patissa lactealis R.Felder & Rogenhofer,1875 (Pyralidae) Synonym(s): lactealis R.Felder & Rogenhofer,1875
- 1476. Patissa virginea (Zeller, 1852) (Pyralidae) Synonym(s): virginea Zeller, 1852; multivagellus Swinhoe, 1886.
- 1477. Pediasia ochristrigella (Hampson,1896) (Pyralidae) Synonym(s): ochristrigella Hampson,1896, dumontellus Hartig, 1953.
- 1478. **Pelena unicolor Moore, 1886** (Pyralidae) Synonym(s): unicolor Moore, 1886
- 1479. **Pempelia morosalis (Saalmüller,1880)** (Pyralidae) Synonym(s): morosalis Saalmüller,1880
- 1480. Phostria obscurata (Moore, 1886) (Pyralidae) Synonym(s): obscurata Moore, 1886
- 1481. Phycita atrisquamella (Hampson, 1901) (Pyralidae) Synonym(s): atrisquamella Hampson, 1901
- 1482. Phycita clientella (Zeller, 1867) (Pyralidae) Synonym(s): clientella Zeller, 1867
- 1483. Phycita eulepidella Hampson,1896 (Pyralidae) Synonym(s): eulepidella Hampson,1896; jasminophaga Hampson,1896; recondita Turner,1904; similis Whalley,1962
- 1484. Phycita nodicornella (Ragonot, 1888) (Pyralidae) Synonym(s): nodicornella Ragonot, 1888
- 1485. Pinacia fulvidorsalis (Hübner, 1832) (Pyralidae) Synonym(s): fulvidorsalis Hübner, 1832
- 1486. Pitacanda spilosomoides Moore, 1886 (Pyralidae) Synonym(s): spilosomoides Moore, 1886
- 1487. Platytes acroperalis Hampson, 1908 (Pyralidae) Synonym(s): acroperalis Hampson, 1908
- 1488. Platytes fuscivenalis Hampson, 1896 (Pyralidae) Synonym(s): fuscivenalis Hampson, 1896
- 1489. Pleuroptya balteata (Fabricius,1798) (Pyralidae) Synonym(s): balteata Fabricius,1798; crocealis Duponchel,1831; aurantiacalis Fischer v. Roeslerstamm,1840; accipitralis Walker,[1866]; aurea Butler,1879; fraterna Moore,1886; evergestialis Strand,1918.
- 1490. Pleuroptya iopasalis (Walker, 1859) (Pyralidae) Synonym(s): iopasalis Walker, 1859
- 1491. Polygrammodes pectinicornalis (Guenée, 1854) (Pyralidae) Synonym(s): pectinicornalis Guenée, 1854
- 1492. Polygrammodes sabelialis (Guenée, 1854) (Pyralidae) Synonym(s): sabelialis Guenée, 1854
- 1493. Polythlipta divaricata Moore, 1886 (Pyralidae) Synonym(s): divaricata Moore, 1886
- 1494. Polythlipta macralis Lederer, 1863 (Pyralidae) Synonym(s): macralis Lederer, 1863
- 1495. **Pramadea fraterna (Moore, 1885)** (Pyralidae) Synonym(s): fraterna Moore, 1885
- 1496. Prasinoxena metaleuca Hampson,1912 (Pyralidae) Synonym(s): metaleuca Hampson,1912
- 1497. Pristathria akbarella (Ragonot, 1888) (Pyralidae) Synonym(s): akbarella Ragonot, 1888
- 1498. Pristathria mundalis (Walker, 1863) (Pyralidae) Synonym(s): mundalis Walker, 1863
- 1499. Proceras sacchariphagus (Bojer, 1856) (Pyralidae) Synonym(s): sacchariphagus Bojer, 1856; saccharellus Guenée, 1862; mauriciellus Walker, 1863; striatalis Snellen, 1891.
- 1500. Prooedema inscisalis (Walker,[1866]) (Pyralidae) Synonym(s): inscisalis Walker,[1866]; #incisalis Robinson, Tuck & Schaffer, 1994
- 1501. **Protonoceras capitalis (Fabricius,1794)** (Pyralidae) Synonym(s): capitalis Fabricius,1794
- 1502. Psara basalis (Walker,[1866]) (Pyralidae) Synonym(s): basalis Walker,[1866]; inanitalis Lederer, 1863
- 1503. Psara cynaralis (Walker, 1859) (Pyralidae) Synonym(s): cynaralis Walker, 1859
- 1504. **Psara hipponalis (Walker, 1859)** (Pyralidae) Synonym(s): hipponalis Walker, 1859
- 1505. Pseudocatharylla albiceps (Hampson,1912) (Pyralidae) Synonym(s): albiceps Hampson,1912
- **1506. Pseudocatharylla chionopepla (Hampson,1919)** (Pyralidae) Synonym(s): *chionostola Hampson,1919 nec Hampso,,1919; chionopepla Hampson,1919*.
- **1507. Pseudocatharylla duplicella (Hampson,1896)** (Pyralidae) Synonym(s): *duplicella Hampson,1896; anpingiellus Strand,1918; distinctellus Hampson,1919.*
- **1508. Pseudodavara haemaphoralis (Hampson,1908)** (Pyralidae) Synonym(s): haemaphoralis Hampson,1908
- 1509. Pycnarmon meritalis (Walker,1859) (Pyralidae) Synonym(s): meritalis Walker,1859; plexippusalis Walker,1859; baptalis Snellen,1880; annulata W.Warren,1896

- 1510. Pycnarmon virgatalis (Moore, 1867) (Pyralidae) Synonym(s): virgatalis Moore, 1867
- 1511. **Pygospila tyres (Cramer,[1780])** (Pyralidae) Synonym(s): tyres Cramer,[1780]; thyralis Hübner,[1825]; #tyresalis Guenée,1852; #tyridia Strand,1920.
- 1512. **Pyralis pictalis (Curtis,1834)** (Pyralidae) Synonym(s): pictalis Curtis,1834; pronoealis Walker,1859; bractiatella Walker,1863; elachia Butler,1879
- 1513. Pyrausta (s.str.) celatalis (Walker, 1859) (Pyralidae) Synonym(s): celatalis Walker, 1859
- 1514. **Pyrausta (s.str.) deductalis (Walker,1859)** (Pyralidae) Synonym(s): deductalis Walker,1859
- 1515. **Pyrausta (s.str.) machoeralis (Walker,1859)** (Pyralidae) Synonym(s): machoeralis Walker,1859
- 1516. **Pyrausta (s.str.) obliquata (Moore,1888)** (Pyralidae) Synonym(s): obliquata Moore,1888
- 1517. **Pyrausta (s.str.) testalis (Fabricius, 1794)** (Pyralidae) Synonym(s): testalis Fabricius, 1794
- 1518. Ramila acciusalis Walker, 1859 (Pyralidae) Synonym(s): acciusalis Walker, 1859
- 1519. Ramila ruficostalis Hampson, 1893 (Pyralidae) Synonym(s): ruficostalis Hampson, 1893
- 1520. Rehimena phrynealis (Walker, 1859) (Pyralidae) Synonym(s): phrynealis Walker, 1859
- **1521. Rhimphaliodes macrostigma Hampson,1893** (Pyralidae) Synonym(s): macrostigma Hampson,1893; cyclotypa Turner,1937
- 1522. Rhinaphe apotomella (Meyrick, 1879) (Pyralidae) Synonym(s): apotomella Meyrick, 1879
- 1523. Rhinaphe nigricostalis (Walker, 1863) (Pyralidae) Synonym(s): nigricostalis Walker, 1863
- 1524. Salma albifurcalis Hampson,1916 (Pyralidae) Synonym(s): albifurcalis Hampson,1916
- 1525. Salma nubilalis (Hampson, 1893) (Pyralidae) Synonym(s): nubilalis Hampson, 1893
- **1526. Sameodes cancellalis (Zeller,1852)** (Pyralidae) Synonym(s): cancellalis Zeller,1852; pipleisalis Walker,1859; lepidalis Walker,1859; meridionalis Walker,[1866]; trithyralis Snellen,1880
- 1527. Sandrabatis crassiella Ragonot, 1893 (Pyralidae) Synonym(s): crassiella Ragonot, 1893
- 1528. Schoenobius adjurellus Walker,1863 (Pyralidae) Synonym(s): adjurellus Walker,1863; brunnescens Moore,1888
- 1529. Schoenobius costalis Moore, 1887 (Pyralidae) Synonym(s): costalis Moore, 1887
- 1530. Schoenobius dodatellus Walker,1864 (Pyralidae) Synonym(s): dodatellus Walker,1864; aditellus Walker,1864.
- 1531. Schoenobius immeritalis Walker,1859 (Pyralidae) Synonym(s): immeritalis Walker,1859; decursella Walker,1863
- 1532. Schoenobius incertellus (Walker, 1863) (Pyralidae) Synonym(s): incertellus Walker, 1863
- 1533. Schoenobius minutellus Zeller, 1863 (Pyralidae) Synonym(s): minutellus Zeller, 1863
- 1534. Schoenobius punctellus Zeller,1863 (Pyralidae) Synonym(s): punctellus Zeller,1863; bipunctifer Walker,1863; gratiosellus Walker,1864.
- 1535. Scirpophaga fusciflua Hampson, 1893 (Pyralidae) Synonym(s): fusciflua Hampson, 1893
- 1536. Scirpophaga incertulas (Walker,1863) (Pyralidae) Synonym(s): incertulas Walker,1863; ?admotella Walker,1863; punctellus Zeller,1863; minutellus Zeller,1863; bipunctifera Walker,1863; gratiosellus Walker,1864; #ncertulas Hutacharern & Tubtim,1995.
- 1537. Scirpophaga nivella (Fabricius,1794) (Pyralidae) Synonym(s): nivella Fabricius,1794; chrysorrhoa Zeller,1863; auriflua Zeller,1863; brunnescens Moore,1888; celidias Meyrick,1894; euclastalis Strand,1918.
- 1538. Scirpophaga whalleyi Lewvanich, 1981 (Pyralidae) Synonym(s): mhalleyi Lewvanich, 1981
- 1539. Scirpophaga xanthogastrella (Walker,1863) (Pyralidae) Synonym(s): xanthogastrella Walker,1863; costalis Moore,1886.
- 1540. Scoparia albifusalis Hampson,1907 (Pyralidae) Synonym(s): albifusalis Hampson,1907
- 1541. Scoparia congestalis Walker, 1859 (Pyralidae) Synonym(s): congestalis Walker, 1859
- **1542. Scoparia murificalis Walker,1859** (Pyralidae) Synonym(s): murificalis Walker,1859; truncicolella Butler,1899 nec Stt.,1849
- 1543. Spatulipalpia pallicostalis (Walker, 1863) (Pyralidae) Synonym(s): pallicostalis Walker, 1863
- 1544. Spoladea recurvalis (Fabricius,1775) (Pyralidae) Synonym(s): recurvalis Fabricius,1775; fascialis Cramer,[1782]; recurvella Zincken,1818; diffascialis Hübner,[1825]; albifacialis Boisduval,1833; animalis Guenée,1854; exodias Meyrick,1904; formosana Shiraki,1910.
- 1545. Stenachroia elongella Hampson, 1898 (Pyralidae) Synonym(s): elongella Hampson, 1898
- 1546. Stenia spodinopa (Meyrick, 1894) (Pyralidae) Synonym(s): spodinopa Meyrick, 1894
- 1547. Stericta divitalis (Guenée, 1854) (Pyralidae) Synonym(s): divitalis Guenée, 1854
- 1548. Sufetula rectifascialis Hampson, 1896 (Pyralidae) Synonym(s): rectifascialis Hampson, 1896
- 1549. Sufetula sunidesalis Walker, 1859 (Pyralidae) Synonym(s): sunidesalis Walker, 1859; albicans Walker, 1863; flexalis Walker, 1863; choreutalis Snellen, 1880.
- 1550. Prionapteryx invectalis (Walker, 1863) (Pyralidae) Synonym(s): invectalis Walker, 1863; thysbesalis Walker, 1863
- 1551. **Prionapteryx nigrifascialis (Walker,1865)** (Pyralidae) Synonym(s): nigrifascialis Walker,1865; albirenella Walker,1866
- 1552. Syllepte chalybifascia Hampson, 1896 (Pyralidae) Synonym(s): chalybifascia Hampson, 1896
- 1553. Syllepte crotonalis (Walker, 1859) (Pyralidae) Synonym(s): erotonalis Walker, 1859
- **1554. Syllepte dificiens (Moore,1887)** (Pyralidae) Synonym(s): dificiens Moore,1887
- 1555. Syllepte dissipatalis (Lederer, 1863) (Pyralidae) Synonym(s): dissipatalis Lederer, 1863

- 1556. Syllepte jopasalis (Walker, 1859) (Pyralidae) Synonym(s): jopasalis Walker, 1859
- 1557. Syllepte lunalis (Guenée, 1854) (Pyralidae) Synonym(s): lunalis Guenée, 1854
- 1558. Syllepte multilinealis (Guenée, 1854) (Pyralidae) Synonym(s): multilinealis Guenée, 1854
- 1559. Syllepte ultimalis (Walker, 1859) (Pyralidae) Synonym(s): ultimalis Walker, 1859
- **1560. Symmoracma minoralis (Snellen,1880)** (Pyralidae) Synonym(s): minoralis Snellen,1880; spodinopa Meyrick,1894; fuliginosa Rothschild,1916; spodinopella Strand,1919
- 1561. Symphonia multipictalis Hampson,1896 (Pyralidae) Synonym(s): multipictalis Hampson,1896
- 1562. Symphonia trivitralis (W.Warren, 1895) (Pyralidae) Synonym(s): trivitralis W.Warren, 1895; fenestralis W.Warren, 1896
- **1563. Synclera traducalis (Zeller,1852)** (Pyralidae) Synonym(s): traducalis Zeller,1852; retinalis Lederer,1857; univocalis Walker,1859; achatinalis Guenée,1862
- 1564. Syngamia falsidicalis (Walker, 1859) (Pyralidae) Synonym(s): falsidicalis Walker, 1859
- 1565. Syngamia latimarginalis (Walker,1859) (Pyralidae) Synonym(s): latimarginalis Walker,1859; jucundalis Lederer,1863; versicolor W.Warren,1896
- **1566.** Talanga sexpunctalis (Moore, 1877) (Pyralidae) Synonym(s): sexpunctalis Moore, 1877
- 1567. Tamraca torridalis (Lederer, 1863) (Pyralidae) Synonym(s): torridalis Lederer, 1863
- 1568. **Terastia meticulosalis Guenée,1854** (Pyralidae) Synonym(s): meticulosalis Guenée,1854; quadratalis Walker,1865; coeligenalis Hulst,1886
- 1569. Terastia subjectalis Lederer,1863 (Pyralidae) Synonym(s): subjectalis Lederer,1863; quadratalis Walker,[1866]
- 1570. Thagora castanella Hampson, 1896 (Pyralidae) Synonym(s): castanella Hampson, 1896
- 1571. Thagora figurana Walker, 1863 (Pyralidae) Synonym(s): figurana Walker, 1863
- 1572. Thiallela ligeralis (Walker, 1863) (Pyralidae) Synonym(s): ligeralis Walker, 1863
- 1573. Thopeutis galleriellus (Ragonot, 1892) (Pyralidae) Synonym(s): galleriellus Ragonot, 1892; canicostalis Hampson, 1896; unicolor De Joannis, 1910; submedianalis Hampson, 1919; buxtoni Rotschild, 1921; chretienellus Dumont, 1930; maculalis Predota. 1934; hederalis Amsel. 1935.
- 1574. Thylacoptila paurosema Meyrick,1885 (Pyralidae) Synonym(s): paurosema Meyrick,1885; maculella
- 1575. **Tirathaba rufivena (Walker,1864)** (Pyralidae) Synonym(s): rufivena Walker,1864; rufovenalis Snellen,1880; acrocausta Meyrick,1897; fuscolimbalis Snellen,1900; ignivena Hampson,1917; distorta Turner,1937.
- 1576. Trachylepidia fructicassiella Ragonot, 1887 (Pyralidae) Synonym(s): fructicassiella Ragonot, 1887
- 1577. Hendecasis duplifascialis Hampson, 1891 (Pyralidae) Synonym(s): duplifascialis Hampson, 1891
- 1578. Triphassa bilineata (Moore, 1887) (Pyralidae) Synonym(s): bilineata Moore, 1887
- **1579. Udea ferrugalis (Hübner,1796)** (Pyralidae) Synonym(s): ferruginalis Rossi,1794; ferrugalis Hübner,1796; #ferrugalis Hübner,1796; martialis Guenée,1854; hypatialis Walker,1859; testacea Butler,1879
- 1580. Vitessa (suradeva-gr.) suradeva Moore,[1860] (Pyralidae) Synonym(s): suradeva Moore,[1860]
- 1581. Volobilis biplaga Walker, 1863 (Pyralidae) Synonym(s): biplaga Walker, 1863
- 1582. Volobilis chloropterella (Hampson, 1896) (Pyralidae) Synonym(s): chloropterella Hampson, 1896

#### Roeslerstammiidae

1583. Telethera blepharacma Meyrick, 1913 (Roeslerstammiidae) Synonym(s): blepharacma Meyrick, 1913

#### Saturniidae

- 1584. Actias selene (Hübner, 1806) (Saturniidae) Synonym(s): selene Hübner, 1806; #dianae Hutton, 1846
- 1585. Antheraea (s.str.) cingalesa Moore, 1883 (Saturniidae) Synonym(s): cingalesa Moore, 1883
- 1586. Attacus atlas (Linnaeus, 1758) (Saturniidae) Synonym(s): atlas Linnaeus, 1758
- 1587. Cricula trifenestrata (Helfer, 1837) (Saturniidae) Synonym(s): trifenestrata Helfer, 1837
- 1588. Samia cynthia (Drury,1773) (Saturniidae) Synonym(s): cynthia Drury,1773; aylanti Motschulsky,1858; walkeri C.Felder & R.Felder,1862; ailanthi Weil,1863; parisiensis Clemens,1899; advena Watson,1912; eulouvaina Watson,1914

# **Scythridae**

- 1589. Eretmocera impactella (Walker, 1864) (Scythridae) Synonym(s): impactella Walker, 1864
- 1590. Scythris chelota Meyrick, 1906 (Scythridae) Synonym(s): chelota Meyrick, 1906
- 1591. "Clavigera" chrysoptera Kallies & Arita,2004 (Sesiidae) Synonym(s): chrysoptera Kallies & Arita,2004

# **Sphingidae**

- **1592. Acherontia lachesis (Fabricius,1798)** (Sphingidae) Synonym(s): lachesis Fabricius,1798; morta Hübner,[1819]; charon Billberg,1820; satanas Boisduval,1836; lethe Westwood,1847; circe Moore,[1858]; sojejimae Matsumura,1909.
- 1593. Acherontia styx (Westwood,1847) (Sphingidae) Synonym(s): styx Westwood,1847; ariel Boisduval,[1875]; #stax Lewranich,2001
- 1594. Acosmeryx anceus (Stoll, [1781]) (Sphingidae) Synonym(s): anceus Stoll, [1781]
- **1595. Acosmeryx shervillii Boisduval,[1875]** (Sphingidae) Synonym(s): *shervillii Boisduval,[1875]; cinerea* Butler, 1875; pseudonaga Butler, 1881
- 1596. Agrius convolvuli (Linnaeus,1758) (Sphingidae) Synonym(s): convolvuli Linnaeus,1758; abadonna Fabricius,1798; pseudofasciatus Koch,1865; pseudoconvolvuli Schaufuss,1870; orientalis Butler,1876; distans Butler,1876; batatae Christ,1882; nigricans Cannaviello,1900; ichangensis Tutt,1904; javanensis Tutt,1904; tahitiensis Tutt,1904; indica Skell,1913; marshallensis Clark,1922; aksuensis O.Bang-Haas,1927
- 1597. Ambulyx moorei Moore,[1858] (Sphingidae) Synonym(s): moorei Moore,[1858]; subocellata R.Felder & Rogenhofer,1874; chinensis Mell,1922; bakeri Clark,1929
- 1598. Ambulyx semifervens (Walker,[1865]) (Sphingidae) Synonym(s): semifervens Walker,[1865]
- 1599. Ambulyx substrigilis (Westwood, 1847) (Sphingidae) Synonym(s): substrigilis Westwood, 1847
- 1600. Amplypterus panopus (Cramer, [1779]) (Sphingidae) Synonym(s): panopus Cramer, [1779]
- 1601. Angonyx testacea (Walker, 1856) (Sphingidae) Synonym(s): testacea Walker, 1856; menghaiensis Meng, 1991
- 1602. Cephonodes hylas (Linnaeus, 1771) (Sphingidae) Synonym(s): hylas Linnaeus, 1771
- 1603. Cephonodes picus (Cramer,[1777]) (Sphingidae) Synonym(s): picus Cramer,[1777]
- 1604. Clanis phalaris (Cramer,[1777]) (Sphingidae) Synonym(s): phalaris Cramer,[1777]
- 1605. Cypa ferruginea Walker, 1864 (Sphingidae) Synonym(s): ferruginea Walker, 1864
- **1606. Daphnis hypothous (Cramer,[1780])** (Sphingidae) Synonym(s): hypothous Cramer,[1780]
- **1607. Daphnis nerii (Linnaeus,1758)** (Sphingidae) Synonym(s): nerii Linnaeus,1758; infernelutea Saalmüller,1884; #confluens Closs,1912; #nigra Schmidt,1914; bipartita Gehlen,1934.
- 1608. Daphnusa ocellaris Walker, 1856 (Sphingidae) Synonym(s): ocellaris Walker, 1856
- **1609. Gnathothlibus erotus (Cramer,[1777])** (Sphingidae) Synonym(s): *erotus Cramer,*[1777]
- 1610. Hippotion boerhaviae (Fabricius, 1775) (Sphingidae) Synonym(s): boerhaviae Fabricius, 1775
- 1611. **Hippotion celerio (Linnaeus,1758)** (Sphingidae) Synonym(s): celerio Linnaeus,1758; tisiphone Linnaeus,1758; inquilinus Harris,1780; phoenix Oken,1815; ocys Hübner,[1819]; albolineatus Montrousier,1864
- 1612. **Hippotion rafflesii (Moore,[1858])** (Sphingidae) Synonym(s): rafflesii Moore,[1858]
- 1613. **Hippotion velox (Fabricius,1793)** (Sphingidae) Synonym(s): velox Fabricius,1793; phoenyx Herrich-Schäffer,[1856]
- 1614. Leucophlebia (s.str.) hogenesi Eitschberger,2003 (Sphingidae) Synonym(s): hogenesi Eitschberger,2003
- 1615. Leucophlebia (s.str.) lineata Westwood, 1847 (Sphingidae) Synonym(s): lineata Westwood, 1847
- 1616. Leucophlebia (s.str.) rosacea Butler, 1875 (Sphingidae) Synonym(s): rosacea Butler, 1875
- 1617. Macroglossum affictitium Butler, 1875 (Sphingidae) Synonym(s): affictitia Butler, 1875
- 1618. Macroglossum belis (Linnaeus, 1758) (Sphingidae) Synonym(s): belis Linnaeus, 1758
- 1619. Macroglossum glaucopterum Butler, 1875 (Sphingidae) Synonym(s): glaucoptera Butler, 1875
- 1620. Macroglossum gyrans Walker, 1856 (Sphingidae) Synonym(s): gyrans Walker, 1856
- **1621. Macroglossum insipidum Butler,1875** (Sphingidae) Synonym(s): *insipidum Butler,1875*; *sinensis Mell,1922*
- 1622. Macroglossum mitchellii Boisduval,[1875] (Sphingidae) Synonym(s): mitchellii Boisduval,[1875]
- 1623. Macroglossum passalum (Drury,[1773]) (Sphingidae) Synonym(s): passalus Drury,[1773]; rectifascia R.Felder,1874
- 1624. Macroglossum prometheum Boisduval,[1875] (Sphingidae) Synonym(s): prometheus Boisduval,[1875]
- **1625. Macroglossum pyrrhostictum Butler,1875** (Sphingidae) Synonym(s): pyrrhostictum Butler,1875; fukiensis Chu & Wang,1980
- 1626. Macroglossum sitiene Walker, 1856 (Sphingidae) Synonym(s): sitiene Walker, 1856
- 1627. Macroglossum sylvium (Boisduval,[1875]) (Sphingidae) Synonym(s): sylvia Boisduval,[1875]
- 1628. Macroglossum troglodytum Boisduval, [1875] (Sphingidae) Synonym(s): troglodytus Boisduval, [1875]
- **Marumba dyras (Walker,1856)** (Sphingidae) Synonym(s): dyras Walker,1856; ceylonica Moore,1883
- 1630. Megacorma obliqua (Walker,1856) (Sphingidae) Synonym(s): obliqua Walker,1856
- 1631. Meganoton nyctiphanes (Walker, 1856) (Sphingidae) Synonym(s): nyctiphanes Walker, 1856
- 1632. Nephele hespera (Fabricius, 1775) (Sphingidae) Synonym(s): didyma Fabricius, 1775; hespera Fabricius, 1775
- 1633. Pergesa actea (Cramer,1779) (Sphingidae) Synonym(s): acteus Cramer,1779
- 1634. Polyptychus trilineatus Moore, 1888 (Sphingidae) Synonym(s): trilineatus Moore, 1888
- 1635. **Psilogramma menephron (Cramer,[1780])** (Sphingidae) Synonym(s): menephron Cramer,[1780]
- **1636. Theretra alecto (Linnaeus,1758)** (Sphingidae) Synonym(s): alecto Linnaeus,1758; cretica Boisduval,1827; freyeri Kirby,1892; transcaspica O.Bang-Haas,1927; intermissa Gehlen,1941.
- 1637. Theretra boisduvalii (Bugnion, 1839) (Sphingidae) Synonym(s): boisduvalii Bugnion, 1839

- 1638. Theretra clotho (Drury, [1773]) (Sphingidae) Synonym(s): clotho Drury, [1773]
- 1639. Theretra latreillii Macleay, [1826] (Sphingidae) Synonym(s): latreillii Macleay, [1826]
- 1640. Theretra lycetus (Cramer, 1775) (Sphingidae) Synonym(s): hycetus Cramer, 1775
- 1641. Theretra nessus (Drury,[1773]) (Sphingidae) Synonym(s): nessus Drury,[1773]
- **1642.** Theretra oldenlandiae (Fabricius,1775) (Sphingidae) Synonym(s): oldenlandiae Fabricius,1775; olivacens Mell,1922
- 1643. Theretra pallicosta (Walker, 1856) (Sphingidae) Synonym(s): pallicosta Walker, 1856
- 1644. Theretra silhetensis (Walker, 1856) (Sphingidae) Synonym(s): silhetensis Walker, 1856

# Stathmopodidae

- 1645. Stathmopoda auriferella (Walker, 1864) (Stathmopodidae) Synonym(s): auriferella Walker, 1864; divisa Walsingham, 1891; ischnotis Meyrick, 1897; crocophanes Meyrick, 1897; theoris Meyrick, 1906; tharsalea Meyrick, 1914; adulatrix Meyrick, 1917; cirrhapis Meyrick, 1922
- 1646. Stathmopoda diplaspis (Meyrick, 1887) (Stathmopodidae) Synonym(s): diplaspis Meyrick, 1887
- 1647. Stathmopoda hexatyla Meyrick, 1907 (Stathmopodidae) Synonym(s): hexatyla Meyrick, 1907
- 1648. Stathmopoda iners Meyrick, 1913 (Stathmopodidae) Synonym(s): iners Meyrick, 1913
- 1649. Stathmopoda masinissa Meyrick,1906 (Stathmopodidae) Synonym(s): masinissa Meyrick,1906
- 1650. Stathmopoda stimulata Meyrick,1913 (Stathmopodidae) Synonym(s): stimulata Meyrick,1913
- 1651. Stathmopoda triloba Meyrick,1913 (Stathmopodidae) Synonym(s): triloba Meyrick,1913

#### Stenomidae

1652. Acria obtusella (Walker, 1864) (Stenomidae) Synonym(s): obtusella Walker, 1864; nycterodes Meyrick, 1905

#### **Thyatiridae**

1653. Thyatira repugnans Walker, 1865 (Thyatiridae) Synonym(s): repugnans Walker, 1865

## **Thyridae**

- 1654. Addaea trimeronalis (Walker,1859) (Thyridae) Synonym(s): trimeronalis Walker,1859; beliopsamma Meyrick,1886
- 1655. Banisia lobata (Moore, 1882) (Thyridae) Synonym(s): lobata Moore, 1882
- **1656. Banisia myrsusalis (Walker,1859)** (Thyridae) Synonym(s): *myrsusalis Walker,1859; pyraliata Moore,1882; zonula Swinhoe,1885; myrsalis Turner,1911*
- 1657. Calindoea argentalis (Walker,[1866]) (Thyridae) Synonym(s): argentalis Walker,[1866]
- 1658. Dixoa albatalis (Swinhoe, 1889) (Thyridae) Synonym(s): albatalis Swinhoe, 1889
- **1659. Dysodia ignita (Walker,1865)** (Thyridae) Synonym(s): ignita Walker,1833; inaequalis Walker,1865; rajah Boisduval,1874; siculoides R.Felder & Rogenhofer,1875; ypsiloides Pagenstecher,1892; incudigera Pagenstecher,1892; taprobana Moore,1885
- 1660. Dysodia viridatrix (Walker, 1858) (Thyridae) Synonym(s): viridatrix Walker, 1858; siccifolia Moore, 1881
- 1661. **Hypolamprus angulalis (Moore,1888)** (Thyridae) Synonym(s): angulalis Moore,1888
- 1662. Hypolamprus lepraota Hampson, 1910 (Thyridae) Synonym(s): lepraota Hampson, 1910
- 1663. Hypolamprus striatalis (Swinhoe, 1885) (Thyridae) Synonym(s): striatalis Swinhoe, 1885
- 1664. Hypolamprus stylophorus (Swinhoe, 1895) (Thyridae) Synonym(s): stylophorus Swinhoe, 1895
- 1665. Hypolamprus subrosealis (Leech, 1898) (Thyridae) Synonym(s): subrosealis Leech, 1898
- 1666. Obelura dohertyi (W.Warren,1897) (Thyridae) Synonym(s): dohertyi W.Warren,1897; stenosoma Hampson,1898; nigriflexa W.Warren,1905; longistriata W.Warren,1907
- **1667. Pharambara splendida Butler, 1887** (Thyridae) Synonym(s): *splendida Butler, 1887*
- 1668. Rhodoneura argentalis (Walker,1865) (Thyridae) Synonym(s): argentalis Walker,1865; tuberosalis W.Warren,1896
- **1669. Rhodoneura bastialis (Walker,1859)** (Thyridae) Synonym(s): bastialis Walker,1859; furcatula Pagenstecher,1892
- 1670. Rhodoneura discopis Hampson,1910 (Thyridae) Synonym(s): discopis Hampson,1910
- 1671. Rhodoneura disparalis Hampson,1910 (Thyridae) Synonym(s): disparalis Hampson,1910
- 1672. Rhodoneura intimalis (Moore,1888) (Thyridae) Synonym(s): intimalis Moore,1888; ulterior W.Warren,1896; compunctalis W.Warren,1898
- 1673. Rhodoneura loceusalis (Walker, 1859) (Thyridae) Synonym(s): loceusalis Walker, 1859
- 1674. Rhodoneura micacealis (Walker,1865) (Thyridae) Synonym(s): micacealis Walker,1865; disjunctalis Walker,1865; papuensis Pagenstecher,1886; occlusa W. Warren,1897

- **Rhodoneura myrsusalis (Walker, 1859)** (Thyridae) Synonym(s): 1675. myrsusalis Walker, 1859; elaralis Walker, 1859; idalialis Walker, 1859;
- Rhodoneura nitens (Butler, 1887) (Thyridae) Synonym(s): nitens Butler, 1887; hamifera Moore, 1888; ancylosema Meyrick, 1894; atribasalis W. Warren, 1899
- Striglina glareola (R.Felder & Rogenhofer, 1875) (Thyridae) Synonym(s): glareola R.Felder & Rogenbofer, 1875; decussata Moore, 1883; sordida Pagenstecher, 1892; platyntis Meyrick, 1894; duplicifimbria W. Warren, 1896
- Striglina scitaria (Walker, 1862) (Thyridae) Synonym(s): scitaria Walker, 1862; pyriniata Walker, 1862; navigatorum R.Felder & Rogenhofer, 1875; lineola Guenée, 1877; thermesioides Snellen, 1877; cancellata Christoph, 1880; vialis Moore, 1883; superior Butler, 1887; strigosa Moore, 1888; strigipennis Moore, 1888; henrici Snellen, 1890

#### **Tineidae**

- 1679. Amphixystis artiphanes (Meyrick,1915) (Tineidae) Synonym(s): artiphanes Meyrick,1915
- 1680. Amphixystis cincinnata (Meyrick,1915) (Tineidae) Synonym(s): cincinnata Meyrick,1915
- 1681. Amphixystis commatias (Meyrick,1915) (Tineidae) Synonym(s): commatias Meyrick,1915
- Amphixystis copidora (Meyrick,1915) (Tineidae) Synonym(s): copidora Meyrick,1915 1682.
- Amphixystis heteroclina (Meyrick, 1915) (Tineidae) Synonym(s): heteroclina Meyrick, 1915 1683.
- Amphixystis ligyropa (Meyrick, 1915) (Tineidae) Synonym(s): ligyropa Meyrick, 1915 1684.
- 1685. Amphixystis tachygrapha (Meyrick, 1915) (Tineidae) Synonym(s): tachygrapha Meyrick, 1915
- Hapsifera seclusella (Walker, 1864) (Tineidae) Synonym(s): seclusella Walker, 1864 1686.
- Dasyses rugosella (Stainton,1859) (Tineidae) Synonym(s): 1687. rugosella Stainton, 1859; hirsutella Walsingham, 1881
- Edosa opsigona (Meyrick,1911) (Tineidae) Synonym(s): opsigona Meyrick,1911; nepalensis Petersen,1982; 1688. neoopsigona Rose & Pathania,2003
- Gerontha captiosella Walker, 1864 (Tineidae) Synonym(s): 1689. captiosella Walker, 1864; #capna Diakonoff, [1968]
- 1690. Harmaclona tephrantha (Meyrick,1916) (Tineidae) Synonym(s): tephrantha Meyrick,1916
- Lazocatena othello (Meyrick,1907) (Tineidae) Synonym(s): othello Meyrick,1907 1691.
- Monopis impressella (Walker, 1863) (Tineidae) Synonym(s): impressella Walker, 1863 1692.
- Morophaga (sistrata-gr.) sistrata (Meyrick,1916) (Tineidae) Synonym(s): sistrata Meyrick,1916 1693.
- Opogona amphicausta Meyrick,1907 (Tineidae) Synonym(s): amphicausta Meyrick,1907 1694.
- Opogona doxophanes Meyrick, 1915 (Tineidae) Synonym(s): doxophanes Meyrick, 1915 1695.
- 1696. Opogona flavofasciata (Stainton, 1859) (Tineidae) Synonym(s): flavofasciata Stainton, 1859; objectella Walker,1864
- Opogona fumiceps R.Felder & Rogenhofer,[1875] (Tineidae) Synonym(s): fumiceps R.Felder & 1697. Rogenhofer, [1875]
- Opogona lamprophanes Meyrick, 1915 (Tineidae) Synonym(s): lamprophanes Meyrick, 1915 1698.
- 1699. Opogona orchestris Meyrick, 1911 (Tineidae) Synonym(s): orchestris Meyrick, 1911
- Opogona percnodes Meyrick, 1910 (Tineidae) Synonym(s): percnodes Meyrick, 1910 1700.
- Opogona stathmota Meyrick,1911 (Tineidae) Synonym(s): stathmota Meyrick,1911 1701.
- Opogona tergemina Meyrick, 1915 (Tineidae) Synonym(s): tergemina Meyrick, 1915 1702.
- 1703. Opogona trigonomis Meyrick, 1907 (Tineidae) Synonym(s): trigonomis Meyrick, 1907
- Perissomastix (s.str.) othello (Meyrick, 1907) (Tineidae) Synonym(s): othello Meyrick, 1907 1704.
- Phaeoses chalinota (Meyrick, 1910) (Tineidae) Synonym(s): chalinota Meyrick, 1910 1705.
- 1706. Phaeoses chloracma (Meyrick, 1907) (Tineidae) Synonym(s): chloracma Meyrick, 1907
- Spatularia mimosae (Stainton,1859) (Tineidae) Synonym(s): 1707. mimosae Stainton, 1859; seminivora Walsingham, 1899; fuligineella Deventer, 1904; ophionota Meyrick, 1907
- Thisizima bubalopa Meyrick, 1911 (Tineidae) Synonym(s): bubalopa Meyrick, 1911 1708.
- **Tinea translucens Meyrick,1917** (Tineidae) Synonym(s): 1709. translucens Meyrick,1917; metonella Pierce & Metcalfe, 1934; leonhardi G. Petersen, 1957; margaritacea Gozmany, 1967; forficata Gozmany, 1968.
- **Tineovertex melanochrysus (Meyrick,1911)** (Tineidae) Synonym(s): melanochrysus Meyrick,1911; **1710.** #melanochryseus Moriuti, 1982
- Tinissa torvella Walker, 1864 (Tineidae) Synonym(s): torvella Walker, 1864 1711.
- Wegneria lachanitis (Meyrick, 1906) (Tineidae) Synonym(s): lachanitis Meyrick, 1906 1712.

# **Tortricidae**

- Acanthoclita acrocroca Diakonoff,1982 (Tortricidae) Synonym(s): acrocroca Diakonoff,1982 1713.
- Acanthoclita balia Diakonoff,1982 (Tortricidae) Synonym(s): balia Diakonoff,1982 1714.
- 1715. Acanthoclita iridorphna (Meyrick, 1936) (Tortricidae) Synonym(s): iridorphna Meyrick, 1936
- 1716. Acleris extensana (Walker, 1863) (Tortricidae) Synonym(s): extensana Walker, 1863; divisana Walker, 1863 nec Hbn., [1813]; dictyodes Meyrick, 1907; agrioma Meyrick, 1920

- 1717. Acleris loxoscia (Meyrick, 1907) (Tortricidae) Synonym(s): loxoscia Meyrick, 1907
- 1718. Acleris sagmatias (Meyrick, 1905) (Tortricidae) Synonym(s): sagmatias Meyrick, 1905
- 1719. Acroclita cheradonta Meyrick, 1912 (Tortricidae) Synonym(s): cheradonta Meyrick, 1912
- 1720. Acroclita corinthia Meyrick,1912 (Tortricidae) Synonym(s): corinthia Meyrick,1912
- 1721. Acroclita neaera Meyrick,1912 (Tortricidae) Synonym(s): neaera Meyrick,1912
- 1722. Adoxophyes privatana (Walker,1863) (Tortricidae) Synonym(s): privatana Walker,1863; euryomis Meyrick,1902
- 1723. Aemulatrix aequilibra Diakonoff,1982 (Tortricidae) Synonym(s): aequilibra Diakonoff,1982
- 1724. **Age onychistica Diakonoff,1982** (Tortricidae) Synonym(s): onychistica Diakonoff,1982
- 1725. Anathamna megalozona Meyrick,1916 (Tortricidae) Synonym(s): megalozona Meyrick,1916
- 1726. Ancylis (Ancyloides) stenampyx Diakonoff,1982 (Tortricidae) Synonym(s): stenampyx Diakonoff,1982
- 1727. Ancylis ancorata Meyrick,1912 (Tortricidae) Synonym(s): ancorata Meyrick,1912
- 1728. Ancylis rostrifera Meyrick,1912 (Tortricidae) Synonym(s): rostrifera Meyrick,1912
- 1729. Ancylis tumida Meyrick,1912 (Tortricidae) Synonym(s): tumida Meyrick,1912
- 1730. Antaeola antaea (Meyrick,1912) (Tortricidae) Synonym(s): antaea Meyrick,1912
- 1731. Arcesis threnodes (Meyrick,1905) (Tortricidae) Synonym(s): threnodes Meyrick,1905; hemiopta Meyrick,1905; tetracona Meyrick,1907
- 1732. Archimaga pyractis Meyrick,1905 (Tortricidae) Synonym(s): pyractis Meyrick,1905
- 1733. Archips micaceanus (Walker, 1863) (Tortricidae) Synonym(s): micaceana Walker, 1863; epicyrta Meyrick, 1905; isocyrta Meyrick, 1920; obscura Diakonoff, 1939; eucroca Diakonoff, 1958
- 1734. Articolla cyclidias Meyrick,1907 (Tortricidae) Synonym(s): cyclidias Meyrick,1907
- 1735. Bactra (Chiloides) angulata Diakonoff,1956 (Tortricidae) Synonym(s): angulata Diakonoff,1956
- 1736. Bactra (Chiloides) cerata Meyrick, 1909 (Tortricidae) Synonym(s): cerata Meyrick, 1909
- 1737. Bactra (Chiloides) copidotis Meyrick,1909 (Tortricidae) Synonym(s): copidotis Meyrick,1909; phenacistis Meyrick,1909; commensalis Meyrick,1922; borealis Diakonoff,1964
- 1738. Bactra (Chiloides) leucogama Meyrick,1909 (Tortricidae) Synonym(s): leucogama Meyrick,1909
- 1739. Bactra (Chiloides) venosana (Zeller,1847) (Tortricidae) Synonym(s): venosana Zeller,1847; truculenta Meyrick,1909; scythropa Meyrick,1911; geraropa Meyrick,1932; banosii Gozmany,1960
- 1740. Bactra (Nannobactra) minima Meyrick,1909 (Tortricidae) Synonym(s): minima Meyrick,1909; phaeopis Meyrick,1911; anpingiana Strand,1920; microtripa Meyrick,1927
- 1741. Bactra tornastis Meyrick, 1909 (Tortricidae) Synonym(s): tornastis Meyrick, 1909
- 1742. Brachiolia egenella (Walker, 1864) (Tortricidae) Synonym(s): egenella Walker, 1864; obstinata Meyrick, 1908
- 1743. Bubonoxena ephippias (Meyrick, 1907) (Tortricidae) Synonym(s): ephippias Meyrick, 1907
- 1744. Capua retractana (Walker, 1863) (Tortricidae) Synonym(s): retractana Walker, 1863
- 1745. Cnesteboda haruspex (Meyrick, 1912) (Tortricidae) Synonym(s): haruspex Meyrick, 1912
- 1746. Costosa rhodantha (Meyrick, 1907) (Tortricidae) Synonym(s): rhodantha Meyrick, 1907
- 1747. Crusimetra verecunda Meyrick,1912 (Tortricidae) Synonym(s): verecunda Meyrick,1912
- 1748. Cryptaspasma (Allobrachygonia) brachyptycha (Meyrick,1911) (Tortricidae) Synonym(s): brachyptycha Meyrick,1911
- 1749. Cryptaspasma (Allobrachygonia) helota (Meyrick,1905) (Tortricidae) Synonym(s): helota Meyrick,1905
- 1750. Cryptophlebia encarpa (Meyrick,1920) (Tortricidae) Synonym(s): encarpa Meyrick,1920
- 1751. Cryptophlebia ombrodelta (Lower,1898) (Tortricidae) Synonym(s): ombrodelta Lower,1898; carpophaga Walsingham,1899; lasiandra Meyrick,1909; #lasiadra Hutacharern & Tubtim,1995; #ombodelta Hutacharern & Tubtim,1995
- 1752. Cryptophlebia rhynchias (Meyrick,1905) (Tortricidae) Synonym(s): rhynchias Meyrick,1905
- 1753. Cydia chelias (Meyrick, 1907) (Tortricidae) Synonym(s): chelias Meyrick, 1907
- 1754. Cydia dysaethria (Diakonoff,1982) (Tortricidae) Synonym(s): dysaethria Diakonoff,1982
- 1755. **Cydia leucostoma (Meyrick,1912)** (Tortricidae) Synonym(s): leucostoma Meyrick,1912
- 1756. Cydia obliqua (Diakonoff,1982) (Tortricidae) Synonym(s): obliqua Diakonoff,1982
- 1757. Cydia schizodelta (Diakonoff,1982) (Tortricidae) Synonym(s): schizodelta Diakonoff,1982
- 1758. Dactylioglypha tonica (Meyrick,1909) (Tortricidae) Synonym(s): tonica Meyrick,1909
- 1759. Dicephalarcha anemodes (Meyrick, 1912) (Tortricidae) Synonym(s): anemodes Meyrick, 1912
- 1760. Dicnecidia cataclasta Diakonoff,1982 (Tortricidae) Synonym(s): cataclasta Diakonoff,1982
- 1761. Dudua aprobola (Meyrick, 1886) (Tortricidae) Synonym(s): aprobola Meyrick, 1886; metallota Lower, 1901
- 1762. Dudua cellifera (Meyrick,1912) (Tortricidae) Synonym(s): cellifera Meyrick,1912; codonectis Meyrick,1927
- 1763. Dudua charadraea (Meyrick,1909) (Tortricidae) Synonym(s): charadraea Meyrick,1909; ptarmicopa Meyrick,1936
- 1764. **Epinotia canthonias (Meyrick,1920)** (Tortricidae) Synonym(s): canthonias Meyrick,1920
- 1765. Epinotia corvnetes Diakonoff, 1982 (Tortricidae) Synonym(s): corynetes Diakonoff, 1982
- 1766. Epinotia lantana (Busck,1910) (Tortricidae) Synonym(s): lantana Busck,1910; polyphaea Turner,1926; phaedropa Turner,1946; tornocosma Turner,1946; corynetes Diakonoff,1982
- 1767. Eucoenogenes ancyrota (Meyrick, 1907) (Tortricidae) Synonym(s): ancyrota Meyrick, 1907

- 1769. Eucosma capitulata (Meyrick, 1907) (Tortricidae) Synonym(s): capitulata Meyrick, 1907
- 1770. Eucosma cremnitis Meyrick,1912 (Tortricidae) Synonym(s): cremnitis Meyrick,1912
- 1771. Eucosma isogramma (Meyrick,1908) (Tortricidae) Synonym(s): isogramma Meyrick,1908
- 1772. Eucosma ocladias (Meyrick,1906) (Tortricidae) Synonym(s): ocladias Meyrick,1906
- 1773. Eucosma palmodes Meyrick, 1920 (Tortricidae) Synonym(s): palmodes Meyrick, 1920
- 1774. Eucosmogastra miltographa (Meyrick,1907) (Tortricidae) Synonym(s): miltographa Meyrick,1907; miltoxantha Meyrick,1911
- 1775. Eucosmogastra poetica (Meyrick,1909) (Tortricidae) Synonym(s): mosaica Meyrick,1907 (praeocc.); poetica Meyrick,1909
- 1776. Eudemis (s.str.) archimedius (Meyrick,1912) (Tortricidae) Synonym(s): archimedius Meyrick,1912; purpurissatana Clarck,1958 nec Kenn.,1901
- 1777. Eupoecilia anisoneura Diakonoff,1982 (Tortricidae) Synonym(s): anisoneura Diakonoff,1982
- 1778. Eupoecilia charixantha (Meyrick,1928) (Tortricidae) Synonym(s): charixantha Meyrick,1928
- 1779. Eupoecilia eucalypta (Meyrick,1928) (Tortricidae) Synonym(s): eucalypta Meyrick,1928
- 1780. Fulcrifera tricentra (Meyrick,1907) (Tortricidae) Synonym(s): tricentra Meyrick,1907; crocopa Meyrick,1907; pseudonectis Meyrick,1907
- 1781. Gatesclarkeana erotias (Meyrick,1905) (Tortricidae) Synonym(s): erotias Meyrick,1905
- 1782. Gnathmocerodes tonsoria (Meyrick,1909) (Tortricidae) Synonym(s): tonsoria Meyrick,1909
- 1783. Gypsonoma anthracitis Meyrick,1912 (Tortricidae) Synonym(s): anthracitis Meyrick,1912
- 1784. Hedya iophaea (Meyrick,1912) (Tortricidae) Synonym(s): iophaea Meyrick,1912
- 1785. **Heleanna physalodes (Meyrick,1910)** (Tortricidae) Synonym(s): physalodes Meyrick,1910
- 1786. Helictophanes dryocoma (Meyrick,1916) (Tortricidae) Synonym(s): dryocoma Meyrick,1916
- 1787. Hermenias implexa Meyrick, 1912 (Tortricidae) Synonym(s): implexa Meyrick, 1912
- 1788. Hermenias pachnitis Meyrick, 1912 (Tortricidae) Synonym(s): pachnitis Meyrick, 1912
- 1789. Hermenias palmicola Meyrick, 1912 (Tortricidae) Synonym(s): palmicola Meyrick, 1912
- 1790. Homona coffearia (Nieter,1861) (Tortricidae) Synonym(s): coffearia Nieter,1861; fasciculana Walker,1863; menciana Walker,1863; simulana Walker,1866; fimbriana Walker,1869; socialis Meyrick,1912
- 1791. Homona encausta (Meyrick,1907) (Tortricidae) Synonym(s): encausta Meyrick,1907
- 1792. Isodemis serpentinana (Walker,1863) (Tortricidae) Synonym(s): serpentinana Walker,1863; sulana Walker,1866
- 1793. Kennelia albifacies (Walsingham,1900) (Tortricidae) Synonym(s): albifacies Walsingham,1900; corthyntis Meyrick,1909
- 1794. Lobesia aeolopa Meyrick,1907 (Tortricidae) Synonym(s): aeolopa Meyrick,1907; proterandra Meyrick,1921; dryopelta Meyrick,1932; eustales Bradley,1956
- 1795. Lobesia genialis Meyrick, 1912 (Tortricidae) Synonym(s): genialis Meyrick, 1912
- 1796. Lobesia organica (Meyrick, 1920) (Tortricidae) Synonym(s): organica Meyrick, 1920
- 1797. Loboschiza koenigiana (Fabricius,1775) (Tortricidae) Synonym(s): koenigiana Fabricius,1775; #koenigana Fabricius,1787; aurantiana Pryer,1877; vulnerata Walsingham,1900; delectana Snellen,1902
- 1798. Lopharcha erioptila (Meyrick, 1912) (Tortricidae) Synonym(s): erioptila Meyrick, 1912
- 1799. Lopharcha halidora (Meyrick, 1908) (Tortricidae) Synonym(s): halidora Meyrick, 1908
- 1800. Lopharcha rapax (Meyrick,1908) (Tortricidae) Synonym(s): rapax Meyrick,1908
- 1801. Lopharcha siderota (Meyrick, 1918) (Tortricidae) Synonym(s): siderota Meyrick, 1918
- 1802. Lumaria minuta (Walker, 1863) (Tortricidae) Synonym(s): minuta Walker, 1863
- **1803.** Lumaria probolias (Meyrick,1907) (Tortricidae) Synonym(s): probolias Meyrick,1907; exalbescens Meyrick,1922
- 1804. Lumaria pusillana (Walker, 1863) (Tortricidae) Synonym(s): pusillana Walker, 1863
- 1805. Matsumuraeses trophiodes (Meyrick, 1908) (Tortricidae) Synonym(s): trophiodes Meyrick, 1908
- 1806. Megaherpystis melaneura (Meyrick,1912) (Tortricidae) Synonym(s): melaneura Meyrick,1912
- 1807. Megalota anceps (Meyrick,1909) (Tortricidae) Synonym(s): anceps Meyrick,1909
- 1808. Mehteria hemidoxa (Meyrick, 1907) (Tortricidae) Synonym(s): hemidoxa Meyrick, 1907
- 1809. Meridemis invalidana (Walker, 1863) (Tortricidae) Synonym(s): invalidana Walker, 1863
- 1810. Neocalyptis affinisana (Walker, 1863) (Tortricidae) Synonym(s): affinisana Walker, 1863
- 1811. Nexosa hexaphala (Meyrick,1912) (Tortricidae) Synonym(s): hexaphala Meyrick,1912
- 1812. Olethreutes anaplecta (Meyrick, 1909) (Tortricidae) Synonym(s): anaplecta Meyrick, 1909
- 1813. Olethreutes cerographa (Meyrick, 1907) (Tortricidae) Synonym(s): cerographa Meyrick, 1907
- 1814. Olethreutes corthyntis (Meyrick, 1909) (Tortricidae) Synonym(s): corthyntis Meyrick, 1909
- 1815. Olethreutes creserias (Meyrick, 1905) (Tortricidae) Synonym(s): creserias Meyrick, 1905
- 1816. Olethreutes sandycota (Meyrick, 1912) (Tortricidae) Synonym(s): sandycota Meyrick, 1912
- 1817. Ophiorrhabda cellifera (Meyrick,1912) (Tortricidae) Synonym(s): cellifera Meyrick,1912; codonectis Meyrick,1927; pottsi Clarke,1976

- 1818. Ophiorrhabda harmonica (Meyrick,1905) (Tortricidae) Synonym(s): harmonica Meyrick,1905; crocospila Meyrick, 1939
- 1819. Ophiorrhabda mormopa (Meyrick,1906) (Tortricidae) Synonym(s): mormopa Meyrick,1906; #melanocycla Common,1970
- 1820. Pammene isocampta Meyrick,1914 (Tortricidae) Synonym(s): isocampta Meyrick,1914
- 1821. Pammene peristictis Meyrick,1912 (Tortricidae) Synonym(s): peristictis Meyrick,1912
- 1822. Pammene theristis Meyrick,1912 (Tortricidae) Synonym(s): theristis Meyrick,1912
- **1823. Pammenemima ochropa (Meyrick,1905)** (Tortricidae) Synonym(s): ochropa Meyrick,1905; dissias Meyrick,1907
- 1824. Parabactra arenosa (Meyrick, 1909) (Tortricidae) Synonym(s): arenosa Meyrick, 1909
- 1825. Parabactra foederata (Meyrick, 1909) (Tortricidae) Synonym(s): foederata Meyrick, 1909
- 1826. Parabactra sociata (Meyrick,1909) (Tortricidae) Synonym(s): sociata Meyrick,1909
- 1827. Phricanthes flexilineana (Walker, 1863) (Tortricidae) Synonym(s): flexilineana Walker, 1863; macroura Lower, 1908
- 1828. Planostocha cumulata (Meyrick, 1907) (Tortricidae) Synonym(s): cumulata Meyrick, 1907
- 1829. Proschistis marmoropa (Meyrick,1907) (Tortricidae) Synonym(s): marmoropa Meyrick,1907
- 1830. **Proschistis zaleuta Meyrick,1907** (Tortricidae) Synonym(s): zaleuta Meyrick,1907
- 1831. Rhectogonia ancalota (Meyrick, 1907) (Tortricidae) Synonym(s): ancalota Meyrick, 1907
- 1832. Rhopobota chlorantha (Meyrick,1907) (Tortricidae) Synonym(s): chlorantha Meyrick,1907
- 1833. Rhopobota falcigera (Diakonoff,1950) (Tortricidae) Synonym(s): falcigera Diakonoff,1950
- 1834. Rhopobota grypodes (Meyrick,1912) (Tortricidae) Synonym(s): grypodes Meyrick,1912; vulturina Meyrick,1936
- 1835. Rhopobota multiplex (Meyrick,1911) (Tortricidae) Synonym(s): multiplex Meyrick,1911
- 1836. Rhopobota naevana (Hübner,[1817]) (Tortricidae) Synonym(s): unipunctana Haworth,1811 (praeocc.); naevana Hübner,[1817]; geminana Stephens,1852; luctiferana Walker,1863; vacciniana Packard,1869 (praeocc.); ilicifoliana Kearfott,1907; microrrbyncha Meyrick,1931; malivorella Matsumura,1931
- 1837. Rhopobota scleropa (Meyrick,1912) (Tortricidae) Synonym(s): scleropa Meyrick,1912
- **1838.** Sorolopha bryana (R.Felder & Rogenhofer,[1875]) (Tortricidae) Synonym(s): bryana R.Felder & Rogenhofer,[1875]
- 1839. Sorolopha compsitis (Meyrick,1912) (Tortricidae) Synonym(s): compsitis Meyrick,1912
- 1840. Sorolopha herbifera (Meyrick, 1909) (Tortricidae) Synonym(s): herbifera Meyrick, 1909
- 1841. Sorolopha phyllochlora (Meyrick,1905) (Tortricidae) Synonym(s): phyllochlora Meyrick,1905; ptilosema Meyrick,1916
- 1842. Sorolopha prasinias (Meyrick,1916) (Tortricidae) Synonym(s): prasinias Meyrick,1916
- 1843. Sorolopha semiculta (Meyrick,1909) (Tortricidae) Synonym(s): semiculta Meyrick,1909; heteraspis Meyrick,1936
- 1844. Spilonota melanocopa (Meyrick,1912) (Tortricidae) Synonym(s): melanocopa Meyrick,1912
- 1845. Spilonota rhothia Meyrick, 1910 (Tortricidae) Synonym(s): rhothia Meyrick, 1910
- 1846. Statherotis agitata (Meyrick,1909) (Tortricidae) Synonym(s): agitata Meyrick,1909
- 1847. Statherotis decorata Meyrick, 1909 (Tortricidae) Synonym(s): decorata Meyrick, 1909
- 1848. Statherotis leucapsis (Meyrick, 1902) (Tortricidae) Synonym(s): leucapsis Meyrick, 1902
- 1849. Statherotis relapsa Meyrick, 1928 (Tortricidae) Synonym(s): relapsa Meyrick, 1928
- 1850. Statherotoxys acrorhaga Diakonoff,1973 (Tortricidae) Synonym(s): acrorhaga Diakonoff,1973
- 1851. Statherotoxys hedraea (Meyrick, 1905) (Tortricidae) Synonym(s): hedraea Meyrick, 1905
- 1852. Strepsicrates rhothia (Meyrick, 1910) (Tortricidae) Synonym(s): rhothia Meyrick, 1910
- 1853. Syntozyga stagonophora Diakonoff,1973 (Tortricidae) Synonym(s): stagonophora Diakonoff,1973
- 1854. **Temnolopha mosaica Lower,1901** (Tortricidae) Synonym(s): mosaica Lower,1901; clydonias Meyrick,1907
- 1855. Thymioptila oedalea (Meyrick,1909) (Tortricidae) Synonym(s): oedalea Meyrick,1909; neolopha Meyrick,1931
- 1856. Triheteracra melanoxenia Diakonoff,1971 (Tortricidae) Synonym(s): melanoxenia Diakonoff,1971
- 1857. Trymalitis cataracta Meyrick,1907 (Tortricidae) Synonym(s): cataracta Meyrick,1907; optima Meyrick,1911; macarista Meyrick,1934
- 1858. Trymalitis margarias Meyrick, 1905 (Tortricidae) Synonym(s): margarias Meyrick, 1905
- 1859. Ulodemis trigrapha Meyrick,1907 (Tortricidae) Synonym(s): trigrapha Meyrick,1907; falsa Meyrick,1914

#### Uraniidae

- **1860. Dysaethria fulvihamata (Hampson,1912)** (Uraniidae) Synonym(s): fulvihamata Hampson,1912
- 1861. **Dysaethria quadricaudata (Walker,1861)** (Uraniidae) Synonym(s): quadricaudata Walker,1861; varisaria Walker,1861; subproximans W.Warren,1896
- **1862. Dysaethria scopocera (Hampson,1896)** (Uraniidae) Synonym(s): *scopocera Hampson,1896; formosibia Strand,1917*

- 1863. Epiplema conflictaria Walker, 1861 (Uraniidae) Synonym(s): conflictaria Walker, 1861; exprimataria Walker, 1861; diffiniaria Walker, 1861; secutaria Walker, 1866; parvula Moore, 1887; lilacina Moore, 1887
- 1864. Epiplema instabilata Walker, 1866 (Uraniidae) Synonym(s): instabilata Walker, 1866; insolita Walker, 1866; conchiferata Moore, 1887
- **1865. Epiplema irrorata Moore, 1887** (Uraniidae) Synonym(s): *irrorata Moore, 1887*
- **1866.** Epiplema latifasciata Moore, 1887 (Uraniidae) Synonym(s): latifasciata Moore, 1887
- **1867. Epiplema obscuraria Moore,1887** (Uraniidae) Synonym(s): *obscuraria Moore,1887*
- 1868. Epiplema rhagavata Walker,1861 (Uraniidae) Synonym(s): rhagavata Walker,1861; palaca Walker,1861; bidens R.Felder & Rogenhofer,1874
- 1869. Micronia aculeata Guenée,[1858] (Uraniidae) Synonym(s): aculeata Guenée,[1858]; sondaicata Guenée,[1858]
- **1870. Monobolodes ? prunaria (Moore,1887)** (Uraniidae) Synonym(s): prunaria Moore,1887; oribates West, 1932
- 1871. Monobolodes parvinigrata Holloway,1998 (Uraniidae) Synonym(s): parvinigrata Holloway,1998
- 1872. Phazaca leucocera (Hampson, 1891) (Uraniidae) Synonym(s): leucocera Hampson, 1891
- 1873. Pseudomicronia coelata Moore, 1887 (Uraniidae) Synonym(s): coelata Moore, 1887; fraterna Moore, 1887
- **1874. Strophidia caudata (Fabricius,1781)** (Uraniidae) Synonym(s): fasciata Cramer,1777 nec Sc.,1763; caudata Fabricius,1781; caudaria Hübner,[1823]; obtusata Guenée,1857
- 1875. Urapteroides astheniata (Guenée,[1858]) (Uraniidae) Synonym(s): astheniata Guenée,[1858]

# **Xyloryctidae**

- 1876. Chlorolychnis agnatella (Walker, 1864) (Xyloryctidae) Synonym(s): agnatella Walker, 1864
- 1877. Epichostis barathrias (Meyrick, 1908) (Xyloryctidae) Synonym(s): barathrias Meyrick, 1908
- 1878. Epichostis dicremna (Meyrick,1908) (Xyloryctidae) Synonym(s): dicremna Meyrick,1908
- 1879. Epichostis elephantias Meyrick, 1906 (Xyloryctidae) Synonym(s): elephantias Meyrick, 1906
- 1880. Epichostis melanocona (Meyrick,1908) (Xyloryctidae) Synonym(s): melanocona Meyrick,1908
- 1881. Epichostis metrodelta (Meyrick, 1905) (Xyloryctidae) Synonym(s): metrodelta Meyrick, 1905
- 1882. Epimactis infulata Meyrick, 1914 (Xyloryctidae) Synonym(s): infulata Meyrick, 1914
- 1883. Epimactis strombodes Meyrick,1914 (Xyloryctidae) Synonym(s): strombodes Meyrick,1914
- 1884. Epimactis talantias Meyrick, 1908 (Xyloryctidae) Synonym(s): talantias Meyrick, 1908
- 1885. Metathrinca ancistrias (Meyrick, 1906) (Xyloryctidae) Synonym(s): ancistrias Meyrick, 1906
- 1886. Metathrinca memnon Meyrick,1914 (Xyloryctidae) Synonym(s): memnon Meyrick,1914
- 1887. Metathrinca ophiura Meyrick, 1908 (Xyloryctidae) Synonym(s): ophiura Meyrick, 1908
- 1888. Metathrinca parabola (Meyrick,1914) (Xyloryctidae) Synonym(s): parabola Meyrick,1914
- 1889. Philarachnis xerophaga Meyrick, 1925 (Xyloryctidae) Synonym(s): xerophaga Meyrick, 1925

## **Yponomeutidae**

- **1890.** Acrolepia aleuritis Meyrick, 1913 (Yponomeutidae) Synonym(s): aleuritis Meyrick, 1913
- 1891. Acrolepiopsis corticosa (Meyrick,1913) (Yponomeutidae) Synonym(s): corticosa Meyrick,1913
- 1892. Acrolepiopsis manganeutis (Meyrick, 1913) (Yponomeutidae) Synonym(s): manganeutis Meyrick, 1913
- 1893. Anthonympha duplicata (Meyrick, 1913) (Yponomeutidae) Synonym(s): duplicata Meyrick, 1913

## Zygaenidae

- 1894. Callizygaena nivimacula R.Felder & Rogenhofer,1875 (Zygaenidae) Synonym(s): nivimacula R.Felder & Rogenhofer,1875
- 1895. **Cerodendra quadripunctata (Hampson,1892)** (Zygaenidae) Synonym(s): quadripunctata Hampson,1892
- 1896. Chalcosia pretiosa Walker, 1854 (Zygaenidae) Synonym(s): pretiosa Walker, 1854
- 1897. Cyclosia midama (Herrich-Schäffer,1853) (Zygaenidae) Synonym(s): midama Herrich-Schäffer,1853; venusta Walker,1854; submaculans Walker,1859; spilophila Walker,1869; juvenis Butler,1879; terpsichrois Butler,1883; stelligera Butler,1887; striata Druce,1891; padangana Jordan,1907
- **1898.** Cyclosia panthona (Stoll,[1780]) (Zygaenidae) Synonym(s): panthona Stoll,[1780]
- **1899. Eterusia aedea (Linnaeus,1763)** (Zygaenidae) Synonym(s): aedea Linnaeus,1763; edocla Doubleday,1844; signata Möschler,1872; magnifica Butler,1879; dulcis Butler,1881;
- 1900. Procotes diminuta (Walker, 1854) (Zygaenidae) Synonym(s): diminuta Walker, 1854
- 1901. Thyrassia subcordata (Walker,1854) (Zygaenidae) Synonym(s): subcordata Walker,1854; aurodisca Hampson,1891; subcaudata Swinboe,1892
- 1902. Thyrassia virescens (Hampson, 1892) (Zygaenidae) Synonym(s): virescens Hampson, 1892

1903. Trypanophora taprobanes Walker,1854 (Zygaenidae) Synonym(s): taprobanes Walker,1854; #traprobanes Kirby,1892

# **References:**

- **Anonymous**, 2008, Catalogue of Life: 2008 annual checklist.- <a href="http://www.catalogueoflife.org/annual-checklist/2008/">http://www.catalogueoflife.org/annual-checklist.-</a> <a href="http://www.catalogueoflife.org/annual-checklist/2008/">http://www.catalogueoflife.org/annual-checklist.-</a> <a href="http://www.catalogueoflife.org/annual-checklist/2008/">http://www.catalogueoflife.org/annual-checklist.-</a> <a href="http://www.catalogueoflife.org/annual-checklist/2008/">http://www.catalogueoflife.org/annual-checklist/2008/</a> [last accessed: 10.xi.2008].
- **Arenberger**, E., 1989, Beitrag zur Kenntnis der indo-australischen Pterophorus-Arten (Lepidoptera, Pterophoridae). Ent. Z., Frankf. a. M. 99(7): 81-88, 7 Abb. [available in Cesa Library]
- **Balint,Z. & K.Johnson**, 1997, Reformation of the Polyommatus section with a taxonomic and biogeographic overview (Lepidoptera, Lycaenidae, Polyommatini). Neue ent. Nachr. 40: 1-68, Pls., figs. [available in Cesa Library]
- **Bänziger,H.,** 1983, A taxonomic revision of the fruit and blood-sucking moths genus Calyptra Ochsenheimer [=Calpe Treitschke] (Lep., Noctuidae). Ent. scand. 14: 467-491, figs. [available in Cesa Library]
- **Bates, H.W.**, [1868], A Catalogue of Erycinidae, a family of Diurnal Lepidoptera. J. Linn. Soc. (Zool.) (1866) 9: 367-459.
- Beccaloni, G., Scoble, M., Kitching, I., Simonsen, T., Robinson, G., Pitkin, B., Hine, A. & C.Lyal, (Editors), 2003, The Global Lepidoptera Names Index (LepIndex). World Wide Web electronic publication. <a href="http://www.nhm.ac.uk/entomology/lepindex">http://www.nhm.ac.uk/entomology/lepindex</a> [accessed 19 February 2012]
- **Beck, H.,** 1992, New view of higher classification of the Noctuidae (Lepidoptera). Nota lepid. 15(1): 3-28, 7 figs. [available in Cesa Library]
- **Beck,H.,** 1996, Systematische Liste der Noctuidae Europas (Lepidoptera, Noctuidae). Neue ent. Nachr. 36: 1-122. [available in Cesa Library]
- **Behounek,G. & L.Ronkay**, 1999, On the taxonomy and biogeography of the Plusiinae of south-east Asia (Noctuidae, Plusiinae). Spixiana 22 (2): 109-142, figs. [available in Cesa Library]
- **Berio, E.**, 1955, Sulla distribuzione geografica della Noctua algira L. e sulle specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 85(9/10): 140-148, 24 figs. [available in Cesa Library]
- **Berio, E.**, 1956, Grammodes geometrica F. e le specie affini (Lep., Noctuidae). Boll. Soc. ent. ital. 86(3/4): 34-43, 12 figs. [available in Cesa Library]
- **Berio, E.,** 1956, Appunti su alcune specie del genere Calpe Tr. (Lep., Noctuidae). Memorie Soc. ent. ital. 35: 109-119, 20 figs. [available in Cesa Library]
- **Bleszynski,S.**, 1970, A revision of the world species of Chilo Zincken (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 25: 101-195, 5 pls. [available in Cesa Library]
- **Bleszynski,S.**, 1970, A revision of the oriental species of the genus Ancylolomia Hübner (Studies on the Crambinae, Lepidoptera, Pyralidae, part 49). Tijdschr. Ent. 113 (1): 27-43, 33 figs. [available in Cesa Library]
- **Bourgogne, J.**, 1951, Ordre des Lépidopteres, [in] Grassé, P.P., Traité de Zoologie. 10(1): 174-448, figs. 192-437, pls. Masson et C. Paris.
- **Brown, J.W.**, 2005, World Catalogue of Insects. vol. 5 Tortricidae 741 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [available in Cesa Library]
- **Bryk,F.**, 1912, Syntomidae. [in] Wagner,H., Lepidopterorum Catalogus Pars 7. 179pp. Dr.W.Junk Berlin. [available in Cesa Library]
- Bryk,F., 1936, Zygaenidae II. [in] Bryk,F., Lepidopterorum Catalogus Pars 71. 95-332 pp. Dr.W.Junk 's-Gravenhage. [available in Cesa Library]
- **Bryk,F.,** 1937, Arctiidae Subfam. Callimorphinae et Nyctemerinae. [in] Bryk,F., Lepidopterorum Catalogus Pars 82. 105 pp. Dr.W.Junk 's-Gravenhage. [available in Cesa Library]
- **Bucsek,K.**, 2008, Contribution to the knowledge of the genus Eugoa Walker,1858 (Lepidoptera, Arctiidae, Lithosiinae). Entomofauna 29 (26): 417-468, figs. [available in Cesa Library]
- **Butler**, A.G., 1868, Catalogue of Diurnal Lepidoptera of the family Satyridae in the Collection of the British Museum. 211 pp. 5 Pls. London. [available in Cesa Library]
- **Butler, A.G.**, 1870, Catalogue of diurnal lepidoptera described by Fabricius in the collection of the British Museum. 303 pp. 2 pls. London.
- **Butler, A.G.**, 1875, A list of the Lepidoptera referable to the genus Hypsa of Walker's list, with descriptions of new genera and species. Trans. ent. Soc. Lond. 1875 (4): 315-329. [available in Cesa Library]
- **Butler, A.G.,** 1875, Descriptions of thirty-three new or little known species of Sphingidae in the collection of the British Museum. Proc. zool. Soc. London 1875: 3-16, pls.1-2. [available in Cesa Library]
- **Butler, A.G.**, 1875, Descriptions of new species of Sphingidae. Proc. zool. Soc. London 1875: 238-261, pls.36-37. [available in Cesa Library]
- **Butler, A.G.**, 1875, Descriptions of several new species of Sphingidae. Proc. zool. Soc. London 1875: 621-623. [available in Cesa Library]

- Centre for Entomological Studies Ankara
- Butler, A.G., 1875, Revision of the genus Spilosoma and allied groups of the family Arctiidae. Cist. ent. 2: 21-44. [available in Cesa Library]
- Butler, A.G., 1876, Notes on the Lepidoptera of the family Zygaenidae with descriptions of new genera and species, J. linn, Soc. Lond., Zool. 12: 342-406, pls.xxvii-xxviii [available in Cesa Library]
- Butler, A.G., 1891, Revision of the noctuid moths in the Natural History Museum hitherto referred to Eriopus and Callopistria. Ann. Mag. nat. Hist. (6) 8: 70-78, plate ix. [available in Cesa Library]
- Butler, A.G., 1898, A revision of the species of the genus Hebomoia. Ann. Mag. nat. Hist. 7 (1): 289-293. [available in Cesa Library]
- Butler, A.G., 1898, Revision of the butterflies of the genus Ixias. Ann. Mag. nat. Hist. 7 (1): 133-143. [available in Cesa Library
- Butler, A.G., 1898, Revision of the Pierine butterflies of the genus Terias of the Old World. Ann. Mag. nat. Hist. 7 (1): 56-82. [available in Cesa Library]
- Butler, A.G., 1899, A revision of the Pierine genus Huphina, with notes on the seasonal phases and descriptions of new species. Ann. Mag. nat. Hist. (7) 3: 201-214. [available in Cesa Library]
- Chainey, J.E., 2005, The species of Papilionidae and Pieridae (Lepidoptera) described by Cramer and Stoll and their putative type material in the Natural History Museum in London, Zool. J. Linn, Soc. 145: 283-337, 43 figs. [available in Cesa Library]
- Chapman, T.A., 1910, On Zizeeria Chapman, Zizera Moore. A Group of Lycaenid Butterflies. Trans. ent. Soc. Lond. 1910 (4): 479-497, pl.51-60, 4 text figs. [available in Cesa Library]
- Choi, S.-W., 2000, A cladistic analysis of the Therini: A new synonym of the Cidariini (Lepidoptera, Geometridae, Larentiinae). Amer. Mus. Novit. 3295: 1-25, 61 figs., 3 tab. [available in Cesa Library]
- Choi, S.-W., 2001, Phylogeny of Eulithis Hübner and related genera (Lepidoptera, Geometridae) with an implication of wing pattern evolution. Amer. Mus. Novit. 3318: 1-37, 24 figs., 2 Tab. [available in Cesa Library]
- Clarke, J.F.G., 1958, Catalogue of the type specimens of Microlepidoptera in the British Museum (Natural History) described by Edward Meyrick. Vol. III. Tortricidae, Olethreutidae, Noctuidae. 600 pp., 298 Pls. London. [available in Cesa Library]
- Clerck, C., 1759-[1764], Icones Insectorum Rarioum cum Nominibus eorum Trivialibus, Locisque e C.Linnae. Sectio Primo: 1-12 pls. (1759); Sectio Secundo: 13-55 Pls. Holmiae. [available in Cesa Library]
- Cowan, C.F., 1966, Indo-Oriental Horagini (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 18: 103-141, 3 pls. [available in Cesa Library]
- Cowan, C.F., 1967, Indo-Oriental Cheritini (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 20: 75-103, 4 pls. [available in Cesa Library]
- Cowan, C.F., 1974, The Indo-Oriental genus Drupadia Moore (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 29 (6): 281-356, 6 Pls.
- Cramer, P., [1775], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: parts (1)-(7): xxx, 16 pp. 1-132, pls. 1-84, "1779". Amsterdam & Utrecht. [available in Cesa Library]
- Cramer, P., [1776], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 1: part (8): pp. 133-156, pls. 85-96, Amsterdam & Utrecht. [available in Cesa Library]
- Cramer, P., [1777], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 2: parts (9)-(16): pp. 1-152, pls. 97-192, Amsterdam & Utrecht. [available in Cesa Library]
- Cramer, P., [1779], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (17)-(21): pp. 1-104, pls. 193-252, Amsterdam & Utrecht. [available in Cesa Library]
- Cramer, P., [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 3: parts (22)-(24): pp. 105-176, pls. 253-288, Amsterdam & Utrecht. [available in Cesa Library]
- Cramer, P., [1780], Die Uitlandsche Kapellen voorkomende in de drie warelddeelen Asia, Africa en America 4: parts (25)-(26a): pp. 1-28, pls. 289-304, Amsterdam & Utrecht. [available in Cesa Library]
- D'Abrera, B., 1982, Butterflies of the Oriental Region 1. Papilionidae, Pieridae and Danaidae. xxi + 244 pp. Ferny Creek, Australia. [available in Cesa Library]
- D'Abrera, B., 1985, Butterflies of the Oriental Region 2. Nymphalidae, Satyridae and Amathusiidae 245-534 pp. Ferny Creek, Australia. [available in Cesa Library]
- D'Abrera, B., 1986, Butterflies of the Oriental Region 3. Lycaenidae and Riodinidae. 535-672 pp. Ferny Creek, Australia. [available in Cesa Library]
- Davis, D.R., 1989, Generic revision of the Opostegidae, with a synoptic catalog of the World's species (Lepidoptera, Nepticuloidea). Smithsonian Contr. Zool. 478: 1-97, figs. [available in Cesa Library]
- Davis, D.R., 1998, A world classification of the Harmacloninae, a new subfamily of Tineidae (Lepidoptera, Tineoidea). Smithsonian Contr. Zool. 597: iv+1-81 pp., Pls. [available in Cesa Library]
- Diakonoff, A., 1957, Remarks on Cryptophlebia Walsingham and related genera (Lepidoptera, Tortricidae, Olethreutinae). Tijdschr. Ent. 100 (2): 129-146, 23 figs. [available in Cesa Library]
- Diakonoff, A., 1957, Remarks on Cryptophlebia Walsingham and related genera (Lepidoptera, Tortricidae, Oleuthretinae). Tijdschr. Ent. 100: 129-146, figs. [available in Cesa Library]
- Diakonoff, A., 1959, Revision of Cryptaspasma Walsingham, 1900 (Lepidoptera, Tortricidae). Zool. Verh. 43: 1-60, 14 figs., 13 Pls. [available in Cesa Library]

- Centre for Entomological Studies Ankara
- **Diakonoff,A.,** 1964, Further records and descriptions of the species of Bactra Stephens (Tortricidae, Lepidoptera). Zool. Verh. 70: 1-81, 59 figs. [available in Cesa Library]
- **Diakonoff,A.,** 1971, South Asiatic Tortricidae from the Zoological Collection of the Bavarian State (Lepidoptera). Veröff. Zool. Staatssamml. München 15: 167-202, 15 figs. 7 pls. [available in Cesa Library]
- **Diakonoff,A.**, 1973, The South Asiatic Olethreutini (Lepidoptera, Tortricidae). Zool. Monogr. 1: xxi+700 pp., Pls. Rijksmuseum van Natuurlijke Historie, Leiden, E.J.Brill. [available in Cesa Library]
- **Dorp, K.van,** 2004, Molecular systematics of Lycaena F.,1807 (Lepidoptera, Lycaenidae) some preliminary results. Proc. neth. ent. Soc. 15: 65-70, 2 figs. [available in Cesa Library]
- **Dubatolov,V.V.**, 2004, A new genus established for Bombyx lineola Fabricius,1793, with systematic notes on the genus Aloa Walker,1855 (Lepidoptera, Arctiidae). Atalanta 35 (3/4): 403-413, figs. [available in Cesa Library]
- **Dubatolov, V.V.**, 2006, Review of the genus Tatargina Butler, 1877, with the description of a new subgenus (Lepidoptera, Arctiidae). Atalanta 37 (1/2): 206-215, figs. [available in Cesa Library]
- **Dubatolov, V.V.**, **Haynes, P. & Y. Kishida**, 2007, Review of the genus Rajendra Moore, with systematic notes on the genus Nannoarctia Koda (Lepidoptera, Arctiidae). Tinea 20 (1): 67-76, figs. [available in Cesa Library]
- **Eecke,v.R.**, 1925, Cochlidionidae (Limacodidae), [in] Strand,E., Lepidopterorum Catalogus 32: 1-79. W.Junk, Berlin. [available in Cesa Library]
- **Eliot,J.N. & A.Kawazoe**, 1984, Blue butterflies of the Lycaenopsis group. 306 pp., 6 Pls., figs. British Museum (Natural History), London. [available in Cesa Library]
- **Eliot, J.N.**, 1969, An analysis of the Eurasian and Australian Neptini (Lepidoptera, Nymphalidae). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 15: 1-150, Pls. [available in Cesa Library]
- **Eliot, J.N.**, 1973, The higher classification of the Lycaenidae (Lepidopera): A tentative arrangement. Bull. Br. Mus. (Nat. Hist.) Ent. 28 (6): 373-505, figs., 6 Pls. [available in Cesa Library]
- **Eliot, J.N.**, 1986, A review of the Miletini (Lepidoptera, Lycaenidae). Bull. Br. Mus. (Nat. Hist.) Ent. 53 (1): 1-105, 108 figs. [available in Cesa Library]
- Elwes, H.J. & J.Edwards, 1893, A Revision of the Genus Ypthima, with especial reference to the characters afforded by the male genitalia. Trans. ent. Soc. London 1893: 1-54, Pl.3. [available in Cesa Library]
- Elwes, H.J. & J.Edwards, 1897, A Revision of the oriental Hesperiidae. Trans. zool. Soc. Lond. 14 (4 101-324, pls.18-27.
- **Evans, W.H.**, 1922, The identification of Indian Butterflies (Introduction). J. Bombay nat. Hist. Soc. 28: 740-747, 2 text-figs. [available in Cesa Library]
- **Evans, W.H.,** 1923, The identification of Indian Butterflies, Pt. I. Papilionidae, Pieridae. J. Bombay nat. Hist. Soc. 29: 230-260, pl. i-ix. [available in Cesa Library]
- **Evans, W.H.**, 1923, The identification of Indian Butterflies, Pt. II. Danaidae, Satyridae. J. Bombay nat. Hist. Soc. 29: 519-537, pls. [available in Cesa Library]
- **Evans, W.H.**, 1923, The identification of Indian Butterflies, Pt. III. Satyridae (cont.). J. Bombay nat. Hist. Soc. 29: 780-797, 4 pls. [available in Cesa Library]
- **Evans, W.H.,** 1924, Notes on Indian butterflies. J. Bombay nat. Hist. Soc. 29: 971-973. [available in Cesa Library] **Evans, W.H.,** 1927, Identification of Indian butterflies. xviii + 302 pp., 32 Pls. Madras.
- Evans, W.H., 1932, The Identification of Indian Butterflies (2nd edn.). x + 454pp., Madras. [available in Cesa Library]
- **Evans, W.H.**, 1957, A revision of the genus Arhopala group of the Oriental Lycaenidae (Lepidoptera, Rhopalocera). Bull. Br. Mus. nat. Hist. (Ent.) 5 (3): 85-141, figs.
- Fernald, C.H., 1908, The genera of the Tortricidae and their types. 6pp. Amerst, Mass.
- **Fletcher, D.S. & I.W.B.Nye,** 1982, Bombycoidea, Castnioidea, Cossoidea, Mimallonoidea, Sesioidea, Sphingoidea, Zygaenoidea. [In] Nye, I.W.B., The Generic Names of Moths of the World vol.4. xiv+192 pp., 1 frontispiece, London. [available in Cesa Library]
- **Fletcher, D.S. & I.W.B.Nye,** 1984, Pyraloidea. [In] Nye, I.W.B., The Generic Names of Moths of the World. vol.5. xv+185pp., London. [available in Cesa Library]
- **Fletcher, D.S.**, 1953, A Revision of the genus Carecomotis (Lep., Geometridae). Ann. Mag. nat. Hist. (12) 6: 100-142, Pls.3-6. [available in Cesa Library]
- **Fletcher, D.S.**, 1956, Spodoptera mauritia (Boisduval) and S.triturata (Walker), two distinct species. Bull. ent. Res. 47: 215-217, Pl. [available in Cesa Library]
- **Fletcher, D.S.**, 1974, A Revision of the Old World Genus Zamarada (Lepidoptera, Geometridae). Bull. Br. Mus. (Nat. Hist.) Ent. Suppl. 22: 1-498, 452 figs., 123 Pls., 5 Maps. [available in Cesa Library]
- **Fletcher, D.S.**, 1979, Geometridae. [In] Nye, I.W.B. The Generic Names of Moths of the World. vol. 3, xx+243 pp. 2 frontispieces, London. [available in Cesa Library]
- **Fletcher, T.B.**, 1929, A list of the generic names used for Microlepidoptera. Mem. Dep. Agric. India ent. Ser. 11: ix + 244pp. Calcutta. [available in Cesa Library]
- **Forbes, T.M.**, 1955, The subdivision of the Eupterotidae (Lepidoptera). Tijdschr. Ent. 98: 85-132, figs. [available in Cesa Library]
- Fracker, S.B., 1915, The Classification of lepidopterous larvae. Illinois biol. Monogr. 2: 1-169, 112 figs.

- **Fruhstorfer,H.,** 1898, Übersicht der bekannten Hebomoia-Arten und Lokalformen. Berl. ent. Z. 43: 171-174. [available in Cesa Library]
- **Fruhstorfer,H.,** 1899, Übersicht der bekannten Prioneris-Arten und Beschreibung einer neuen Lokalform und bisher unbekannten ++. Berl. ent. Z. 44: 105-111. [available in Cesa Library]
- Fruhstorfer, H., 1908, Neue Papilio-Rassen. Int. ent. Z. 2(8): 49-50. [available in Cesa Library]
- Fruhstorfer, H., 1910, Familia Pieridae [in] Seitz, A., Die Gross-Schmett. Erde 9: 119-190, pls.
- **Fruhstorfer,H.,** 1910, Neue Cyaniris-Rassen und Übersicht der bekannten Arten. Stettin ent. Ztg. 71 (1909): 282-305. [available in Cesa Library]
- Fruhstorfer, H., 1912, Übersicht der Lycaeniden des Indo-Australischen Gebiets. Berl. ent. Z. 56: 197-277. [available in Cesa Library]
- Fruhstorfer, H., 1915-1924, Familia Lycaenidae [i] Seitz, A., Die Gross-Schmett. Erde 9: 803-901, pls.
- **Gaede,M.**, 1932, Aganaidae. [in] Strand,E., Lepidopterorum Catalogus Pars 52. 39pp. Dr.W.Junk Berlin. [available in Cesa Library]
- Gaede,M., 1937, Gelechiidae [in] Bryk,F., Lepidopterorum Catalogus. Pars 79, 630pp. [available in Cesa Library]
   Gaede,M., 1938-1939, Oecophoridae [in] Bryk,F., Lepidopterorum Catalogus. Pars 92, 209-476pp. [available in Cesa Library]
- **Gaedike, R.**, 1986, Die Typen der orientalischen, australischen und äthiopischen Acrolepiidae (Lepidoptera) Beitr. Ent. 36: 63-68. [available in Cesa Library]
- **Gielis, C.**, 1993, Generic revision of the superfamily Pterophoroidea (Lepidoptera). Zool. Verh. 290: 1-139, 239 figs. [available in Cesa Library]
- **Gielis, C.**, 2003, Pterophoroidea and Alucitoidea (Lepidoptera). World Catalogue of Insects 4, 198pp. Apollo Books, Stenstrup.
- **Gilbert,P.,** 1978, A compendium of the biographical literature on deceased entomologists. xiv + 455pp., 27 figs. British Museum (Natural History) London. [available in Cesa Library]
- **Godart, J.B.**, 1819-[1824], Papillons [in] Encyclopédie méthodique. vol.9. pp. 1-318 (1819), pp.329-828 [1824]. Paris.
- Hagen, H.T., 1862, Bibliotheca Entomologica 2 Vols. Leipzig. [available in Cesa Library]
- **Hampson,G.F.,** 1893, Illustrations of typical specimens of Lepidoptera Heterocera in the collections of British Museum . The Macrolepidoptera Heterocera of Ceylon 9: 79pp. London. [available in Cesa Library]
- **Hampson, G.F.**, 1895, Descriptions of new Heterocera from India. Trans. ent. Soc. London 1895: 277-315. [available in Cesa Library]
- **Hampson,G.F.,** 1898, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 1. Proc. zool. Soc. London 1898: 590-761, Pls. 49,50. [available in Cesa Library]
- **Hampson,G.F.,** 1899, A revision of the moths of the subfamily Pyraustinae and family Pyralidae, Part 2. Proc. zool. Soc. London 1899: 172-291, pls. 16-19. [available in Cesa Library]
- **Hampson,G.F.**, 1900-1903, The moths of India. Supplementary paper to the volumes in "The fauna of British India" series II, Parts I-X. J. Bombay Nat. Hist. Soc. 13: 37-51, 223-235, 499-520, 571-591; 14: 103-117, 197-219, 494-519, 639-659; 15: 19-37, 206-226, pls.B,C [available in Cesa Library]
- **Hampson, G.F.,** 1911, Descriptions of new genera and species of Syntomidae, Arctiadae, Agaristidae, and Noctuidae. Ann. Mag. nat. Hist. (8) 8: 393-445. [available in Cesa Library]
- **Hampson,G.F.,** 1916, Descriptions of New Pyralidae of the Subfamilies Epipaschianae, Chrysauginae, Endotrichinae, and Pyralinae. Ann. Mag. nat. Hist. (8) 18: 126-160, 349-373. [available in Cesa Library]
- **Hampson,G.F.,** 1917, A Classification of the Pyralidae, subfamily Gallerianae. Novit. zool. 24: 17-58. [available in Cesa Library]
- **Hampson,G.F.,** 1918, Descriptions of new Pyralidae of the subfamily Pyraustinae. Ann. Mag. nat. Hist. (9) 1: 125-136, 252-262, 265-280; (9)2: 181-196, 393-407. [available in Cesa Library]
- **Hampson,G.F.,** 1919, Descriptions of new Pyralidae of the subfamilies Crambinae and Siginae. Ann. Mag. nat. Hist. (9) 3: 275-292, 437-457, 533-547; (9)4: 53-68, 137-154, 305-326. [available in Cesa Library]
- **Hampson,G.F.,** 1919, A classification of the Aegeriidae of the Oriental and Ethiopian Regions. Novit. zool. 26: 46-119. [available in Cesa Library]
- **Hampson, G.F.,** 1930, New genera and species of Phycitinae (Lepidoptera, Pyralidae). Ann. Mag. nat. Hist. (10) 5: 50-80. [available in Cesa Library]
- **Häuser, C.L.,** 1993, Critical comments on the phylogenetic relationships within the family Papilionidae (Lepidoptera). Nota lepid. 16 (1): 34-43. [available in Cesa Library]
- **Hausmann,A.,** 1997, Beitrag zur Systematik der Gattung Mixocera Warren,1901 (Geometridae, Geometrinae). Spixiana 20 (3): 291-302, figs. [available in Cesa Library]
- **Haworth,A.H.**, 1803-1828, Lepidoptera Britannica, sistens digestimen novam lepidopterorum quae in Magna Britannica reperiunter...Pt.1 (1803): 1-136; Pt.2 ([1809]): 137-376; Pt.3 ([1811]): 377-512; Pt.4 (1828): 513-609. London. [available in Cesa Library]
- **Hemming, A.F.,** 1967, The Generic names of the butterflies and their type-species (Lepidoptera, Rhopalocera). Bull. Br. Mus. (Nat. Hist.) Ent., Suppl. 9: 1-509. [available in Cesa Library]
- **Heppner, J.B. & W.D.Duckworth**, 1981, Classification of the superfamily Sesioidea (Lepidoptera, Ditrysia). Smiths. Contr. Zool. 314: 1-144. [available in Cesa Library]

- Centre for Entomological Studies Ankara
- Heppner, J.B., 1977, The status of the Glyphipterigidae and a reassessment of relationships in Yponomeutoid families and Ditrisian superfamilies. J. Lepid. Soc. 31(2): 124-134. [available in Cesa Library]
- Heppner, J.B., 1979, Brachodidae, a new family name for Atychidae (Lep., Sesioidea). Ent. Ber., Amst. 39 (8): 127-128. [available in Cesa Library]
- Heppner, J.B., 1982, A world catalog of genera associated with the Glyphipterigidae auctorum (Lepidoptera). N.Y. ent. Soc. 89(4): 220-294. [available in Cesa Library]
- Higgins, L.G., 1965, Boisduval, Europaeorum Lepidopterorum index methodicus. Entomologist 98: 241-
- Holloway, J.D. S.E. Miller, 2003, The composition generic placement and host-plant repaltionships of the joviana-group in the Parallelia generic complex (Lepidoptera, Noctuidae, Catocalinae). Invertebrate Syst. 17: 111-118, figs. [available in Cesa Library]
- Hreblay, M., 1996, Revision der Mythimna consanguis-, languida-, madensis-, natalensis-Artengruppe (Morphopoliana sugben.n.). (Lepidoptera, Noctuidae). Esperiana 4: 133-158, 83 figs., 2 Pls. [available in Cesa
- Hreblay, M., Legrain, A. & S.-I. Yoshimatsu, 1998, Beschreibung von achtundzwanzig neuen Arten und einer Unterart mit Ubersicht der Artengruppen aus dem Mythimna Ochs.,1816-Komplex aus der südostasiatischen Region, festlegun von vierzehn Lectotypen, zwei Neotypen, neuen Synonymen und Kombinationen (I.) Esperiana 6: 381-432, Taf.P-S. [available in Cesa Library]
- **Igarashi, S.**, 1984, The classification of the Papilionidae mainly based on the morphology of their immature stages. Tyo to Ga 34 (29): 41-96.
- Jordan, K., 1908-1909, Familie: Papilionidae, Segelfalter. [in] Seitz, A., Die Gross-Schmett. Erde 9: 11-109, 112-118, pls. 1-49.
- Kaltenbach, T. & R.-U., Roesler, 1989, Die Arten der Pyraliden Gattungen Vitessa Moore, 1860 (Pyralinae) und Heortia Lederer, 1863 (Odontiinae) von Sumatra (Lepidoptera, Pyraloidea). Atalanta 19: 219-233, 26 Abb. [available in Cesa Library]
- Kirby, W.F., 1871, A synonymic catalogue of the diurnal Lepidoptera. viii+690pp. John van Voorst, London. [available in Cesa Library]
- Kirby, W.F., 1877, A synonymic catalogue of the diurnal Lepidoptera. Supplement March 1871-June 1877. vii+691-883pp. John van Voorst, London. [available in Cesa Library]
- Kirby, W.F., 1892, A Synonymic Catalogue of Lepidoptera Heterocera (Moths) I. Sphinges and Bombyces. xii + 951 pp., London. [available in Cesa Library]
- Kirby, W.F.G., 1903, The butterflies and moths of Europe. 432 pp., 55 col. pls.; Cassell & Co., London.
- Kiriakoff, S.G., 1948, A classification of the Lepidoptera and related groups with some remarks on taxonomy. Biol. Jb. 15: [118]-143.
- Kiriakoff, S.G., 1974, Neue und wenig bekannte asiatische Notodontidae (Lepidoptera). Veröff. zool. stSamml. Münch. 17: 371-421, 30 Abb. 5 Taf. [available in Cesa Library]
- Kitching, I.J. & J.E.Rawlins, 1999, The Noctuoidea, [in] N.P.Kristensen, Lepidoptera Moths and Butterflies, volume 1: Evolution, Systematics and Biogeography, [in] M.Fischer, Arthropoda: Insecta, 35: Volume IV: 355-401. Walter de Gruyter, Berlin & New York. [available in Cesa Library]
- Klemstein, J., 1966, Gefriertrocknung eine neue Methode zur Praeparation der Raupen. Ent. Z., Frankf. a.M. 76: 17-21.
- Klima, A., 1937, Pyralidae: Subfam. Scopariinae et Nymphulinae. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars.84. 226pp. W.Junk, Berlin & The Hague [available in Cesa Library]
- Klima, A., 1939, Pyralidae: Subfam. Pyraustinae I. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars. 89. 1-224pp. W.Junk, Berlin & The Hague [available in Cesa Library]
- Klima, A., 1939, Pyralidae: Subfam. Pyraustinae II. [in] Bryk, F. (ed.), Lepidopterorum Catalogus Pars. 94. 225-384pp. W.Junk, Berlin & The Hague [available in Cesa Library]
- Klots, A.B., 1930, A generic revision of the Euchloini. Bull. Brooklyn ent. Soc. 25: 80-95, 1 pl.
- Klots, A.B., 1933, A generic revision of the Pieridae. Entomologica am. (N.S.) 12: 139-242.
- Klots, A.B., 1970, Lepidoptera. [İn] Tuxen, S.L. (Ed.), Taxonomist's glossary of genitalia in Insects. 115-130 pp., Munksgaard, Copenhagen (Edn. 2). [available in Cesa Library]
- Koçak, A.Ö. & M.Kemal, 2007, Annotated List of the Lycaena Fabr. (Lycaenidae, Lepidoptera). Cent. ent. Stud., Misc. Pap. 135: 1-8. [available in Cesa Library]
- Koçak, A.Ö., 1981, On the nomenclature of some genera of Lepidoptera. Cent. ent. Stud., Priamus 1(1): 18-23; 1(3): 97-109, 112-122. [available in Cesa Library]
- Koda, N., 1987. A generic classification of the subfamily Arctimae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 1. Tyo to Ga 38 (3): 153-237, figs.
- Koda, N., 1988, A generic classification of the subfamily Arctiinae of the palaearctic and orientalic regions based on the male and female genitalia (Lepidoptera, Arctiidae) Part 2. Tyo to Ga 39 (1): 1-79, figs.
- Kononenko, V.S. & A.Y. Matov, 2009, A review of Palaearctic Metachrostis Hübner, [1820] with description of three new species (Lepidoptera, Noctuidae, Eublemminae). Zootaxa 2026: 1-17, figs. [available in Cesa Library]

Kuznetsov, V.I., 1997, Little known and new species of Tortricid moths (Lepidoptera, Tortricidae) of the fauna of Vietnam. Ent. Obozr. 76 (1): 186-202, figs. [available in Cesa Library]

Kühne, L. & W. Speidel, 2004, The system of the Catocaline - a historical survey (Lepidoptera, Noctuidae). Beitr. Ent. 54 (1): 147-184. [available in Cesa Library]

Lajonquiére, Y.de, 1978, Le genre Philudoria Kirby, 1892. 25. Contribution a l'etude des Lasiocampidae (Lepidoptera). Annls Soc. ent. Fr. (N.S.) 14(3): 381-413, 36 figs., 3 Pls. [available in Cesa Library]

Lee, S. & R.L.Brown, 2008, Revision of Holarctic Teleiodini (Lepidoptera, Gelechiidae). Zootaxa 1818: 1-55, figs. [available in Cesa Library]

Lewvanich, A., 1981, A revision of the Old World species of Scirpophaga (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 42: 185-298, 188 figs. [available in Cesa Library]

Lovtrup, S., 1975, On the Phylogenetic Classification. Acta zool. cracov. 20 (14): 499-524, 2 text-figs. [available

Mabille, M.P., 1883, Description d'Hésperies. Annls Soc. ent. Belg. 27: Bull., li-lxxviii.

Mabille, P., 1904, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 17. Hesperiidae. Bruxelles.

Martin, L., 1903, Das Genus Cyrestis. Dt. ent. Z., Iris 16: 71-169. [available in Cesa Library]

Meyrick, E., 1887, Description of some exotic Micro-Lepidoptera. Trans. ent. Soc. Lond. 1887 (3): 269-280. [available in Cesa Library]

Meyrick, E., 1892, Classification by structure of imago. Entomologist's Rec. J. Var. 3: 104-106. [available in Cesa

Meyrick, E., 1908, Descriptions of African Micro-Lepidoptera. Proc. zool. Soc. London. 1908: 716-756. [available in Cesa Library]

Meyrick, E., 1912-1916, Exotic Microlepidoptera, vol. 1. 640pp. [available in Cesa Library]

Meyrick, E., 1913, Carposinidae, Heliodinidae, Glyphipterygidae. [in] Wagner, H., Lepidopterorum Catalogus Pars 13. 53pp. Dr.W.Junk Berlin. [available in Cesa Library]

Meyrick, E., 1916-1923, Exotic Microlepidoptera, vol. 2. 640pp. [available in Cesa Library]

Meyrick, E., 1923-1930, Exotic Microlepidoptera, vol. 3. 640 pp. [available in Cesa Library]

Meyrick, E., 1930-1936, Exotic Microlepidoptera, vol.4, 642pp. [available in Cesa Library]

Meyrick, E., 1906, Descriptions of Indian Micro-Lepidoptera, Part II. J. Bombay nat. Hist. Soc. 17 (1): 133-153; (2): 403-417. [available in Cesa Library]

Meyrick, E., 1907, Descriptions of Indian Micro-Lepidoptera III-IV. J. Bombay nat. Hist. Soc. 17 (3): 730-754; (4): 976-994. [available in Cesa Library]

Meyrick, E., 1909, Descriptions of Indian Micro-Lepidoptera IX. J. Bombay nat. Hist. Soc. 19 (2): 410-437. [available in Cesa Library]

Michener, C.D., 1952, The Saturniidae (Lepidoptera) of the Western Hemisphere: morphology, phylogeny, and classification. Bull. Am. Mus. Nat. Hist. 98: 335-502, 5 Pls.

Miller, J.S., 1987, Phylogenetic studies in the Papilioninae (Lepidoptera). Bull. Am. Mus. Nat. Hist. 186 (4): 365-512.

Minet, J., 1986, Ebauche d'une classification moderne de l'ordre des Lépidopteres. Alexanor 14: 291-313. [available in Cesa Library]

Minet, J., 1990, Remaniement partiel de la classification des Gelechioidea, essentiellement en fonction de caractères pré-imaginaux (Lepidoptera, Ditrysia). Alexanor 16 (4) (1989): 239-255, figs. [available in Cesa Library

Minet, J., 1991, Tentative reconstruction of the ditrysian phylogeny (Lepidoptera: Glossata). Ent. scand. 22: 69-95. [available in Cesa Library]

Moore, F., 1877, Descriptions of Asiatic diurnal Lepidoptera. Ann. Mag. nat. Hist. (4) 20: 43-52. [available in

Moore, F., 1878, A list of the lepidopterous insects collected by Mr.Ossian Limborg in Upper Tenasserim. Proc. zool. Soc. London 1878: 821-859, pls.l-liii. [available in Cesa Library]

Moore, F., 1879, Descriptions of new genera and species of Asiatic Lepidoptera Heterocera. Proc. zool. Soc. London 1879: 387-417, pls. xxxii-xxxiv. [available in Cesa Library]

Moore, F., 1881, Description of new genera and species of asiatic Nocturnal Lepidoptera. Proc. zool. Soc. London 1881: 326-380. [available in Cesa Library]

Moore, F., 1881, Lepidoptera of Ceylon vol.i xii+190pp. pls.1-71. London. [available in Cesa Library]

Moore, F., 1882, Descriptions of new Indian lepidopterous insects from the collection of the late Mr.W.S.Atkinson, M.A., F.L.S., &c director of public instruction, Bengal. Heterocera (Sphingidae -Hepialidae). Calcutta. [available in Cesa Library]

Moore, F., 1882-1883, Lepidoptera of Ceylon vol.ii. viii+162pp. pls. 72-143. London. [available in Cesa Library]

Moore, F., 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt.I. Limnaina. Proc. zool. Soc. Lond. 53: 201-252, Pls.29-32. [available in Cesa Library]

Moore, F., 1883, A monograph of Limnaina and Euploeina, two groups of diurnal Lepidoptera belonging to the subfamily Euploeinae, with descriptions of new genera and species. Pt.II. Euploeina. Proc. zool. Soc. Lond. 53: 253-324.

Moore, F., 1884-1887, Lepidoptera of Cevlon vol.iii, xv+578pp, pls. 144-215. London. [available in Cesa Library]

- Moore, F., 1890-1892, Lepidoptera Indica 1. Rhopalocera Nymphalidae Euploeinae and Satyrinae. xii+ 317 pp. Plates 1-94. London.
- **Moore,F.**, 1893-1896, Lepidoptera Indica 2. Rhopalocera Nymphalidae Satyrinae (continued) Elymninae Amathusiinae Nymphalinae (Group Charaxina). vii+248 pp. Plates 95-190. London.
- **Moore, F.**, 1896-1899, Lepidoptera Indica 3. Rhopalocera Nymphalidae Nymphalinae (continued), Potanina, Euthaliina, Limenitina. viii+ 254 pp. Plates 191-286. London.
- **Moore,F.**, 1899-1900, Lepidoptera Indica 4. Rhopalocera Nymphalidae Nymphalinae (continued), Limenitina, Nymphalina, and Argynnina. viii+ 260 pp. Plates 287-378. London.
- **Moore, F.**, 1901-1903, Lepidoptera Indica 5. Rhopalocera; Nymphalidae, Riodinidae, Papilionidae. vii + 248 pp., Plates 379-466. London.
- **Moore, F.**, 1903-1905, Lepidoptera Indica 6. Rhopalocera Papilionidae Papilioninae (continued), Pieridae Pierinae. viii + 240 pp., Plates 467-550. London.
- Moore, F., 1877, Descriptions of Ceylon Lepidoptera. Ann. Mag. nat. Hist. (4) 20: 339-348. [available in Cesa Library]
- Morishita, K., 1979, On Evans' The Identification of Indian Butterflies 1932. Chou Chou 2 (6): 1-74, 4 pls.
- **Mosher, E.**, 1916, A Classification of the Lepidoptera based on characters of the pupa. Bull. Ill. St. Lab. nat. Hist. 12: 1-158, figs. [available in Cesa Library]
- Munroe, E., 1961, The classification of the Papilionidae (Lepidoptera). Can. Ent. Suppl. 17: 1-51.
- **Munroe**, E., 1977, Synopsis of Heortia Lederer, with descriptions of a new species and a new subspecies (Lepidoptera, Pyralidae: Odontiinae). Can. ent. 109: 429-441, 20 figs. [available in Cesa Library]
- Mutuura, A. & E. Munroe, 1970, Taxonomy and distribution of the European Corn Borer and allied species: Genus Ostrinia (Lepidoptera, Pyralidae). Mem. ent. Soc. Can. 71: 1-112, 661 figs. [available in Cesa Library]
- Nässig, W.A. & R.G. Oberprieler, 2008, An annotated catalogue of the genera of Eupterotidae (Insecta, Lepidoptera, Bombycoidea) Senckenbergiana biol. 88 (1): 53-80, 2 pls. 1 fig. [available in Cesa Library]
- **Nielsen, E.S.**, **Robinson, G.S.** & **D.L.Wagner**, 2000, Ghost-moths of the world: a global inventory and bibliography of the Exoporia (Mnesarchaeoidea and Hepialoidea) (Lepidoptera). J. nat. Hist. 34: 823-878. [available in Cesa Library]
- **Nieukerken, E.J.v.**, 1986, Systematics and philogeny of Holarctic genera of Nepticulidae (Lepidoptera, Heteroneura, Monotrysia). Zool. Verh. 236: 1-93, figs. [available in Cesa Library]
- **Nye,I.W.B.**, 1975, The Generic Names of the World vol.1 Noctuoidea (part): Noctuidae, Agaristidae, and Nolidae. 568pp. British Museum (Natural History) London. [available in Cesa Library]
- **Park,K.-T.**, 2002, A revision of the genus Nosphistica Meyrick (Lepidoptera, Lecithoceridae). Zool. Stud. 41 (3): 251-262, figs. [available in Cesa Library]
- **Passerin d'Entrèves,P. & A.Roggero**, 2007, Fascicle 44 Scythrididae [in] Heppner,J.B., Lepidopterorum Catalogus (New Series), 85pp. Scientific Publishers, Gainesville &e. [available in Cesa Library]
- **Pitkin,B. & P.Jenkins (compilers),** 2008, Butterflies and moths of the world. Generic names and their type species. http://www.nhm.ac.uk/jdsml/research-curation/projects/butmoth/index.dsml [last accessed: 22.xi.2008].
- **Pitkin, L.M.**, **Han, H. & S. James**, 2007, Moths of the tribe Pseudoterpnini (Geometridae, Geometrinae): a review of the genera. Zool. J. Linn. Soc. 150: 343-412, figs. [available in Cesa Library]
- **Prins,W.de & J. de Prins**, 2005, World Catalogue of Insects. vol. 6 Gracillariidae 502 pp. Apollo Books, Kirkeby Sand, Stenstrup Denmark. [available in Cesa Library]
- Puplesis, R.K. & G.D.Robinson, 1999, Revision of the Oriental Opostegidae (Lepidoptera) with general comments on phylogeny within the family. Bull. nat. Hist. Mus. Lond. (Ent.) 68 (1): 1-92, 179 figs. [available in Cesa Library]
- **Ragonot, E.L. & G.F. Hampson**, 1901, Monographie des Phycitinae et Galleriinae II. [in] Romanoff, N.M., Mém. lépid. 8: xiv + 602 pp. 31 Taf. St. Petersburg. [available in Cesa Library]
- **Ragonot, E.L.**, 1893, Monographie des Phycitinae et Galleriinae I. [in] Romanoff, N.M., Mém. lépid. 7: lvi + 658 pp. 26 Taf. St. Petersburg. [available in Cesa Library]
- Razowski, J., 1966, World fauna of the Tortricini (Lepidoptera, Tortricidae). Panstwowe Wydawnictwo Naukowe, Krakowie. [available in Cesa Library]
- **Razowski, J.**, 1977, Catalogue of the generic names used in Tortricidae (Lepidoptera). Acta zool. cracov. 22 (6): 207-296. [available in Cesa Library]
- **Razowski,J.,** 1993, Revision of the Apotoforma Busck,1934 (Lepidoptera, Tortricidae), with descriptions of four other Tortricini species. Acta zool. cracov. 36 (1): 183-197, 19 figs. [available in Cesa Library]
- Razowski,J., 1999, Discovery of Rhopobota Lederer,1859 (Lepidoptera, Tortricidae) in the Neotropical Region, with description of four new species. Acta zool. Cracov. 42 (2): 349-353, figs. [available in Cesa Library]
- **Razowski, J.**, 2009, The Old World Hilarographini (Lepidoptera, Tortricidae). Shilap Revta lepid. 37 (147): 261-287, figs. [available in Cesa Library]
- **Rebel,H.,** 1891, Meyrick's Pyralidinen Classification. Stettin ent. Ztg. 52 (4/6): 103-116. [available in Cesa Library] **Rebel,H.,** 1892, Zwei Geometriden Classificationen. Stettin ent. Ztg. 53: 247-268. [available in Cesa Library]

- Centre for Entomological Studies Ankara
- Riley, N.D. & Corbet, A.S., 1938, A revision of the Malayan species of Jamides Hübner (Lepidoptera, Lycaenidae). Trans. R. ent. Soc. Lond. 87 (5): 147-158, 17 figs. 1 Pl. [available in Cesa Library]
- Robinson, G.S. & K.R.Tuck, 1997, Phylogeny and composition of the Hieroxestinae (Lepidoptera, Tineidae). Syst. Ent. 22: 363-396, figs. [available in Cesa Library]
- Robinson, G.S., 1986, Fungus moths: a review of the Scardiinae (Lepidoptera, Tineidae). Bull. Br. Mus. nat. Hist. (Ent.) 52 (2): 37-181, figs. [available in Cesa Library]
- Robinson, G.S., Ackery, P.R., Kitching, I.J., Beccaloni, G.W. & L.M. Hernandez, 2005, Hosts a database of hostplants of the World's Lepidoptera (http://intern.nhm.ac.uk/jdsml/researchcuration/projects/hostplants/index.dsml> Natural History Museum, London. [available in Cesa Library]
- Roesler, R.-U., 1988, Untersuchungen zur Taxonomie paläarktischer Phycitinae (Lepidoptera, Pyraloidea). Beitr. Ent. 38: 65-73, figs. [available in Cesa Library]
- Ronkay, L., 1986, On the taxonomy and zoogeography of some Palaearctic and Indo-Australian Plusiinae (Lepidoptera, Noctuidae). Annls hist.-nat. Mus. natn. hung. 78: 205-218, figs. [available in Cesa Library]
- Rothschild, W., 1895, A revision of the Papilios of the eastern Hemisphere, exclusive of Africa. Novit. zool. 2: 167-463. [available in Cesa Library]
- Rothschild, W., 1913, New Lithosianae. Novit. zool. 20: 192-226. [available in Cesa Library]
- Sattler, K., 1973, A Catalogue of the family-group and genus-group names of the Gelechiidae, Holcopogonidae, Lecithoceridae and Symmocidae (Lepidoptera). Bull. Br. Mus. nat. Hist. (Ent.) 28 (4): 155-282. [available in Cesa Library]
- Sattler, K., 1979, A taxonomic revision of the genus Deltophora Janxse, 1950 (Lepidoptera, Gelechiidae). Bull. Br. Mus. nat. Hist. (Ent.) 38 (6): 263-322, figs. [available in Cesa Library]
- Schintlmeister, A., 2004, The Taxonomy of the genus Lymantria Hübner, [1819] (Lepidoptera, Lymantriidae). Ouadrifina 7: 1-248, figs. [available in Cesa Library]
- Schoorl, J.W., 1990, A phylogenetic study on Cossidae (Lepidoptera, Ditrysia) based on external adult morphology. Zool. Verh. 263: 1-295,138 figs., 1 pl., 33 tab. [available in Cesa Library]
- Schüssler, H., 1933, Saturniidae: 1. Subfam. Attacinae. [in] Strand, E., Lepidopterorum Catalogus Pars 55. 81pp. Dr.W.Junk Berlin. [available in Cesa Library]
- Scoble, M.J., Pitkin, L.M., Parsons, M., Honey, M.R. & B.R. Pitkin, 1999, Geometrid Moths of the World. 1400pp. CSIRO Publishing, Collingwood & Apollo Books, Stenstrup. [available in Cesa Library]
- Scudder, S.H., 1875, Historical sketch of the generic names proposed for butterflies: a contribution to systematic nomenclature. Proc. am. Acad. Arts Sci., Boston 10: 91-293.
- Shirozu, T. & H. Yamamoto, 1956, A generic revision and philogeny of the tribe Theclini (Lepidoptera, Lycaenidae). Sieboldia 4: 329-421, 35-85 Pls.
- Siney, S.Y., 2002, World Catalogue of cosmopterigid moths (Lepidoptera, Cosmopterigidae). Proc. zool. Inst., St. Petersburg 293: 1-182. [available in Cesa Library]
- Solis, M.A., 1992, Checklist of the old world Epipaschiinae and related new world genera Macalla and Epipaschia (Pyralidae). J. Lep. Soc. 46 (4): 280-297. [available in Cesa Library]
- Solovyev, A.V., 2010, A review of the genus Aphendala Walker, 1865 with notes on confusing genera (Lepidoptera, Limacodidae). Atalanta 41 (3/4): 349-360, pl.10. [available in Cesa Library]
- Speidel, W. & C.M. Naumann, 2005, The systematic position of the genus Cetola Walker, 1855 (Lepidoptera, Noctuidae). Ent. Z., Stutt. 115 (1): 25-28, figs. [available in Cesa Library]
- Sruoga, V. & A.Diskus, 2006, Redescription of the type specimens of Elachista freyerella group (Lepidoptera, Elachistidae, Elachistinae) from India and Sri Lanka. Zootaxa 1350: 33-43, 6 pls.
- Stainton, H.T., 1856, Descriptions of three species of Indian Microlepidoptera. Trans. ent. Soc. Lond. (n.s.) (2) 3 (8): 301-304.
- Stichel, H., 1904, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 20. Brassolinae. Bruxelles.
- Stichel, H., 1905, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 31. Discophorinae. Bruxelles.
- Stichel, H., 1910-1911, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 112. Riodinidae. Bruxelles.
- Strand, E., 1912, Noctuidae: Agaristinae. [in] Aurivillius, C. & H. Wagner, Lepidopterorum Catalogus Pars 5. 82pp. Dr.W.Junk Berlin. [available in Cesa Library]
- Strand, E., 1919, Arctiidae: Subfam. Arctiinae, [in] Wagner, F., Lepidopterorum Catalogus Pars 22. 1-416 s. W.Junk, Berlin. [available in Cesa Library]
- Strand, E., 1922, Arctiidae: Subfam. Lithosiinae, [in] Wagner, F., Lepidopterorum Catalogus Pars 26. 501-899 s. W.Junk, Berlin.
- Swainson, W., 1827, A sketch of natural affinities of the Lepidoptera Diurna of Latreille. Phil. Mag. (n.s.) 1(1): 180-188. [available in Cesa Library]
- Swinhoe, C., 1889, On new Indian Lepidoptera, chiefly Heterocera. Proc. zool. Soc. Lond. 1889: 396-432, pls.xliii, xliv. [available in Cesa Library]
- Swinhoe, C., 1892, Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 1: 1-324, 8 Pls. [available in Cesa Library]
- Swinhoe, C., 1893, New species of Oriental moths. Ann. Mag. nat. Hist. (6) 12: 210-225. [available in Cesa Library]

- Centre for Entomological Studies Ankara
- Swinhoe, C., 1900, [in] Swinhoe, C., Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 2: Noctuina, Geometrina and Pyralidina. 1-540 pp., Pls. [available in Cesa Library]
- Swinhoe, C., 1903, A revision of the Old World Lymantriidae in the National Collection. Trans. ent. Soc. London 1903: 375-498. [available in Cesa Library]
- Swinhoe, C., 1905-1910, Lepidoptera Indica 7. Rhopalocera Papilionidae Pierinae (continued) Lycaenidae Gerydinae Lycaenopsinae and Everinae. x + 286 pp. Plates 551-639. London.
- Swinhoe, C., 1910-1911, Lepidoptera Indica 8. Rhopalocera Lycaenidae Lycaeninae Plebeinae Lampidinae Chrysophaninae Poritinae Amblypodiinae Curetinae Liphyrinae Ruralinae. x+ 293 pp. Plates 640-705. London.
- Swinhoe, C., 1911-1912, Lepidoptera Indica 9. Rhopalocera Lycaenidae (continued) Horaginae Deudorixinae Hypolycaeninae Zesiusinae Aphnaeinae Biduandinae Cheritrinae Loxurinae, Hesperiidae Ismeneinae Achalarinae. viii+ 278 pp. Plates 706-756. London.
- Swinhoe, C., 1912-1913, Lepidoptera Indica 10. Rhopalocera Hesperiidae (continued) Celaenorrhinae Hesperiinae Pamphilinae Astictopterinae Suastinae Erionotinae Matapinae Notocryptinae Plastingiinae Erynninae. Addenda x+ 361 pp. Plates 757-835. London.
- Swinhoe, C., 1918, New species of Indo-Malayan Heterocera, and descriptions of genitalia, with reference to the geographical distribution of species resembling each other, Ann. Mag. nat. Hist. (9) 2: 65-95, Pl. vii-xi. [available in Cesa Library]
- Swinhoe, C., 1919, Indo-Malayan and Australian Noctuidae. Ann. Mag. nat. Hist. (9) 4: 118-127. [available in Cesa Library]
- Swinhoe, C., 1922-1923, A revision of the genera of the family Liparidae. Ann. Mag. nat. Hist. (9) 10: 449-484; (9) 11: 47-97, 289-304, 400-442. [available in Cesa Library]
- Talbot, G., 1939, Butterflies, [in] Sewell, R.B.S., The Fauna of British India including Ceylon and Burma. Volume 1. xxix + 600 pp., 3 Pls. Taylor and Francis, London. [available in Cesa Library]
- Tams, W.H.T. & J.Bowden, 1953, A revision of the African species of Sesamia Guenée and related genera (Agrotidae, Lepidoptera). Bull. ent. Res. 43: 645-678, 6 Pls.
- Thomas, W., 1990, Die Gattung Lemyra (Lepidoptera, Arctiidae). Nachr. ent. Ver. Apollo (N.F.) Suppl. 9: 1-83, 105 Abb. [available in Cesa Library]
- Tutt, J.W., 1892, Classification by neuration. Entomologist's Rec. J. Var. 3: 50-51. [available in Cesa Library]
- Tutt, J.W., 1892, [Reply to "Classification by structure of imago by E.Meyrick"]. Entomologist's Rec. J. Var. 3: 106-111. [available in Cesa Library]
- Tutt, J.W., 1894, The life-history of a lepidopterous Insect, comparising some account of its morphology and physiology. I. Classification. Entomologist's Rec. J. Var. 5: 65-68, 89-92. [available in Cesa Library]
- Vane-Wright, R.I. & P.R.Ackery, 1984, The Biology of Butterflies. 429pp. 34 figs. Princeton University Press, New Jersey.
- Viidalepp, J., 2011, A morphological review of tribes in Larentiinae (Lepidoptera, Geometridae). Zootaxa 3136: 1-44, figs. [available in Cesa Library]
- Vives Moreno, A., 1988, Catalogo Mundial Sistematico y de Distribucion de la Familia Coleophoridae Hübner, [1825] (Insecta, Lepidoptera). Bol. San. Veg. 12: 1-196. [available in Cesa Library]
- Walker, F., 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 1: 1-278. London.
- Walker, F., 1854, List of the specimens of lepidopterous insects in the collection of the British Museum 2: 279-582. London.
- Walker, F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 3: 583-775. London. [available in Cesa Library]
- Walker, F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 4: 776-976. London.
- Walker, F., 1855, List of the specimens of lepidopterous insects in the collection of the British Museum 5/6: 977-1508. London.
- Walker, F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 7: 1509-1808. London.
- Walker, F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 8: 1-271. London. [available in Cesa Library]
- Walker, F., 1856, List of the specimens of lepidopterous insects in the collection of the British Museum 9: 1-257. London. [available in Cesa Library]
- Walker, F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 11: 493-764. London.
- Walker, F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 12: 765-982. London. [available in Cesa Library]
- Walker, F., 1857, List of the specimens of lepidopterous insects in the collection of the British Museum 13: 983-1236. London.

- Walker, F., 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 14: 1237-1520. London.
- Walker, F., 1858, List of the specimens of lepidopterous insects in the collection of the British Museum. Noctuidae 15: 1521-1888. London.
- Walker, F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 17: 255-508. London.
- Walker, F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 18: 509-798. London.
- Walker, F., 1859, List of the specimens of lepidopterous insects in the collection of the British Museum 19: 799-1036. London.
- Walker, F., 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 20: 1-276. London. [available in Cesa Library]
- Walker, F., 1860, List of the specimens of lepidopterous insects in the collection of the British Museum 21: 277-498. London.
- Walker, F., 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 22: 499-755. London.
- Walker, F., 1861, List of the specimens of lepidopterous insects in the collection of the British Museum 23: 757-1020. London. [available in Cesa Library]
- Walker, F., 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 24: 1021-1280. London.
- Walker, F., 1862, List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 25: 1281-1478. London.
- Walker, F., 1863. List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 27: 1-286, London, [available in Cesa Library]
- Walker, F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Crambites & Tortricites 28: 287-561. London.
- Walker, F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum. Tineites 29: iv+563-835. London.
- Walker, F., 1864, List of the specimens of lepidopterous insects in the collection of the British Museum Tineites 30: iv+837-1096. London.
- Walker, F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 31: 1-322. London. [available in Cesa Library]
- Walker, F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 32: 323-706. London. [available in Cesa Library]
- Walker, F., 1865, List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 33: 707-1120. London. [available in Cesa Library]
- Walker, F., 1866, List of the specimens of lepidopterous insects in the collection of the British Museum 35: 1535-2040. London.
- Walker, F., [1857], List of the specimens of lepidopterous insects in the collection of the British Museum 10: 258-491. London.
- Walker, F., [1859], List of the specimens of lepidopterous insects in the collection of the British Museum. Deltoides 16: 1-253. London.
- Walker, F., [1863], List of the specimens of lepidopterous insects in the collection of the British Museum. Geometrides. 26: 1479-1796. London.
- Walker, F., [1866]. List of the specimens of lepidopterous insects in the collection of the British Museum. Supplement 34: 1121-1534. London. [available in Cesa Library]
- Walsingham, L. & J.H. Durrant, 1900, [in] Swinhoe, C., Catalogue of eastern and Australian Lepidoptera Heterocera in the collection of Oxford University Museum 2: Pterophoridae and Tineina, 541-630 pp., Pls. [available in Cesa Library]
- Walsingham, M.A., 1900, Asiatic Tortricidae, Ann. Mag. nat. Hist. 7 (5): 368-386, 451-490; 7 (6): 121-137, 234-243, 333-341, 401-409, 429-448. [available in Cesa Library]
- Watson, A., 1957, A revision of the genus Tridrepana Swinhoe (Lepidoptera, Drepanidae). Bull. Br. Mus. (Nat. Hist.) Ent. 4 (9): 409-500, 155 figs. 2 pls. [available in Cesa Library]
- Watson, A., 1967, A survey of the extra-Ethiopian Oretinae (Lepidoptera, Drepanidae). Bull. Br. Mus. (Nat. Hist.) Ent. 19 (3): 151-220, 9 Pls., text-figs. [available in Cesa Library]
- Watson, E.Y., 1893, A proposed classification of the Hesperiidae, with a revision of the genera. Proc. zool. Soc. Lond. 1893: 3-132, 3 Pls. [available in Cesa Library]
- West, R.J., 1937, Descriptions of new species of Limacodidae. Ann. Mag. nat. Hist. (10) 20: 77-87, Pl.II.
- Westwood, J.O., 1838-1840, An Introduction to the modern classification of Insects; founded on natural habits and corresponding organization of different families. 2 vols. Logman. London. [available in Cesa Library]

- **Whalley, P.E.S.**, 1961, A Revision of two species complexes in the Pyraustinae (Lepidoptera, Pyralidae) 1. histricalis Complex of the genus Cotachena Moore. Bull. Br. Mus. (Nat. Hist.) Ent. 10 (3): 99-104, 3 figs., Pl.3. [available in Cesa Library]
- Whalley, P.E.S., 1963, A Revision of the World species of the genus Endotricha Zeller (Lepidoptera, Pyralidae). Bull. Br. Mus. (Nat. Hist.) Ent. 13 (11): 395-454, 37 Pls., 314 figs. [available in Cesa Library]
- **Whalley, P.E.S.**, 1964, Catalogue of the Gallerinae (Lepidoptera, Pyralidae) with descriptions of new genera and species. Acta zool. cracov. 9(10): 561-618, figs. [available in Cesa Library]
- **Whalley, P.E.S.**, 1970, A synonymic catalogue of the genera of Phycitinae (Lepidoptera, Pyralidae). Bull. Br. Mus. nat. Hist. (Ent.) 25: 31-72. London. [available in Cesa Library]
- Willmott, K.R., 2003, Cladistic analysis of the Neotropical butterfly genus Adelpha (Lepidoptera, Nymphalidae), wit comments on the subtribal classification of Limenitini. Syst. Ent. 28: 279-322, figs. [available in Cesa Library]
- **Wijesekara,A. & D.P. Wijesinghe**, 2003, History of insect collection and a review of insect diversity in Sri Lanka. Cey. J. Sci. (Bio. Sci.) 31: 43-59. [available in Cesa Library]
- **Wu,C. & K.-T.Park** 1999, A taxonomic review of the family Lecithoceridae (Lepidoptera) in Sri Lanka. 1.The subfamily Torodorinae: Genera Torodora and allies. Tinea 16 (1): 61-72.
- Wytsman, P., 1902, Lepidoptera. [in] Wytsman, P., Genera Insectorum Fasc. 4. Leptocircinae. Bruxelles.
- Yano, K., 1963, Notes on South Pacific Pterophoridae (Lepidoptera). Pacific Ins. 5 (4): 849-871, figs. [available in Cesa Library]
- **Yata,O.**, 1989, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part I. Phylogeny and zoogeography of the subgenus Terias Swainson and descriptions of the subgenus Eurema Hübner. Bull. Kitakyushu Mus. Nat. Hist. 9: 1-103, 24 pls.
- Yata,O., 1991, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 2. Descriptions of the smila, the hapale, the ada, and the sari (part) groups. Bull. Kitakyushu Mus. Nat. Hist. 10: 1-51, 21 pls.
- **Yata,O.,** 1992, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 3. Description of the sari group (part). Bull. Kitakyushu Mus. Nat. Hist. 11: 1-77, 30 pls.
- **Yata,O.,** 1994, A revision of the Old World species of the genus Eurema Hübner (Lepidoptera, Pieridae). Part 4. Description of the hecabe group (part). Bull. Kitakyushu Mus. Nat. Hist. 13: 59-105, pls.5-35.
- **Yen,S.-H.**, 2003, Phylogenetic reconstruction and systematics of Chalcosiinae (Lepidoptera, Zygaenidae). PhD disst. Dept. Biol. Sci. Imp. College London. UK.
- **Yen,S.-H.**, 2004, Nomenclatural and systematic problems surrounding Eterusia aedea (Linnaeus,1763) (Lepidoptera: Zygaenidae, Chalcosiinae). Zool. Stud. 43 (1): 20-34, figs. [available in Cesa Library]
- Yu Feng, H. & J.A.Powell, 2004, Phylogenetic relationships within Heliodinidae and Systematics of Moths formerly assigned to Heliodines Stainton (Lepidoptera, Yponomeutoidea). Publisher Univ of California Press.
- **Yuan,D. & G.S.Robinson,** 1993, Caloptilia leaf-miner moths (Gracillariidae) of South-East Asia. Bull. nat. Hist. Mus. Lond. (Ent.) 62 (1): 1-37, figs. [available in Cesa Library]
- **Zaspel, J.M. & M.A.Branham**, 2008, World checklist of Tribe Calpini (Lepidoptera, Noctuidae, Calpinae). Insecta Mundi 47: 1-15. [available in Cesa Library]
- **Zolotuhin,V.V. & A.A.Perekrasnov**, 2010, A review of the Euthrix laeta (Walker,1855) complex with description of a new species and two new subspecies (Lepidoptera, Lasiocampidae). Atalanta 41 (3/4): 367-374, figs. [available in Cesa Library]

Contents: Koçak, A.Ö. & M.Kemal, Preliminary list of the Lepidoptera of Sri Lanka p. 1 - Editorial, p.58.

# Centre for Entomological Studies Ankara



(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: http://www.cesa-tr.org/

Scientific Serials: Priamus & Supplement (ISSN 1015-8243)<sup>4</sup>, Miscellaneous Papers (ISSN 1015-8235)<sup>5</sup>, Memoirs (ISSN-8227)<sup>6</sup> DVD Films<sup>7</sup>, Iconographia Insectorum<sup>8</sup> Cesa Publications on African Lepidoptera (series)<sup>9</sup>, Cesa News [online]<sup>10</sup>, Cesa Books <sup>11</sup> Owners / Sahipleri - Editors / Yayıncılar: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistent: Asst. Prof. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Asst. Prof. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Asst. Prof. Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskreçki (Connecticut University, U.S.A.), Asst. Prof. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Asst. Prof. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Asst. Prof. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Asst. Prof. Dr. Fevzi Özgökçe, Asst. Prof. Dr. Mural Ünal (Yüzüncü Yıl University, Van, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to: Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. - e-mail: cesa tr@yahoo.com.tr

All serials are recorded regularly by the Zoological Record, Thomson Reuters, Enterprise House, Innovation Way, Heslington, York, YO10 5NQ, United Kingdom ts-emea-york.dcsadmins@thomson.com

58

<sup>&</sup>lt;sup>4</sup> http://www.cesa-tr.org/Pri.htm - pdf available after corresponding

<sup>&</sup>lt;sup>5</sup> http://www.cesa-tr.org/Miscell.htm - pdf available after corresponding

<sup>6</sup> http://www.cesa-tr.org/Memoirs.htm

<sup>&</sup>lt;sup>7</sup> http://www.cesa-tr.org/CDF.htm

http://www.cesa-tr.org/Icon.htm

<sup>&</sup>lt;sup>9</sup> <a href="http://www.metafro.be/Members/Cesa/internet\_sayfas305/base\_view">http://www.metafro.be/Members/Cesa/internet\_sayfas305/base\_view</a> - pdf available

<sup>10</sup> http://www.cesa-tr.org/Cesanews.htm

http://www.cesa-tr.org/Cesabooks.htm